



Introduction

Fire & Safety WA is an ISO9001 certified Australian owned and operated business that was established in 2007. Since the beginning we have provided a wide range of Firefighting and other First Responder products, all of which are supported with excellent service. We are dedicated to meeting the needs of our customers in Western Australia. Currently our customer base consists of several local Government entities, all the large Resource companies, other Mining companies and a group of Resellers. We are also pursuing a strategy to compete in the Fire Contractor market with Fire Extinguishers and Fire Detection Systems. Our Landsdale facility consists of twin units, each having two storeys comprising office space and a high bay warehouse. One unit has a purpose-built clean room to assemble fire detection and emergency warning panels and incorporates our fire extinguisher recycling area.

Our Vision

We, at Fire & Safety WA are the distributors of nationally recognised, high quality products and services. We commit ourselves to offering Creative First Response Solutions with an energy that reflects our belief in all that we do. We will consistently provide solutions that meet or exceed the requirements and expectations of our customers in a timely and professional manner. We will adapt to the changing needs of our customers and answer their needs with creative, value for money solutions. We will offer our customers professionalism, integrity, product knowledge and unrivalled service. We will build and maintain close customer relationships to ensure best possible outcomes. Our processes will be subjected to continual review and improvements made to achieve best practice and maximum efficiency in all that we endeavour.

Our Experience

Fire & Safety WA is owned by our Directors, Paul and Kenlie Williams, who have decades of industry and management experience. Our sales professionals have all held sales manager and customer service positions.

Our Objectives

1. Continue to offer excellent products and service in a timely and professional manner.
2. Provide our customers with unparalleled service.
3. Promote Fire & Safety WA as CREATIVE FirstRESPONSE SOLUTIONS.
4. Introduce and promote FirstRESPONSE brand and initial product range.
5. Develop and implement a new website with online shopping.
6. Maintain ISO9001:2015 operating standards.
7. Build our staff's product knowledge.
8. Build and strengthen relationships with current, new and prospective customers.

Our Products

Our wide product range is unmatched within the industry. We stock and promote well-known brands including Akron Brass, Ansul, DLX, Mercedes Benz, Oliver Boots, Pacific Helmets, Pelican, RESQTEC, Scott Safety, VESDA and Vigilant. Our products groups are;

Ansul

- FireFighting Agents

Fire Extinguishers

- Portable
- Mobile
- Accessories
- Fire Blankets

Fire Detection

- Fire Detection Systems
- Emergency Warning Systems
- VESDA

Emergency Response

- Breathing Apparatus
- Rope Rescue
- RESQTEC
- Rescue Equipment
- Shelters

FireFighting Equipment

- Adaptors & Fittings
- Foam Delivery
- Hose Reels
- Hoses
- Hydrants
- Monitors
- Nozzles

FireFighting Tools

- Eflares
- Hand Tools
- Jerry Cans
- Stowage
- Torches & Lighting

FireFighting PPE

- Apparel
- Footwear
- Helmets
- Gloves
- Protective Eye Wear
- General PPE

Fire Appliances

- Slip On & Trailers
- Light Attack

Our Customers

Fire & Safety WA has a sales team that directly promotes to our large number of customers including government agencies, large resource companies and fire contractors. Our customer base includes some major identities such as BHP Billiton, Chevron, ConocoPhillips, Fortescue Metals Group, Rio Tinto and Woodside. Our customers also include various Government and semi Government bodies including WA Department of Fire and Emergency Services, Local Councils and Volunteer Groups.



Our Core Competencies

Convenience - Customers can walk out of our facility with all the products they need. A speedy courier service is also available. **Inhouse Capabilities** – We customise fire detection and emergency warning panels at our premises. Recently our fire extinguisher recycling area was commissioned. We offer a highly organised and efficient warehousing system. **Quality & Reliability** – We only provide reliable, quality products that perform to our customers' expected standards. **Promotion** – We create strong marketing material and actively promote our products via online campaigns, our website and one on one meetings. **Selection** - Providing a range of creative and time/cost saving product solutions not currently available from competitors in the market. **Service** - Our business provides better service than competitors. **Technical Support** – Telephone and onsite technical support is available 24/7.

Our Future

Fire & Safety WA has a bright future. The company's ability to adapt to the changing needs of the various sectors of the community and to answer those various sectors needs with creative value for money solutions will ensure our success and continued growth.



Emergency Response



Y Piece with CEN Couplings

Constructed from nickel-plated brass, with 2 Female Socket CEN type couplings and 1 male coupling, the Y-piece allows a single length of hose to be split into two branches.

(2003397)



XACT 1.25 Ton Cooling 15000BTU Heating 15000BTU 240V

(HAVAC125.1)



X6 Spreader

Resqtec offers an unmatched in practical performance X-Series Spreader range. The biggest challenge in designing spreaders is its jaw; it must be strong enough and simultaneously have very thin tips at the end of the jaw.

(4760.0000.XX)



X4 Spreader (Rq)

Resqtec offers an unmatched in practical performance X-Series Spreader range. The biggest challenge in designing spreaders is its jaw; it must be strong enough and simultaneously have very thin tips at the end of the jaw.

(4744.0000RQ)



X4 Spreader

Resqtec offers an unmatched in practical performance X-Series Spreader range. The biggest challenge in designing spreaders is its jaw; it must be strong enough and simultaneously have very thin tips at the end of the jaw.

(4744.0000.XX)



X2 Spreader

Resqtec offers an unmatched in practical performance X-Series Spreader range. The biggest challenge in designing spreaders is its jaw; it must be strong enough and simultaneously have very thin tips at the end of the jaw.

(4720.0000.XX)



X2 EDD Spreader

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(5720.1202.EE)



Window Center Punch

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0771)



Wedge

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.

(8400.065)



Water Mist System For Stream Shaper Guard

Water Mist System For Stream Shaper Guard is an accessory for Resqtec's Airlast Ventilation Series.

(6500.0122)



Water Mist System

Water Mist System is an accessory for Resqtec's Airlast Ventilation Series.

(6500.0022)



WA Rescue Glass Management Kit

The essential tool kit for road rescue crews for safe and efficient management of glass, sharps and debris.

(GMK)



Vehicle Charger 24V

The Vehicle Charger charges your batteries on board of any rescue vehicle, by simply connecting it to any in-vehicle power source - whether is 110/220V, or with the special converter to 12/24V.

(4300.0740)



Vehicle Charger 110V / 220V

The Vehicle Charger charges your batteries on board of any rescue vehicle, by simply connecting it to any in-vehicle power source - whether is 110/220V, or with the special converter to 12/24V.

(4300.0880)



Vehicle Charger

The Vehicle Charger charges your batteries on board of any rescue vehicle, by simply connecting it to any in-vehicle power source - whether is 110/220V, or with the special converter to 12/24V.

(4300.0550)



V6 Ram

Resqtec offers a fantastic V-series Ram tool range. The ram is an essential tool for a rescue operation. Being compatible with Profix Max accessories, the V-series ram offers a large variety of options to complete any rescue operation.

(4560.2000.XX)



V5T Teleram

Resqtec offers a fantastic V-series Ram tool range. The ram is an essential tool for a rescue operation. Being compatible with Profix Max accessories, the V-series ram offers a large variety of options to complete any rescue operation.

(4550.0000.XX)



V4 Ram

Resqtec offers a fantastic V-series Ram tool range. The ram is an essential tool for a rescue operation. Being compatible with Profix Max accessories, the V-series ram offers a large variety of options to complete any rescue operation.

(4540.2000.XX)



V4 EDD Ram

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4540.2041.EE)



V4 EDD Ram

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4540.2001.EE)



V3T Teleram

Resqtec offers a fantastic V-series Ram tool range. The ram is an essential tool for a rescue operation. Being compatible with Profix Max accessories, the V-series ram offers a large variety of options to complete any rescue operation.

(4530.0000.XX)



V2 Ram

Resqtec offers a fantastic V-series Ram tool range. The ram is an essential tool for a rescue operation. Being compatible with Profix Max accessories, the V-series ram offers a large variety of options to complete any rescue operation.


(4520.2000.XX)



Ultra-Pro Edge Protector - 4 Edge Protector

Edge Protector Ultra Pro 2 CMC Ultra-Pro is lighter and easier to transport than edge rollers.

(CMC294044)



Ultra-Pro Edge Protector - 2 Edge Protector

Edge Protector Ultra Pro 2 CMC Ultra-Pro is lighter and easier to transport than edge rollers.

(CMC294042)



TURBOFOOT right

Hook these mini ascenders to your feet and climb lines with greater ease.

(VCAM 2258)



Turbo Chest Ascender

The Turbo Chest Ascender is a compact and lightweight ascender which includes new patented rollers for high efficiency climbing.

(VCAM 2256)



Tripod Set

The Tripod can be mounted on to any Profix Max product and is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8420.0610)



Tripod

The Tripod can be mounted on to any Profix Max product and is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8420.0600)



Traverse Titan Titanium Basket Stretcher Split Version Titanium

For the ultimate in strength to weight ratio, the Titan Titanium Basket Stretcher sets a new standard for rescue litters.

(FWETTI-SP)



Traverse Titan Titanium Basket Stretcher One Piece Titanium

For the ultimate in strength to weight ratio, the Titan Titanium Basket Stretcher sets a new standard for rescue litters.

(FWETTI)



Traverse Titan Basket Stretcher Split Version Stainless Steel

The Titan Series Basket Stretcher is specifically designed to perform in a technical rescue environment. Its superior design provides a user-friendly platform from which to work.

(FWETB-SP)



Traverse Titan Basket Stretcher One Piece Stainless Steel

The Titan Series Basket Stretcher is specifically designed to perform in a technical rescue environment. Its superior design provides a user-friendly platform from which to work.

(FWETBT)



Traverse Gazelle Basket Stretcher

A strong, durable and cost effective black powder coated, carbon steel basket stretcher that's suitable for industrial rescue and retrieval.

(FWETBG)



Traverse 540 Rescue Belay (small)

The 540™ Rescue Belay, Small has all the same features of the Large, but is engineered to work with 11mm to 11.6mm (7/16 in.) rope.

(TRAV16-0200)



Traverse 540 Rescue Belay (large)

The Traverse 540 Rescue Belay is developed specifically to meet the needs of rescue system belays.

(TRAV16-0100)



Toolmat 3x2M

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0777)



Toolmat 2x1.5M

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0778)



Superpass II Motion Only

SuperPass2 is a small personal safety alarm specifically designed for firefighter and first responder safety.

(SP2M-A)



Superpass II Motion & Temp

SuperPass2 is a small personal safety alarm specifically designed for firefighter and first responder safety.

(SP2HA)



Strap Recovery 50mm 8500kg

recovery Strap, 50mm, 8500kg breaking strength

(SS8500)



Steel Triplock Karabiner 50 kN

A compact, lightweight, hardened steel karabiner with a 50 kN rating and triple lock gate.

(VCT A595TBZ0)



Steel Screw Gate Karabiner 50 kN

This high strength, hardened zinc plated steel karabiner has a useful wide opening screw gate entry.

(VCT A455TBZ0)



Stainless Steel Triplock Karabiner SS Gate 35 kN

Large stainless steel triplock karabiner with large gate opening.
(VCTI46500PO ASS)



SQ9 L HP Airbag (30x45)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0106)



SQ8 HP Airbag (38x38)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0104)



SQ70 HP Airbag (94.5x94.5)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0176)



SQ6 HP Airbag (30x30)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0102)



SQ54 HP Airbag (87x87)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0165)



SQ40 HP Airbag (78x78)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0155)



SQ31 HP Airbag (69x69)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0148)



SQ3 HP Airbag (22.5x22.5)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0101)



SQ24 L HP Airbag (32x102)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0140)



SQ24 HP Airbag (61x61)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0135)



SQ20 L HP Airbag (37.5x75)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0121)



SQ19 HP Airbag (55x55)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0115)



SQ13 L HP Airbag (37.5x50)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0114)



SQ12 HP Airbag (45x45)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0108)



SQ1 HP Airbag (15x15)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0092)



Sparrow Self Locking Descender 200kg

The Sparrow 200R allows you to unblock the rope position without having to tie off. It allows for short ascent and the assembly of a reversible haul system. The floating cam design forces users to load the rope preventing accidental "reverse loading".
(VCT 2D656)




Spare Saw / Blade For Glass Cutter

Our assist tools and accessories perform potentially dangerous jobs easy and safe.
(9330.0407)



Spare Blade For Glass Saw, Set Of 2

Our assist tools and accessories perform potentially dangerous jobs easy and safe.
(9330.0408)



Soft Casualty Shield Transparent

Our assist tools and accessories perform potentially dangerous jobs easy and safe.
(9330.0774)



Sling - Snake 50 x 1500 30 kN Red / Blue / Yellow / Black

Every Ferno Sling is made from high grade, abrasion resistant webbing and is available in a variety of colours and lengths.
(VSL S30kN 1500)



Sling - Round 25 x 1500 32 kN Red / Blue / Yellow / Black

Every Ferno Sling is made from high grade, abrasion resistant webbing and is available in a variety of colours and lengths.
(VSL R32kN 1500)



Shut-Off Hose 12 Bar/2M/Green/Rubber

Resqtec Hybrid Accessories: Shut-Off Hose 12 Bar/2M/Green/Rubber
(8700.1362)



Shut-Off Hose 12 Bar/2M/Green

Resqtec Hybrid Accessories: Shut-Off Hose 12 Bar/2M/Green
(8700.1283)



Shut-Off Hose 12 Bar/2M/Blue/Rubber

Resqtec Hybrid Accessories: Shut-Off Hose 12 Bar/2M/Blue/Rubber
(8700.1367)



Shut-Off Hose 12 Bar/2M/Blue

Resqtec Hybrid Accessories: Shut-Off Hose 12 Bar/2M/Blue
(8700.1273)



Set Of 2 Pulling Jaws FX6

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.
(2120.4280)



Set Of 2 Pulling Jaws FX2/FX4

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.
(2130.4280)



Set Of 2 Hoses 12 Bar/10M Each

Resqtec Set Of 2 Hoses 12 Bar/10M Each
(8410.0851)



Scott Sight AV3000HT (MED)

Scott Sight is the first of its kind thermal in-mask system.
(8005264)



SCBA Propak-fx FX T2 (New 2014 edition) Adjustable Height Swivel

The ultimate in user comfort for the professional fire fighter offering all the benefits of the ProPak-f with the added feature of an adjustable back plate which means that the unit can be altered to fit the height of the wearer.
(2027195)



SCBA Propak-f T2 (New 2014 edition) Firefighting

The ProPak-f has been designed for use by the Fire Service or as a fire fighting set in the Oil & Gas fire fighting market.
(2027182)



SCBA ProPak Sigma T2 (New 2014 edition)

The ProPak-Sigma has been designed specifically for use as a compliance set in Marine or Industrial fire fighting environments.
(2027150)



Safe Spring Hook Each

Coiled, plastic coated stainless wire extends from 430 mm to 1600 mm and prevents tools accidentally falling.
(EB-STL INDV)



Saddle Wedge With Strap

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.
(8400.0640)



Rope Protector - Wraparound

Serious heavy duty rope protection made from super strong webbing.
(VAIROPPROTINDWRAP)



Rope Protector - Flat

Made from a heavy-duty webbing with medium duty webbing for the closure flaps.
(VAIROPPROTINDFLAT)



Roll N Lock Self Jamming Pulley

A compact, ultra-light self jamming pulley with three operational modes: pulley, progress capture pulley and ascender.
(VCT 2D625)



Ringers Rope Rescue Gloves

The Ringers Rope Rescue Glove is ideal for optimum grip and control in inclement weather.
(RINGERS-355)



Rhino

Resqtec Rhino
(8420.0020)



Rescue Descender D5

The D5 Work/Rescue Descender is suitable for industrial height safety, rope access, edge management, arborists and search and rescue.
(VISC RP885A1)



Rescue Descender D4

The D4 Rescue Descender is ideal for rescue, belay, descending, rope access and industrial situations.
(VISC RP880)



Remote Controller

Resqtec Remote Controller
(8410.0710.00)



Regulator C/W 2M Black Rubber Inlet Hose

Resqtec Hybrid Accessories: Regulator C/W 2M Black Rubber Inlet Hose

(8700.0570)



Red/White Danger Tape 75mm x 100M

This Paramount Safety Barrier Tape is heavy-duty plastic tape 100m roll with 75(w)mm, is red and white, and reads Danger.

(DT10075)



Red/White Danger Do Not Enter Tape 75mm x 100M

This Paramount Safety Barrier Tape is heavy-duty plastic tape 100m roll with 75(w)mm, is red and white, and reads Danger Do Not Enter.

(DDNET10075)



Red/White Barricade Tape 75mm x 100M

Barricade Tape Red/White 75mm x 100m PRO RW10075

(RW10075)



Rear 360Deg Carry Handle (Long Version Only)

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.


(4250.1065)



Rapid Stair

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.


(8400.0620)



Rapid Rescue Single Strap 6M

The Rapid Rescue Straps have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(8461.0500)



Rapid Rescue Double Strap 3M

The Rapid Rescue Straps have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(8461.1000)



Ram Support

The Power Pushers have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(2350.0535)



Ram Adapter

Resqtec Ram Adapter

(8420.0230)



RALF Rescue Kit 5 to 1

Packaged ready to rescue, no assembly required, the RALF Rescue Retrieval System allows you to quickly raise or lower a person.

(FWE-RRK)



RALF Rescue Kit 3 to 1

Packaged ready to rescue, no assembly required, the RALF Rescue Retrieval System allows you to quickly raise or lower a person.

(FWE-RRK 3:1)



Raker Rail Hinge

Female end clicked on a ProFix Max male connector ring.

(8430.0180)



Raker Rail Connector

Used to connect two raker rails.

(8430.0120)



Raker Rail 1500

Used for wall, ground or ceiling support

(8430.0070)



Q1 Cutter

The Q1 is designed for cutting brake pedals, hinges, steering wheels and reinforcement bars and more if needed. Use its spreading force to create space in the narrowest places. The Q1 is a must have for any rescue team. It gives access to confined spaces that are hard to get to.

(4310.0000.XX)



PXM Protection Strap

Prevents undesirable extension of the ProFix Max.

(8410.4110)



PS200 Portable Gas Monitor LEL, O2, CO/H2S Sensors Pump / Tubing

(64141)



PS200 Portable Gas Monitor LEL, O2, CO/H2S Sensors

A robust and accurate portable gas detector, the Personal Surveyor (PS200 Series) provides unrivaled protection in confined space applications with audible and visual alarms in the event of exposure to flammable or toxic gases.

(64041)



PS200 Auto Calibration Station

The multifunctional Auto Bump/Calibration station provides simple but intelligent testing and calibration of the PS200 portable gas detector.

(64052)



Protection Cover Set B (8 Pcs)

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9340.0009)



Protection Cover Set A (4 Pcs)

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9340.0011)



PROPAK-FX-EZ-Flo

ProPak-fx-Ez-Flo is the ultimate in user comfort for the professional fire fighter offering all the benefits of the ProPak-f with the added feature of an adjustable back plate which means that the unit can be altered to fit the height of the wearer.

(2031988)



Promask PP Left Quick Fit (LQF) Full Face Mask

The Scott Safety Promask PP (Positive Pressure) face mask for self contained breathing apparatus (SCBA) is available in 2 different sizes and will accommodate a wide range of facial shapes and sizes.

(13190)



ProFix Max 880

The ProFix Max manual and pneumatic shoring device has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various shoring applications they encounter.

(8410.0310.20)



ProFix Max 600

The ProFix Max manual and pneumatic shoring device has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various shoring applications they encounter.

(8410.0300.20)



ProFix Max 470

The ProFix Max manual and pneumatic shoring device has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various shoring applications they encounter.

(8410.0290.00)



ProFix Max 2300

The ProFix Max manual and pneumatic shoring device has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various shoring applications they encounter.

(8410.0330.20)



ProFix Max 1400

The ProFix Max manual and pneumatic shoring device has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various shoring applications they encounter.

(8410.0320.20)



Profix Junction

Used as a junction in wall support systems.

(8430.0240)



PP40

The Power Pushers have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(8440.0010)



PP25

The Power Pushers have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(8440.0020)



Power Plate Plug

Used to mount a MultiSwivel on a PowerPlate.

(8700.2075)



Power Plate

Mounted on MultiSwivel by using the PowerPlate plug. Also compatible with the Resqtec NT HYBRID and CnbBlock series.

(8420.0060)



Pow'rrench 750 Set Mm

The Pow'rrench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0021)



Pow'rrench 750 Set Inch

The Pow'rrench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0022)



Pow'rrench 750

The Pow'rrench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0020)



Pow'rrench 625-50 Set Mm

The Pow'rrench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0011)



Pow'rrench 625-50 Set Inch

The Pow'rrench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0012)



Pow'rrench 625-50

The Pow'rrench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.001)



Pow'rrench 1000 Set Mm

The Pow'rrench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0031)



Pow'rrench 1000 Set Inch

The Pow'rrench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0032)



Pow'rrench 1000

The Pow'rrench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0030)



Positive Airblast 20" Variable Speed

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0260)



Positive Airblast 20" Honda GX

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0272)



Positive Airblast 20" Honda GC

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0270)



Positive Airblast 20" Electric

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0240)



Positive Airblast 20" ATEX

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0250)



Positive Airblast 18" Variable Speed

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0220)



Positive Airblast 18" Honda GX

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0232)



Positive Airblast 18" Honda GC

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0230)



Positive Airblast 18" Electric

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0200)



Positive Airblast 18" ATEX

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0210)



P4X EDD Spreader (Short Control Handle)

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4770.0303.EE)



P4X EDD Spreader

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4770.0003.EE)



P4W EDD Cutter (Short Control Handle)

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4172.0303.EE)



P4W EDD Cutter

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4172.0003.EE)



P4FX EDD Frontliner

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4270.0003.EE)



P4 EDD Incl. Spreader Arms & Cutter Blades

The P4 is one-of-a-kind and a "must have" for any rescue team. It can be converted from being a dedicated spreader to a cutter in just seconds using interchangeable tool attachments.

(4272.3003.EE)



NT8 Hybrid Incl. Storage Case

It is the design of the NT Hybrid that is the driving force behind its many features and capabilities. The oval shape forces the bag to stay flat throughout the lift. Its embedded Load Capacity Enhancer (LCE) and Stability Center turns limitations of lifting bags into strengths and ease of use.

(8508.0008)



NT4 Hybrid Incl. Valise

It is the design of the NT Hybrid that is the driving force behind its many features and capabilities. The oval shape forces the bag to stay flat throughout the lift. Its embedded Load Capacity Enhancer (LCE) and Stability Center turns limitations of lifting bags into strengths and ease of use.

(8508.0004)



NT2 Hybrid Incl. Valise

It is the design of the NT Hybrid that is the driving force behind its many features and capabilities. The oval shape forces the bag to stay flat throughout the lift. Its embedded Load Capacity Enhancer (LCE) and Stability Center turns limitations of lifting bags into strengths and ease of use.

(8508.0002)



Negative Airblast 16" Variable Speed

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0120)



Negative Airblast 16" Honda

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0130)



Negative Airblast 16" Electric

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0100)



Negative Airblast 16" Electric

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0110)



Nailing Block

Mounted on the side of a ProFix Max' cylinder or piston to add additional wooden shoring.

(8430.0300)



Multi Tool

The Multi Tool is an accessory to the Restec Protix Max Series.

(8410.0600)



Multi Swivel With Ring Handle

The Multi Swivel With Ring Handle is an accessory to the Restec Protix Max Series.

(8420.4000)



Multi Swivel

The Multi Swivel is an accessory to the Restec Protix Max Series.

(8420.3550)



Multi Connector

The Multi Connector is an accessory to the Restec Protix Max Series.

(8420.0260)



Monopod Set

The Monopod can be mounted on to any Profix Max product and is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8420.2450)



Monopod

The Monopod can be mounted on to any Profix Max product and is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8420.2650)



Modular Trolley with Hose Reel - 2 Cylinder, 2 Man (no hose)

The Scott Safety Modular range of Airline Trolley Systems provide a portable compressed air supply system for the users of airline breathing apparatus.

(1051844)



Mini GXH50 STO 1x1 3SR+Smart

The 3SR power units have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(3641.1121.XX)



Mini GXH50 STO 1x1 3SR

The 3SR power units have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(3641.1111.XX)



Midi GX100 STO 1x1 3SR+Smart

The 3SR power units have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(3642.1122.XX)



Midi GX100 STO 1x1 3SR

The 3SR power units have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(3642.1112.XX)



Midi GX100 MTO 2x2 3SR+Smart

The 3SR power units have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(3742.1122.XX)



Midi GX100 MTO 2x2 3SR

The 3SR power units have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(3742.1112.XX)



Med Sled Vertical Lift Rescue Red

The Med Sled Rescue is an innovative, cost effective rescue device designed specifically for vertical or horizontal lift operations.

(MS-MS36VLR)



Maxi GX160S MTO 3SR STD

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3744.1112.XX)



Maxi GX160S MTO 3SR IHR 2x20M

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3744.4312.XX)



Maxi GX160S MTO 3SR IHR 2x20M

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3744.3312.XX)



Maxi GX160 E-Start MTO 3SR STD

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3745.1111.XX)



Maxi GX160 E-Start MTO 3SR IHR 2x20M

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3745.4311.XX)



Maxi GX160 E-Start MTO 3SR IHR 2x20M

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3745.3311.XX)



Maxi 2.2kW 220/50Hz MTO 3SR STD

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3722.1111.XX)



Maxi 2.2kW 220/50Hz MTO 3SR IHR 2x20M

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3722.4311.XX)



Maxi 2.2kW 220/50Hz MTO 3SR IHR 2x20M

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3722.3311.XX)



Marine and Industrial Compliance Set Sigma 2 Type 2 MED App.

Suitable for marine and industrial use including short duration confined space entry.


(SCBACOMP6T2)



Mains Power Adapter

Mains Power Adapter allows you to work without batteries. Connected to 110 or 220V, the mains power adapter enables any EDD tool to operate continuously, without interruption.


(4300.1000)



Maillon Rapide Twist Standard Steel - 7mm

Fitted with a 90 degree twist, the Maillon Rapide Twist is ideal for smoother PPE connections, rope access as well as in mountaineering and climbing.

(VMR STSTW07)



Maillon Rapide Twist Large Opening Steel - 8mm

Fitted with a 90 degree twist, the Maillon Rapide Twist is ideal for smoother PPE connections, rope access as well as in mountaineering and climbing.

(VMR LOSTW08)



Maillon Rapide Standard Steel - 10mm

The Maillon Rapide Standard is extremely strong when loaded along the long axis.

(VMR STS10)



Maillon Rapide Standard S/Steel - 10mm

The Maillon Rapide Standard is extremely strong when loaded along the long axis.

(VMR STSS10)



Maillon Rapide Standard Alloy - 10mm

The Maillon Rapide Standard is extremely strong when loaded along the long axis.

(VMR STA10)



Maillon Rapide Large Opening Steel - 10mm

The wider mouth opening makes connecting easier.

(VMR LOS10)



Maillon Rapide Large Opening S/Steel - 10mm

The wider mouth opening makes connecting easier.

(VMR LOSS10)



Maillon Rapide Delta Steel - 10mm

Ideal in situations where a three-way load is exerted.

(VMR DS10)



Maillon Rapide Delta S/Steel - 10mm

Ideal in situations where a three-way load is exerted.

(VMR DSS10)



Maillon Rapide Delta Alloy - 10mm

Ideal in situations where a three-way load is exerted.

(VMR DA10)



Maillon Rapide C Steel - 10mm

Commonly used when connecting sit and chest harnesses.

(VMR CS10)



Life And Motion Tracer LM1

The Life & Motion tracer has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9330.0041)



Laminated Glass Saw

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0406)



Laminated Glass Cutter With Holster

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0405)



KASK HP+ Mesh Full Visor

Arborist/Mesh visor designed by Protector to fit the KASK High Performance and HP Plus Helmets.

(VKA-FCMS)



KASK HP+ Half Visor

KASK have three options available for the half visor that attaches to their HP Plus Helmet.

(VKA WVI 2)



KASK HP+ Full Visor Clear

Full face protection in a clear polycarbonate face shield for the KASK HP Plus helmet.

(VKA WVI 3.015)



Kask HP+ Ear Muffs Pair Class 5

Class 5 ear muffs for the Kask HP Plus Helmet, certified to AS/NZS 1270:2002.

(VKA RB22CA)



KASK High Performance Plus AS/NZ 1801 Certified

Certified to AS/NZS 1801 and CE EN14052 Specifically designed for emergency rescue and rope access technicians, arborist and specialists working at height.

(VKA WHE 20)



ISC Rope Grab with Pip Pin 11 - 13 mm

Available with fixed axle or in-field detachable pip pin axle to allow fitting to the rope at any point. Two sizes available to suit either 11 mm to 13 mm or 14 mm to 16 mm semi-static ropes.

(VISC RP209A)



ISC Prusik Pulley Small Single SS

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP060D1)



ISC Prusik Pulley Small Single Alloy

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP060A1)



ISC Prusik Pulley Small Double SS

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP061D1)



ISC Prusik Pulley Small Double Alloy

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP061A1)



ISC Prusik Pulley Medium Single SS Becket

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP065D1)



ISC Prusik Pulley Medium Single Alloy

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP063D1)



ISC Prusik Pulley Medium Single Alloy Becket

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP065A1)



ISC Prusik Pulley Medium Single Alloy

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP063A1)



ISC Prusik Pulley Medium Double SS

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP064D1)



ISC Prusik Pulley Medium Double Alloy

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP064A1)



ISC Prusik Pulley Large Single SS

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP066D1)



ISC Prusik Pulley Large Single Alloy

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP066A1)



ISC Prusik Pulley Large Double SS

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP067D1)



ISC Prusik Pulley Large Double Alloy

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP067A1)



Inline Whistle with CEN Couplings

When placed in the airline system between the breathing hose and the user this device provides a safe, clear warning should the airline pressure drop below 4 bar.

(1023353)



Hose Strap

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(2600.0000)



Hose Reel 2 x 20M Green /Blue

Hose Reel 2 x 20m is an accessory for the Resqtec's product line.

(2075.7220XX)



Hose Reel 1 x 20 M Green

Hose Reel 1 x 20m (GREEN) is an accessory for the Resqtec's product line.

(2075.7120XX)



Hose Reel 1 x 20 M Blue

Hose Reel 1 x 20m (BLUE) is an accessory for the Resqtec's product line.

(2075.7020XX)



HB76 Dangerous Goods Emergency Response Guide

Provides emergency response information for dealing with accidents, spills, leaks or fires involving dangerous goods.

(HB76)



HaulerBiner Rescue Kit 300cm

The HaulerBiner Rescue is a simple and compact mechanical advantage rescue kit with some very unique features.

(VISC HB300A)



HaulerBiner Rescue Kit 165cm

The HaulerBiner Rescue is a simple and compact mechanical advantage rescue kit with some very unique features.

(VISC HB165A)



HaulerBiner Rescue Kit 105cm

The HaulerBiner Rescue is a simple and compact mechanical advantage rescue kit with some very unique features.


(VISC HB105A)



HaulerBiner Rescue Kit

The HaulerBiner Rescue is a simple and compact mechanical advantage rescue kit with some very unique features.

(VISC HB)



Hard Casualty Shield (Transparent)

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0772)



Handheld Dual Controller 12 Bar

Resqtec Handheld Dual Controller 12 Bar

(8700.0552)



Handheld Controller Strut 12 Bar

Handheld Controller Strut is an accessory to the Restec Protix Max Series.

(8410071000)



Girth Hitch Sling 1200mm

The Girth Hitch Sling differs significantly in design and performance from other adjustable anchor straps, allowing it to handle a higher load before slipping.

(VSL G30kN 1200)



G8W Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(4186.0000.XX)



G8C Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(41860000RQ)



G6W EDD Cutter

A NEW ERA STARTS FOR RESCUE EXTRICATION EQUIPMENT. For the first time ever, the need for hydraulics is completely eliminated in a complete line of extrication equipment. No need for a hydraulic pump, fluid, piston, valves or seals. Electronic Direct Drive (EDD) directly converts battery power – from a compact, powerful and efficient motor – to output force.

(5163.1202.EE)



G6W Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(4163.0000.XX)



G6C EDD Cutter

A NEW ERA STARTS FOR RESCUE EXTRICATION EQUIPMENT. For the first time ever, the need for hydraulics is completely eliminated in a complete line of extrication equipment. No need for a hydraulic pump, fluid, piston, valves or seals. Electronic Direct Drive (EDD) directly converts battery power – from a compact, powerful and efficient motor – to output force.

(5162.1202.EE)



G6 Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(4160.0000.XX)



G4W EDD Cutter

A NEW ERA STARTS FOR RESCUE EXTRICATION EQUIPMENT. For the first time ever, the need for hydraulics is completely eliminated in a complete line of extrication equipment. No need for a hydraulic pump, fluid, piston, valves or seals. Electronic Direct Drive (EDD) directly converts battery power – from a compact, powerful and efficient motor – to output force.

(5143.1202.EE)



G4W Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(4142.0000.XX)



G4C EDD Cutter

A NEW ERA STARTS FOR RESCUE EXTRICATION EQUIPMENT. For the first time ever, the need for hydraulics is completely eliminated in a complete line of extrication equipment. No need for a hydraulic pump, fluid, piston, valves or seals. Electronic Direct Drive (EDD) directly converts battery power – from a compact, powerful and efficient motor – to output force.

(5142.1202.EE)



G4 Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(4140.0000.XX)



G2 Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(4120.0000.XX)



FX6 Frontliner

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(4260.0000.XX)



FX6 FJ EDD Frontliner

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(5265.1202.EE)



FX4 Frontliner

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(4240.0000.XX)



FX4 FJ EDD Frontliner

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(5245.1202.EE)



FX2 Frontliner With Intergrated Hand Pump

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(2005.4000.M0)



FX2 Frontliner

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(4220.0000.XX)



Floor Mat Plug

Resqtec Floor Mat Plug

(8700.204)



Floor Mat

Resqtec Floor Mat

(5240.0715)



Flite Cylinder 2L 200 Bar Steel Cylinder 10 min Escape

The Scott Safety Flite is an open circuit, positive pressure airline breathing apparatus generally comprising of a bandolier harness, positive pressure airline apparatus with automatic positive pressure demand valve, supply hose and coupling for airline supply hose.

(2006648)



Flite Airline Breathing Apparatus

The Scott Safety Flite is a first breath activated positive pressure airline breathing apparatus with the option of hip mounted 10 and 15 minute compressed air cylinder supply for escape from the most hazardous environments.

(1047792)



Flexible Duct With Carrying Bag 7.5M Explosion Proof

Accessories for Resqtec's Compact Airblast Series, Flexible Duct With Carrying Bag 7.5M Explosion Proof

(6143.0020)



Flexible Duct With Carrying Bag 7.5M

Accessories for Resqtec's Compact Airblast Series, Flexible Duct With Carrying Bag 7.5M

(6143.0010)



Flexible Duct With Carrying Bag 4.5M Explosion Proof

Accessories for Resqtec's Compact Airblast Series, Flexible Duct With Carrying Bag 4.5M Explosion Proof

(6143.0015)



Flexible Duct With Carrying Bag 4.5M

Accessories for Resqtec's Compact Airblast Series, Flexible Duct With Carrying Bag 4.5M

(6143.0000)



Fixed Base

The Fixed Base is an accessory to the Restec Protix Max Series.

(8420.0300)



Ferno Vertical Rescue Stretcher

The Ferno Vertical Rescue Stretcher's roll-up, compact and lightweight design makes it ideal for high angle, confined space, horizontal or vertical rescue.

(VRES STRETCH)



Ferno Vertical Rescue Stretcher 6 Point Bridle

Although the Vertical Rescue Stretcher is supplied standard with six lifting slings the Ferno VRS 6 Point Lift Bridle is designed specifically to fit the Vertical Rescue Stretcher and offers the rescuer additional adjustment of the stretcher angle in delicate rescue scenarios.

(BRB-VRS)



Ferno Ultralite X Harness

The Ultralite X full body harness is designed and manufactured in Australia and combines world-leading safety features with superior comfort and easy vest style donning.

(VHI ULTRALITE X)



Ferno ROAR LITE Harness

The ROAR Lite is the ultimate technical harnesses for rope access and rescue specific requirements.

(VHI ROAR LITE)



Ferno Industrial Rope Protection Mat

Hard wearing PVC strips are concealed within full length hinged sections that allow conformity to most edge contours.

(VAI ROP PROT MAT)



Ferno Heavy Duty Rope Bag

Ferno Rope Bags keep your rope conveniently stowed, ready for transportation and quick deployment.

(VBS HIVIS)



Ferno Hardpoint Ascender Full Body Harness

The Ferno Hardpoint full body harness provides all the comfort, benefits and industry leading features of the Ferno Centrepoint 2 harness, but with a front hand connection point in place of the web belay loop.

(VHI HP ASC)



Ferno Centrepoint 2 Ascender Full Body Harness

A favourite with Australian emergency services and rope access technicians, the Centrepoint II is a tried and proven workhorse that can be used in a multitude of applications.

(VHI CEN FB 2 A)



Ferno 71S Basket Stretcher Split Version

The Ferno 71-S two-piece Basket Stretcher has the same features as the one-piece Ferno 71 Basket Stretcher but separates in half for compact storage or backpacking to a rescue site.

(FWE71S)



Ferno 71 Basket Stretcher One Piece

The Ferno 71 Basket Stretcher is constructed of a high density polyethylene shell supported by a permanently attached heavy-duty aluminium frame.

(FWE71)



EX-900

The Resqtec Profix Max Extension is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8410.0530.20)



EX-600

The Resqtec Profix Max Extension is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8410.0520.20)



EX-300

The Resqtec Profix Max Extension is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8410.0510.20)



EX-1500

The Resqtec Profix Max Extension is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8410.0550.20)



EX-150

The Resqtec Profix Max Extension is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8410.0500.20)



EX-1200

The Resqtec Profix Max Extension is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8410.0540.20)



Etrier Five Step

The Etrier and Aider Four and Five Step are ideal for rescue, rope access and recreational aid climbing.

(VAS ETRIER 5)



Elevation Add-On 4000-5000M

Resqtec Elevation Add on for 3SR Power Units.

(3435.4050)



Elevation Add-On 3000-4000M

Resqtec Elevation Add on for 3SR Power Units.

(3435.3040)



Elevation Add-On 2000-3000M

Resqtec Elevation Add on for 3SR Power Units.

(3435.2030)



Elevation Add-On 2000-3000M

Resqtec Elevation Add on for 3SR Power Units.

(3436.2030)



Elevation Add-On 2000-3000

Resqtec Elevation Add on for 3SR Power Units.

(3434.2030)



Elevation Add-On 1000-2000M

Resqtec Elevation Add on for 3SR Power Units.

(3435.1020)



Elevation Add-On 1000-2000M

Resqtec Elevation Add on for 3SR Power Units.

(3436.1020)



Elevation Add-On 1000-2000

Resqtec Elevation Add on for 3SR Power Units.

(3434.1020)



Elevation Add On 4000>5000M

Resqtec Elevation Add on for 3SR Power Units.

(3437.4050)



Elevation Add On 3000>4000M

Resqtec Elevation Add on for 3SR Power Units.

(3437.3040)



Elevation Add On 2000>3000M

Resqtec Elevation Add on for 3SR Power Units.

(3437.2030)



Elevation Add On 1000>2000M

Resqtec Elevation Add on for 3SR Power Units.

(3437.1020)



Edge Support

Accessories for the Resqtec The Profix Max Extension Series.

(8420.0190)



Earth Nail

Accessories for the Resqtec The Profix Max Extension Series.

(9800.8011)



Dual Air Cylinder Connector

Resqtec Dual Air Cylinder Connector

(8700.062)



Door Opener With Pump & 3M Hose

The door opener has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(2064.100M.MS)



DFES 2 Disinfectant 1 Lt

A one step disinfectant for Personal Protective Equipment, such as Hard Hats, Face Shields, Goggles, Spectacles, Protective Head Gear, Hearing Protectors, Gas Masks and Suits and Self Contained Breathing Apparatus (SCBA).

(FGF2)



DFES 1 Sanitiser Cleaner 4 Lt

A safe effective cleaner for Personal Protective Equipment, such as Hard Hats, Face Shields, Goggles, Spectacles, Protective Head Gear, Hearing Protectors, Gas Masks and Suits and Self Contained Breathing Apparatus (SCBA).

(FGF1)



Delivery Hose 12 Bar/8M/Red/Rubber

Resqtec Delivery Hose 12 Bar/8M/Red/Rubber

(8700.1332)



Delivery Hose 12 Bar/8M/Yellow/Rubber

Resqtec Delivery Hose 12 Bar/8M/Yellow/Rubber

(8700.1337)



Delivery Hose 12 Bar/8M/Green/Rubber

Resqtec Delivery Hose 12 Bar/8M/Green/Rubber

(8700.1342)



Delivery Hose 12 Bar/8M/Blue/Rubber

Resqtec Delivery Hose 12 Bar/8M/Blue/Rubber

(8700.1347)



Delivery Hose 12 Bar/10M/Yellow

Resqtec Delivery Hose 12 Bar/10M/Yellow

(8700.1112)



Delivery Hose 12 Bar/10M/Red

Resqtec Delivery Hose 12 Bar/10M/Red

(8700.1107)



Delivery Hose 12 Bar/10M/Green

Resqtec Delivery Hose 12 Bar/10M/Green

(8700.1117)



Cylinder 9L 300 Bar Carbon Fibre T Valve

Scott Safety's Carbon Fibre Cylinders provide a lightweight solution for containing the air required by Scott Safety Breathing Apparatus.

(1127413T)



Cylinder 9L 300 Bar Carbon Fibre RAV (Right angle valve)

Scott Safety's Carbon Fibre Cylinders provide a lightweight solution for containing the air required by Scott Safety Breathing Apparatus.

(1127413RAV)



Cylinder 6.8L 300 Bar Carbon Fibre T Valve

Scott Safety's Carbon Fibre Cylinders provide a lightweight solution for containing the air required by Scott Safety Breathing Apparatus.

(1118245T)



Cylinder 6.8L 300 Bar carbon fibre RAV (Right angle valve)

Scott Safety's Carbon Fibre Cylinders provide a lightweight solution for containing the air required by Scott Safety Breathing Apparatus.

(1118245RAV)



CT Orbiter T Twin Pulley with Becket

The Orbiter T is a light, alloy double pulley with oscillating side plates with twin sheaves mounted on heavy duty ball bearings.

(VCT 2P662)



CT Orbiter S Single Pulley

The Orbiter S Single Pulley is a large, light weight alloy pulley with oscillating side plates.

(VCT 2P660)



CT Orbiter M Single Pulley Small

The new Orbiter M Single Pulley Small is a robust and compact yet lightweight alloy pulley with oscillating side plates.

(VCT 2P664)



CT Orbiter L Triple Pulley

The Orbiter L Triple pulley with mobile side plates is very versatile and robust and has provision for two connectors through the upper eyelet. Its triple sheaves are mounted on heavy duty ball bearings.

(VCT 2P666)



CT Orbiter H Triple Pulley with Becket

Triple pulley with mobile side plates, very versatile and robust.

(VCT 2P667)



CT Orbiter D Single Pulley with Becket

This large yet light weight alloy pulley has oscillating side plates and becket.

(VCT 2P661)



CT Orbiter A Single Pulley

Innovative pulley with mobile light alloy side plates designed for tree climbing.

(VCT 2P665)



CT Glove Half Finger Large

Comfortable Leather Gloves.

(VCT 7X980AB)



CT Alloy Swivel Twister

The Twister is a lightweight, hot forged, alloy swivel which helps prevent rope twist.

(VCT 2D793)



CT Alloy Swivel Twirl

The Twirl is a lightweight, hot forged alloy swivel which helps prevent rope twist

(VCT2D795)



Crown

Accessories for the Resqtec The Profix Max Extension Series.

(8420.0000)



Crib Block Set CB8

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.

(8400.0736)



Crib Block Set CB6

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.

(8400.0735)



Crib Block Set CB4

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.

(8400.0734)



Crib Block Set CB2

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.

(8400.0733)



Crib Block Set CB 600-2

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.

(8400.0724)



Crib Block Set CB 600-1

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.

(8400.0722)



Connector Key

Resqtec Connector Key

(8700.2008)



Connector

Dimensions 123 x 40 x 15mm
Weight 0.1kg

(8400.055)



Compact Airblast 8" Explosion Proof

The Compact Airblast has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0001)



Compact Airblast 8"

The Compact Airblast has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0000)



Command Light Shadow SL422A-FS 2 X 220 W AC Spectra LED

The SL442A-FS is a part of Command Light's most compact line of light towers. Powered by 115 or 230V AC power, this tower has a reach of over 4 feet above it's base (or over 6.5 ft with an optional 80" arm).

(5876.2220)



Command Light Knight KL415A-FS 6 X 220W AC Spectre LED

Command Light's KL415A-FS is a mid-size LED light tower that provides reliable scene lighting to any situation. These towers are extremely stable, yet more compact than the CL Series. They lay flat with a smaller footprint at only 47" for smaller to mid size apparatus, or larger trucks with limited space.

(5876.0230)



Command Light Knight KL 450A-LF 6 X 500 Watt

Command Light's KL450A-LF is a mid-size light tower that provides reliable scene lighting to any situation. These towers are extremely stable, yet more compact than the CL Series. They lay flat with a smaller footprint at only 47" for smaller to mid size apparatus, or larger trucks with limited space.

(5876.0510)



Command Light CL607A-HQ 6 X 750 Watt

Command Light's CL607A-HQ is a highly versatile quartz-halogen light tower that provides reliable scene lighting to any situation. These towers deploy in less than 15 seconds and give users precise control of direction, while giving departments the most dependable, best light possible.

(5876.0750)



Command Light CL602A-FS 6 X 22W AC Spectra LED

Command Light's CL602A-FS is a highly versatile LED light tower that provides reliable scene lighting to any situation. These towers deploy in less than 15 seconds and give users precise control of direction, while giving departments the most dependable, best light possible.

(5876.0220)



Column Gantry

Accessories for the Resqtec The Profix Max Extension Series.

(8430.0380)



CMC Rescue MPD 11mm

The MPD is a multi-purpose device that performs all functions for main lines, belay/safety lines, tag lines and hoisting lines and be used to tension high and guiding lines.

(CMC333010)



CMC Rescue CSR2 Pulley with Lock

The redesigned CSR2 (Confined Space Rescue) Pulley is stronger yet lighter and incorporates 7/16 in (11 mm) to 1/2 in (13 mm) life safety rope.

(CMC300343)



CMC Rescue CSR2 Pulley

The redesigned CSR2 (Confined Space Rescue) Pulley is stronger yet lighter and incorporates 7/16 in (11 mm) to 1/2 in (13 mm) life safety rope.

(CMC300342)



Chain Head

Accessories for the Resqtec The Profix Max Extension Series.

(8420.0340)



Chain & Shackle Set X-Series

Shackles are used in lifting and static systems as removable links to connect steel wire rope, chains, and can be used in conjunction with other Resqtec products.

(2310.3000)



Chain & Shackle Set Fx-Series

Accessories for the Resqtec The Profix Max Extension Series.

(2305.5000)



CB80

Dimensions 200 x 200 x 80mm
Weight 2.5kg

(8400.0670)



CB600 With Strap

Dimensions 600 x 200 x 80mm
Weight 7.9kg

(8400.0512)



CB40

Dimensions 200 x 200 x 40mm
Weight 1.3kg

(8400.0660)



Carrying Bag Type D (For 2 Airbags)

Accessories for Resqtec's SQ Lifting Bag.

(8100.0388)



Carrying Bag Type C (For 2 Airbags)

Accessories for Resqtec's SQ Lifting Bag.

(8100.0387)



Carrying Bag Type B (For 2 Airbags)

Accessories for Resqtec's SQ Lifting Bag.

(8100.0386)



Carrying Bag Type A (For 2 Airbags)

Accessories for Resqtec's SQ Lifting Bag.

(8100.0385)



Carrying Bag For Type E Airbag For 2 Bags

Accessories for Resqtec's SQ Lifting Bag.

(8100.0434)



Carrying Bag For Type D-1 Airbag For 2 Bags

Accessories for Resqtec's SQ Lifting Bag.

(8100.0427)



Carrying Bag For Type D Airbag For 2 Bags

Accessories for Resqtec's SQ Lifting Bag.

(8100.0433)



Carrying Bag For Type C Airbag For 2 Bags

Accessories for Resqtec's SQ Lifting Bag.

(8100.0432)



Carrying Bag For Type B Airbag For 2 Bags

Accessories for Resqtec's SQ Lifting Bag.

(8100.0431)



Carrying Bag For Type A Airbag For 2 Bags

Accessories for Resqtec's SQ Lifting Bag.

(8100.0430)



Carrying Bag For SQ70 Airbag

Accessories for Resqtec's SQ Lifting Bag.

(8100.0177)



Carrying Bag For SQ54 Airbag

Accessories for Resqtec's SQ Lifting Bag.

(8100.0355)



Carrying Bag For SQ40 HP Airbag

Accessories for Resqtec's SQ Lifting Bag.

(8100.0350)



Carrying Bag For SQ31 HP Airbag

Accessories for Resqtec's SQ Lifting Bag.

(8100.0340)



Carrying Bag For SQ24 HP Airbag

Accessories for Resqtec's SQ Lifting Bag.

(8100.0330)



Carrying Bag For SQ19 HP Airbag

Accessories for Resqtec's SQ Lifting Bag.

(8100.0320)



Carrying Bag For SQ12 HP Airbag

Accessories for Resqtec's SQ Lifting Bag.

(8100.0310)



Carrying Bag For SQ10 HP Airbag

Accessories for Resqtec's SQ Lifting Bag.

(8100.0300)



C6 Concrete Crusher

The Concrete Crushers are equipped with replaceable crusher tips to guarantee an optimum and effective tool whatever the circumstances.

(4465.0000.XX)



C4 Concrete Crusher

The Concrete Crushers are equipped with replaceable crusher tips to guarantee an optimum and effective tool whatever the circumstances.

(4445.0000.XX)



Boxed Dual Controller (V-Conn)

Accessories for Resqtec's SQ Lifting Bag.

(8700.0500.V)



Bipod Set

The Bipod can be mounted on to any Profix Max product and is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8420.2470)



Bipod

The Bipod can be mounted on to any Profix Max product and is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8420.2600)



Beam Support

Accessories for the Resqtec The Profix Max Extension Series.

(8420.0210)



Battery Pack 10 EDD

Through EED Technology, battery power is more efficient. Eliminating hydraulics means more overall efficiency and long battery runtimes.

(4300.0520)



Battery Pack 1 EDD

Through EED Technology, battery power is more efficient. Eliminating hydraulics means more overall efficiency and long battery runtimes.

(4300.0010)



Battery Charger EDD

Nominal output 50.2 VDC/2.2 A
Nominal input 100-240 VAC
Charge time battery pack 1 EDD 1 hour
Charge time battery backpack 10 EDD 9 hour
Dimensions (L x W x H) 257 x 135 x 105mm (+/- 5mm)
Weight 1.1kg
Cable length (wall plug) 1.9m
Cable length (charge plug) 1.4m
Charger adapter assembly Included

(4300.053)



Basic Set NT4

Max operation pressure 12 bar
Max. lifting capacity 70 tonnes
Max. lifting capacity at max. lifting height 9.5 tonnes
Insertion height 10 mm / 48 mm
Max. lifting height N x 440 mm
Effective lifting height N x 392 mm
Temperature range -20 °C till +65 °C
Weight 15.5 kg
Safety factor 4

(8700.0140)



Basic Set NT2

Max operation pressure 12 bar
Max. lifting capacity 26 tonnes
Max. lifting capacity at max. lifting height 6.2 tonnes
Insertion height 10 mm / 34 mm
Max. lifting height N x 275 mm
Effective lifting height N x 241 mm
Temperature range -20 °C till +65 °C
Weight 6.5 kg
Safety factor 4

(8700.0135)



AV3000HT Medium Faceseal

Scott Safety's AV-3000 HT facepiece meets all requirements established in the NFPA 1981:2013 Edition standard, with state-of-the-art material technology to provide enhanced thermal durability and voice intelligibility performance for added safety.

(8005243)



Auto Crib-It Suv & Vans Set Of 2

Lightweight, portable, automatic extension and a maximum load capacity of 1.3 ton are the key characteristics of the Auto Crib-it.

(8400.0320)



Auto Crib-It Cars Set Of 2

Lightweight, portable, automatic extension and a maximum load capacity of 1.3 ton are the key characteristics of the Auto Crib-it.

(8400.0310)



Attachment Bag

Accessories for the Resqtec The Profix Max Extension Series.

(8462.0150)



ASAP 18 Shelter 4.5M L x 5.5M W x 2.6M H inc Stake Kit Repair Kit Protective Vinyl

The ASAP Rapid Response Shelters are designed to be compact and the first to be deployed in the field.

(SC1806)



ASAP 18 Insulation Liner

Maximise Climate Control Efficiency with the DLX Insulation Liner Package for the ASAP Rapid Shelter Systems.

(RB1806)



ASAP 18 Air Plenum

Maximize Climate Control Efficiency With The Air Plenum Package For The Asap Rapid Shelter Systems.

(AP1801)



Anchor Plates (8 holes)

Anchor Plates allow you to create and organise your anchor systems safely.

(VCT L6370503)



Anchor Plates (4 Holes)

Anchor Plates allow you to create and organise your anchor systems safely.

(VCT L6370303)



Anchor Plates (15 holes)

Anchor Plates allow you to create and organise your anchor systems safely.

(VISC RP320A)



Alloy Triplock Karabiner 30 kN

Extra light, drop forged alloy karabiner with triple action gate opening.

(VCT L5300001)



Alloy Triplock Karabiner 30 kN

A large, alloy, triplock karabiner supplied with a captive ring.

(VCT2C4650CXSACT001)



Alloy Screw Gate Karabiner 30 kN

A multipurpose, lightweight karabiner with a large base and wide sizing.

(VCT 2C4550B)



Airbag Safety System For Passengers

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9340.0013)



Airbag Safety System (3 Pcs) For Trucks And Vans

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9340.0012)



Airbag Safety System (2 Pcs) For Cars

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9340.0010)



Air Cylinder 300 Bar / 6 Ltr

Accessories for Resqtec's SQ Lifting Bag.

(8200.7505)



Aider Five Step

The Vertical Etrier and Aider four and five step are ideal for recreational aid climbing, rope access and rescue.

(VAS AIDER 5)



Adapter Kit For Alternative Air Sources

Accessories for Resqtec's SQ Lifting Bag.

(8700.0610)



Accessory Storage Case

Resqtec Accessory Storage Case

(8700.0795)



8mm Arresta Prusik Cord Yellow 25m

Arresta Prusik Cord is supply for handling and knot holding but hard wearing for prolonged use.

(NAR-Q3962R51)



8mm Arresta Prusik Cord Red 50m

Arresta Prusik Cord is supply for handling and knot holding but hard wearing for prolonged use.

(NAR-Q3962Y25)



5M NEO1 Hose Red

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3405RQ)



5M NEO1 Hose Green

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3005RQ)



5M NEO1 Hose Blue

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3205RQ)



4 Atlas Anchor Bags 12 Liner Straps & Clips Mini Shovel

The DLX Patented Atlas Anchor System is designed to give you maximum operational freedom in the smallest, lightest package possible.

(AB0401)



36" Halligan Tool, Standard Claw

The Paratech Hooligan Tool has set the standard of excellence for Halligan type tools.

(22-000601)



36" Halligan Tool Metal Cut Chrome

The Paratech Hooligan Tool has set the standard of excellence for Halligan type tools.

(22-000623)



20M NEO1 Hose Green

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3020RQ)



20M NEO1 Hose Blue

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3220RQ)



20M NEO1 Hose Red

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3420RQ)



20" Flexible Duct 6M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 20" Flexible Duct 6M (inc. Strap)

(6140.0062)



20" Flexible Duct 3M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 20" Flexible Duct 3M (inc. Strap)

(6140.0061)



20 metre PVC Hose Black with CEN Couplings

Constructed from PVC, these Scott Safety hoses are suitable for general industrial use.

(1051467)



18" Flexible Duct 6M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 18" Flexible Duct 6M (inc. Strap)

(6140.0052)



18" Flexible Duct 3M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 18" Flexible Duct 3M (inc. Strap)

(6140.0050)



16" Flexible Duct 6M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 16" Flexible Duct 6M (inc. Strap)

(6140.0042)



16" Flexible Duct 3M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 16" Flexible Duct 3M (inc. Strap)

(6140.0040)



15M Twin Hose Green

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units. The design of this product will enable firefighters, USAR-teams and other rescue workers to work with optimal performance and ease of use.

(2600.4515XX)



15M Twin Hose Blue

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units. The design of this product will enable firefighters, USAR-teams and other rescue workers to work with optimal performance and ease of use.

(2600.4615XX)



15M NEO1 Hose Red

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3415RQ)



15M NEO1 Hose Green

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3015RQ)



15M NEO1 Hose Blue

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3215RQ)



11mm Patron Static Rope (215 m) White Red

Teufelberger's Patron 11mm Static Rope is an exceptionally appealing choice for multiple applications because of its low weight, high breaking strength and low danger of cracking.

(VTB 7360931)



11mm KM-III Static Rope (196 m) White

The Teufelberger KM-III is an exceptional static rope for rescue, life-safety and fixed rope applications, rappelling, hauling and caving.

(VTB 3300-14)



11mm Arresta Static 200m Blk/Org Fleck

The Arresta Kermantle 11mm static rope will get the job done and won't cost you a fortune.

(NAR-Q3936BO200)



10M Twin Hose Green

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units. The design of this product will enable firefighters, USAR-teams and other rescue workers to work with optimal performance and ease of use.

(2600.4510XX)



10M Twin Hose Blue

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units. The design of this product will enable firefighters, USAR-teams and other rescue workers to work with optimal performance and ease of use.

(2600.4610XX)



10M NEO1 Hose Red

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3410RQ)



10M NEO1 Hose Blue

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3210RQ)



10M NEO1 Hose Green

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3010RQ)



0774 3847 Promask PP Left Quick Fit (LQF) Full Face Mask

The Scott Safety Promask PP (positive pressure) LQF (left quick fit) full face respirator is manufactured from halo-butyl (non-dermatatic). The Promask features a wider lens for extended field of vision. The front mounted speech diaphragm provides easy communication with colleagues.

(13190)



0200 0585 Sigma 2 Type 2 SCBA - Back plate, Harness, Pneumatics

Approved to EN137:2006 and AS/NZS 1716:2012 Type 2, the Scott Sigma 2 Type 2 Self Contained Breathing Apparatus combines the highest level of respiratory protection in a simple to operate, cost effective piece of equipment that meets the needs of Industrial and Marine firefighters.

(2023034)



0109 3329 Cylinder 6.8L 300 Bar Carbon Fibre T Valve

Scott Safety's Carbon Fibre Cylinders provide a lightweight solution for containing the air required by Scott Safety Breathing Apparatus.

(1118245T)

416 total products.



Breathing Apparatus



Y Piece with CEN Couplings

Constructed from nickel-plated brass, with 2 Female Socket CEN type couplings and 1 male coupling, the Y-piece allows a single length of hose to be split into two branches.

(2003397)



Scott Sight AV3000HT (MED)

Scott Sight is the first of its kind thermal in-mask system.

(8005264)



SCBA Propak-fx FX T2 (New 2014 edition) Adjustable Height Swivel

The ultimate in user comfort for the professional fire fighter offering all the benefits of the ProPak-f with the added feature of an adjustable back plate which means that the unit can be altered to fit the height of the wearer.

(2027195)



SCBA Propak-f T2 (New 2014 edition) Firefighting

The ProPak-f has been designed for use by the Fire Service or as a fire fighting set in the Oil & Gas fire fighting market.

(2027182)



SCBA ProPak Sigma T2 (New 2014 edition)

The ProPak-Sigma has been designed specifically for use as a compliance set in Marine or Industrial fire fighting environments.

(2027150)



PS200 Portable Gas Monitor LEL, O2, CO/H2S Sensors Pump / Tubing

(64141)



PS200 Portable Gas Monitor LEL, O2, CO/H2S Sensors

A robust and accurate portable gas detector, the Personal Surveyor (PS200 Series) provides unrivaled protection in confined space applications with audible and visual alarms in the event of exposure to flammable or toxic gases.

(64041)



PS200 Auto Calibration Station

The multifunctional Auto Bump/Calibration station provides simple but intelligent testing and calibration of the PS200 portable gas detector.

(64052)



PROPAK-FX-EZ-Flo

ProPak-fx-Ez-Flo is the ultimate in user comfort for the professional fire fighter offering all the benefits of the ProPak-f with the added feature of an adjustable back plate which means that the unit can be altered to fit the height of the wearer.

(2031988)



Promask PP Left Quick Fit (LQF) Full Face Mask

The Scott Safety Promask PP (Positive Pressure) face mask for self contained breathing apparatus (SCBA) is available in 2 different sizes and will accommodate a wide range of facial shapes and sizes.

(13190)



Modulair Trolley with Hose Reel - 2 Cylinder, 2 Man (no hose)

The Scott Safety Modulair range of Airline Trolley Systems provide a portable compressed air supply system for the users of airline breathing apparatus.

(1051844)



Marine and Industrial Compliance Set Sigma 2 Type 2 MED App.

Suitable for marine and industrial use including short duration confined space entry.

(SCBACOMP6T2)



Inline Whistle with CEN Couplings

When placed in the airline system between the breathing hose and the user this device provides a safe, clear warning should the airline pressure drop below 4 bar.

(1023353)



Flite Cylinder 2L 200 Bar Steel Cylinder 10 min Escape

The Scott Safety Flite is an open circuit, positive pressure airline breathing apparatus generally comprising of a bandolier harness, positive pressure airline apparatus with automatic positive pressure demand valve, supply hose and coupling for airline supply hose.

(2006648)



Flite Airline Breathing Apparatus

The Scott Safety Flite is a first breath activated positive pressure airline breathing apparatus with the option of hip mounted 10 and 15 minute compressed air cylinder supply for escape from the most hazardous environments.

(1047792)



DFES 2 Disinfectant 1 Lt

A one step disinfectant for Personal Protective Equipment, such as Hard Hats, Face Shields, Goggles, Spectacles, Protective Head Gear, Hearing Protectors, Gas Masks and Suits and Self Contained Breathing Apparatus (SCBA).

(FGF2)



DFES 1 Sanitiser Cleaner 4 Lt

A safe effective cleaner for Personal Protective Equipment, such as Hard Hats, Face Shields, Goggles, Spectacles, Protective Head Gear, Hearing Protectors, Gas Masks and Suits and Self Contained Breathing Apparatus (SCBA).

(FGF1)



Cylinder 9L 300 Bar Carbon Fibre T Valve

Scott Safety's Carbon Fibre Cylinders provide a lightweight solution for containing the air required by Scott Safety Breathing Apparatus.

(1127413T)



Cylinder 9L 300 Bar Carbon Fibre RAV (Right angle valve)

Scott Safety's Carbon Fibre Cylinders provide a lightweight solution for containing the air required by Scott Safety Breathing Apparatus.

(1127413RAV)



Cylinder 6.8L 300 Bar Carbon Fibre T Valve

Scott Safety's Carbon Fibre Cylinders provide a lightweight solution for containing the air required by Scott Safety Breathing Apparatus.

(1118245T)



Cylinder 6.8L 300 Bar carbon fibre RAV (Right angle valve)

Scott Safety's Carbon Fibre Cylinders provide a lightweight solution for containing the air required by Scott Safety Breathing Apparatus.

(1118245RAV)



AV3000HT Medium Faceséal

Scott Safety's AV-3000 HT facepiece meets all requirements established in the NFPA 1981:2013 Edition standard, with state-of-the-art material technology to provide enhanced thermal durability and voice intelligibility performance for added safety.

(8005243)



20 metre PVC Hose Black with CEN Couplings

Constructed from PVC, these Scott Safety hoses are suitable for general industrial use.

(1051467)



0774 3847 Promask PP Left Quick Fit (LQF) Full Face Mask

The Scott Safety Promask PP (positive pressure) LQF (left quick fit) full face respirator is manufactured from halo-butyl (non-dermatatic). The Promask features a wider lens for extended field of vision. The front mounted speech diaphragm provides easy communication with colleagues.

(13190)



0200 0585 Sigma 2 Type 2 SCBA - Back plate, Harness, Pneumatics

Approved to EN137:2006 and AS/NZS 1716:2012 Type 2, the Scott Sigma 2 Type 2 Self Contained Breathing Apparatus combines the highest level of respiratory protection in a simple to operate, cost effective piece of equipment that meets the needs of Industrial and Marine firefighters.

(2023034)



0109 3329 Cylinder 6.8L 300 Bar Carbon Fibre T Valve

Scott Safety's Carbon Fibre Cylinders provide a lightweight solution for containing the air required by Scott Safety Breathing Apparatus.

(1118245T)



Confined Space Gas Detection



PS200 Portable Gas Monitor LEL, O2, CO/H2S Sensors Pump / Tubing
(64141)



PS200 Portable Gas Monitor LEL, O2, CO/H2S Sensors
A robust and accurate portable gas detector, the Personal Surveyor (PS200 Series) provides unrivaled protection in confined space applications with audible and visual alarms in the event of exposure to flammable or toxic gases.
(64041)



PS200 Auto Calibration Station
The multifunctional Auto Bump/Calibration station provides simple but intelligent testing and calibration of the PS200 portable gas detector.
(64052)

3 total products.



Positive Pressure on Demand Airline - Long Line



Y Piece with CEN Couplings

Constructed from nickel-plated brass, with 2 Female Socket CEN type couplings and 1 male coupling, the Y-piece allows a single length of hose to be split into two branches.

(2003397)



Promask PP Left Quick Fit (LQF) Full Face Mask

The Scott Safety Promask PP (Positive Pressure) face mask for self contained breathing apparatus (SCBA) is available in 2 different sizes and will accommodate a wide range of facial shapes and sizes.

(13190)



Modulair Trolley with Hose Reel - 2 Cylinder, 2 Man (no hose)

The Scott Safety Modulair range of Airline Trolley Systems provide a portable compressed air supply system for the users of airline breathing apparatus.

(1051844)



Inline Whistle with CEN Couplings

When placed in the airline system between the breathing hose and the user this device provides a safe, clear warning should the airline pressure drop below 4 bar.

(1023353)



Flite Cylinder 2L 200 Bar Steel Cylinder 10 min Escape

The Scott Safety Flite is an open circuit, positive pressure airline breathing apparatus generally comprising of a bandolier harness, positive pressure airline apparatus with automatic positive pressure demand valve, supply hose and coupling for airline supply hose.

(2006648)



Flite Airline Breathing Apparatus

The Scott Safety Flite is a first breath activated positive pressure airline breathing apparatus with the option of hip mounted 10 and 15 minute compressed air cylinder supply for escape from the most hazardous environments.

(1047792)



Cylinder 9L 300 Bar Carbon Fibre T Valve

Scott Safety's Carbon Fibre Cylinders provide a lightweight solution for containing the air required by Scott Safety Breathing Apparatus.

(1127413T)



Cylinder 6.8L 300 Bar Carbon Fibre T Valve

Scott Safety's Carbon Fibre Cylinders provide a lightweight solution for containing the air required by Scott Safety Breathing Apparatus.

(1118245T)



20 metre PVC Hose Black with CEN Couplings

Constructed from PVC, these Scott Safety hoses are suitable for general industrial use.

(1051467)

9 total products.



SCBA / Right Angle Valved Cylinders



SCBA Propak-fx FX T2 (New 2014 edition) Adjustable Height Swivel

The ultimate in user comfort for the professional fire fighter offering all the benefits of the ProPak-f with the added feature of an adjustable back plate which means that the unit can be altered to fit the height of the wearer.

(2027195)



SCBA Propak-f T2 (New 2014 edition) Firefighting

The ProPak-f has been designed for use by the Fire Service or as a fire fighting set in the Oil & Gas fire fighting market.

(2027182)



SCBA ProPak Sigma T2 (New 2014 edition)

The ProPak-Sigma has been designed specifically for use as a compliance set in Marine or Industrial fire fighting environments.

(2027150)



Cylinder 9L 300 Bar Carbon Fibre RAV (Right angle valve)

Scott Safety's Carbon Fibre Cylinders provide a lightweight solution for containing the air required by Scott Safety Breathing Apparatus.

(1127413RAV)



Cylinder 6.8L 300 Bar carbon fibre RAV (Right angle valve)

Scott Safety's Carbon Fibre Cylinders provide a lightweight solution for containing the air required by Scott Safety Breathing Apparatus.

(1118245RAV)



0774 3847 Promask PP Left Quick Fit (LQF) Full Face Mask

The Scott Safety Promask PP (positive pressure) LQF (left quick fit) full face respirator is manufactured from halo-butyl (non-dermatatic). The Promask features a wider lens for extended field of vision. The front mounted speech diaphragm provides easy communication with colleagues.

(13190)

6 total products.



SCBA / Right Angle Valved Cylinders - EZ Flo- DV and Scott Sight TIC



Scott Sight AV3000HT (MED)

Scott Sight is the first of its kind thermal in-mask system.

(8005264)



PROPAK-FX-EZ-Flo

ProPak-fx-Ez-Flo is the ultimate in user comfort for the professional fire fighter offering all the benefits of the ProPak-f with the added feature of an adjustable back plate which means that the unit can be altered to fit the height of the wearer.

(2031988)



AV3000HT Medium Faceseal

Scott Safety's AV-3000 HT facepiece meets all requirements established in the NFPA 1981:2013 Edition standard, with state-of-the-art material technology to provide enhanced thermal durability and voice intelligibility performance for added safety.

(8005243)

3 total products.



SCBA / T Valved Cylinders



Marine and Industrial Compliance Set Sigma 2 Type 2 MED App.

Suitable for marine and industrial use including short duration confined space entry.

(SCBACOMP6T2)



0200 0585 Sigma 2 Type 2 SCBA - Back plate, Harness, Pneumatics

Approved to EN137:2006 and AS/NZS 1716:2012 Type 2, the Scott Sigma 2 Type 2 Self Contained Breathing Apparatus combines the highest level of respiratory protection in a simple to operate, cost effective piece of equipment that meets the needs of Industrial and Marine firefighters.

(2023034)



0109 3329 Cylinder 6.8L 300 Bar Carbon Fibre T Valve

Scott Safety's Carbon Fibre Cylinders provide a lightweight solution for containing the air required by Scott Safety Breathing Apparatus.

(1118245T)

3 total products.



SCBA Accessories



DFES 2 Disinfectant 1 Lt

A one step disinfectant for Personal Protective Equipment, such as Hard Hats, Face Shields, Goggles, Spectacles, Protective Head Gear, Hearing Protectors, Gas Masks and Suits and Self Contained Breathing Apparatus (SCBA).

(FGF2)



DFES 1 Sanitiser Cleaner 4 Lt

A safe effective cleaner for Personal Protective Equipment, such as Hard Hats, Face Shields, Goggles, Spectacles, Protective Head Gear, Hearing Protectors, Gas Masks and Suits and Self Contained Breathing Apparatus (SCBA).

(FGF1)

2 total products.



Personal Safety Alarm



Superpass II Motion Only

SuperPass2 is a small personal safety alarm specifically designed for firefighter and first responder safety.

(SP2M-A)



Superpass II Motion & Temp

SuperPass2 is a small personal safety alarm specifically designed for firefighter and first responder safety.

(SP2HA)



Life And Motion Tracer LM1

The Life & Motion tracer has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9330.0041)

3 total products.



Personal Safety Alarm



Superpass II Motion Only

SuperPass2 is a small personal safety alarm specifically designed for firefighter and first responder safety.
(SP2M-A)



Superpass II Motion & Temp

SuperPass2 is a small personal safety alarm specifically designed for firefighter and first responder safety.
(SP2HA)



Life And Motion Tracer LM1

The Life & Motion tracer has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.
(9330.0041)

3 total products.



Rescue Equipment



WA Rescue Glass Management Kit

The essential tool kit for road rescue crews for safe and efficient management of glass, sharps and debris.

(GMK)



Strap Recovery 50mm 8500kg

ecovery Strap, 50mm, 8500kg breaking strength

(SS8500)



Red/White Danger Tape 75mm x 100M

This Paramount Safety Barrier Tape is heavy-duty plastic tape 100m roll with 75(w)/mm, is red and white, and reads Danger.

(DT10075)



Red/White Danger Do Not Enter Tape 75mm x 100M

This Paramount Safety Barrier Tape is heavy-duty plastic tape 100m roll with 75(w)/mm, is red and white, and reads Danger Do Not Enter.

(DDNET10075)



Red/White Barricade Tape 75mm x 100M

Barricade Tape Red/White 75mm x 100m PRO RW10075

(RW10075)



HB76 Dangerous Goods Emergency Response Guide

Provides emergency response information for dealing with accidents, spills, leaks or fires involving dangerous goods.

(HB76)



36" Halligan Tool, Standard Claw

The Paratech Hooligan Tool has set the standard of excellence for Halligan type tools.

(22-000601)



36" Halligan Tool Metal Cut Chrome

The Paratech Hooligan Tool has set the standard of excellence for Halligan type tools.

(22-000623)

8 total products.



RESQTEC



X6 Spreader

Resqtec offers an unmatched in practical performance X-Series Spreader range. The biggest challenge in designing spreaders is its jaw; it must be strong enough and simultaneously have very thin tips at the end of the jaw.

(4760.0000.XX)



X4 Spreader (Rq)

Resqtec offers an unmatched in practical performance X-Series Spreader range. The biggest challenge in designing spreaders is its jaw; it must be strong enough and simultaneously have very thin tips at the end of the jaw.

(4744.0000RQ)



X4 Spreader

Resqtec offers an unmatched in practical performance X-Series Spreader range. The biggest challenge in designing spreaders is its jaw; it must be strong enough and simultaneously have very thin tips at the end of the jaw.

(4744.0000.XX)



X2 Spreader

Resqtec offers an unmatched in practical performance X-Series Spreader range. The biggest challenge in designing spreaders is its jaw; it must be strong enough and simultaneously have very thin tips at the end of the jaw.

(4720.0000.XX)



X2 EDD Spreader

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(5720.1202.EE)



Window Center Punch

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0771)



Wedge

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.

(8400.065)



Water Mist System For Stream Shaper Guard

Water Mist System For Stream Shaper Guard is an accessory for Resqtec's Airlast Ventilation Series.

(6500.0122)



Water Mist System

Water Mist System is an accessory for Resqtec's Airlast Ventilation Series.

(6500.0022)



Vehicle Charger 24V

The Vehicle Charger charges your batteries on board of any rescue vehicle, by simply connecting it to any in-vehicle power source - whether is 110/220V, or with the special converter to 12/24V.

(4300.0740)



Vehicle Charger 110V / 220V

The Vehicle Charger charges your batteries on board of any rescue vehicle, by simply connecting it to any in-vehicle power source - whether is 110/220V, or with the special converter to 12/24V.

(4300.0880)



Vehicle Charger

The Vehicle Charger charges your batteries on board of any rescue vehicle, by simply connecting it to any in-vehicle power source - whether is 110/220V, or with the special converter to 12/24V.

(4300.0550)



V6 Ram

Resqtec offers a fantastic V-series Ram tool range. The ram is an essential tool for a rescue operation. Being compatible with Profix Max accessories, the V-series ram offers a large variety of options to complete any rescue operation.

(4560.2000.XX)



V5T Teleram

Resqtec offers a fantastic V-series Ram tool range. The ram is an essential tool for a rescue operation. Being compatible with Profix Max accessories, the V-series ram offers a large variety of options to complete any rescue operation.

(4550.0000.XX)



V4 Ram

Resqtec offers a fantastic V-series Ram tool range. The ram is an essential tool for a rescue operation. Being compatible with Profix Max accessories, the V-series ram offers a large variety of options to complete any rescue operation.

(4540.2000.XX)



V4 EDD Ram

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4540.2041.EE)



V4 EDD Ram

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4540.2001.EE)



V3T Teleram

Resqtec offers a fantastic V-series Ram tool range. The ram is an essential tool for a rescue operation. Being compatible with Profix Max accessories, the V-series ram offers a large variety of options to complete any rescue operation.

(4530.0000.XX)



V2 Ram

Resqtec offers a fantastic V-series Ram tool range. The ram is an essential tool for a rescue operation. Being compatible with Profix Max accessories, the V-series ram offers a large variety of options to complete any rescue operation.

(4520.2000.XX)



Tripod Set

The Tripod can be mounted on to any Profix Max product and is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8420.0610)



Tripod

The Tripod can be mounted on to any Profix Max product and is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8420.0600)



Toolmat 3x2M

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0777)



Toolmat 2x1.5M

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0778)



SQ9 L HP Airbag (30x45)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.

(8100.0106)



SQ8 HP Airbag (38x38)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.

(8100.0104)



SQ70 HP Airbag (94.5x94.5)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.

(8100.0176)



SQ6 HP Airbag (30x30)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.

(8100.0102)



SQ54 HP Airbag (87x87)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.

(8100.0165)



SQ40 HP Airbag (78x78)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.

(8100.0155)



SQ31 HP Airbag (69x69)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.

(8100.0148)



SQ3 HP Airbag (22.5x22.5)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.

(8100.0101)



SQ24 L HP Airbag (32x102)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.

(8100.0140)



SQ24 HP Airbag (61x61)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.

(8100.0135)



SQ20 L HP Airbag (37.5x75)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.

(8100.0121)



SQ19 HP Airbag (55x55)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.

(8100.0115)



SQ13 L HP Airbag (37.5x50)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.

(8100.0114)



SQ12 HP Airbag (45x45)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.

(8100.0108)



SQ1 HP Airbag (15x15)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.

(8100.0092)



Spare Saw / Blade For Glass Cutter

Our assist tools and accessories perform potentially dangerous jobs easy and safe.


(9330.0407)



Spare Blade For Glass Saw, Set Of 2

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0408)



Soft Casualty Shield Transparent

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0774)



Shut-Off Hose 12 Bar/2M/Green/Rubber

Resqtec Hybrid Accessories: Shut-Off Hose 12 Bar/2M/Green/Rubber

(8700.1362)



Shut-Off Hose 12 Bar/2M/Green

Resqtec Hybrid Accessories: Shut-Off Hose 12 Bar/2M/Green

(8700.1283)



Shut-Off Hose 12 Bar/2M/Blue/Rubber

Resqtec Hybrid Accessories: Shut-Off Hose 12 Bar/2M/Blue/Rubber

(8700.1367)



Shut-Off Hose 12 Bar/2M/Blue

Resqtec Hybrid Accessories: Shut-Off Hose 12 Bar/2M/Blue
(8700.1273)



Set Of 2 Pulling Jaws FX6

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.
(2120.4280)



Set Of 2 Pulling Jaws FX2/FX4

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.
(2130.4280)



Set Of 2 Hoses 12 Bar/10M Each

Resqtec Set Of 2 Hoses 12 Bar/10M Each
(8410.0851)



Saddle Wedge With Strap

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.
(8400.0640)



Rhino

Resqtec Rhino
(8420.0020)



Remote Controller

Resqtec Remote Controller
(8410.0710.00)



Regulator C/W 2M Black Rubber Inlet Hose

Resqtec Hybrid Accessories: Regulator C/W 2M Black Rubber Inlet Hose
(8700.0570)



Rear 360Deg Carry Handle (Long Version Only)

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.
(4250.1065)




Rapid Stair

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.
(8400.0620)



Rapid Rescue Single Strap 6M

The Rapid Rescue Straps have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.
(8461.0500)



Rapid Rescue Double Strap 3M

The Rapid Rescue Straps have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.
(8461.1000)



Ram Support

The Power Pushers have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.
(2350.0535)



Ram Adapter

Resqtec Ram Adapter
(8420.0230)



Raker Rail Hinge

Female end clicked on a ProFix Max male connector ring.
(8430.0180)



Raker Rail Connector

Used to connect two raker rails.
(8430.0120)



Raker Rail 1500

Used for wall, ground or ceiling support
(8430.0070)



Q1 Cutter

The Q1 is designed for cutting brake pedals, hinges, steering wheels and reinforcement bars and more if needed. Use its spreading force to create space in the narrowest places. The Q1 is a must have for any rescue team. It gives access to confined spaces that are hard to get to.
(4310.0000.XX)



PXM Protection Strap

Prevents undesirable extension of the ProFix Max.
(8410.4110)



Protection Cover Set B (8 Pcs)

Our assist tools and accessories perform potentially dangerous jobs easy and safe.
(9340.0009)



Protection Cover Set A (4 Pcs)

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9340.0011)



ProFix Max 880

The ProFix Max manual and pneumatic shoring device has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various shoring applications they encounter.

(8410.0310.20)



ProFix Max 600

The ProFix Max manual and pneumatic shoring device has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various shoring applications they encounter.

(8410.0300.20)



ProFix Max 470

The ProFix Max manual and pneumatic shoring device has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various shoring applications they encounter.

(8410.0290.00)



ProFix Max 2300

The ProFix Max manual and pneumatic shoring device has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various shoring applications they encounter.

(8410.0330.20)



ProFix Max 1400

The ProFix Max manual and pneumatic shoring device has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various shoring applications they encounter.

(8410.0320.20)



Profix Junction

Used as a junction in wall support systems.

(8430.0240)



PP40

The Power Pushers have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(8440.0010)



PP25

The Power Pushers have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(8440.0020)



Power Plate Plug

Used to mount a MultiSwivel on a PowerPlate.

(8700.2075)



Power Plate

Mounted on MultiSwivel by using the PowerPlate plug. Also compatible with the Resqtec NT HYBRID and CribBlock series.

(8420.0060)



Pow'rrench 750 Set Mm

The Pow'rrench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0021)



Pow'rrench 750 Set Inch

The Pow'rrench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0022)



Pow'rrench 750

The Pow'rrench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0020)



Pow'rrench 625-50 Set Mm

The Pow'rrench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0011)



Pow'rrench 625-50 Set Inch

The Pow'rrench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0012)



Pow'rrench 625-50

The Pow'rrench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.001)



Pow'rrench 1000 Set Mm

The Pow'rrench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0031)



Pow'rrench 1000 Set Inch

The Pow'rrench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0032)



Pow'rrench 1000

The Pow'rrench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0030)



Positive Airblast 20" Variable Speed

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0260)



Positive Airblast 20" Honda GX

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0272)



Positive Airblast 20" Honda GC

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0270)



Positive Airblast 20" Electric

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0240)



Positive Airblast 20" ATEX

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0250)



Positive Airblast 18" Variable Speed

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0220)



Positive Airblast 18" Honda GX

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0232)



Positive Airblast 18" Honda GC

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0230)



Positive Airblast 18" Electric

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0200)



Positive Airblast 18" ATEX

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0210)



P4X EDD Spreader (Short Control Handle)

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4770.0303.EE)



P4X EDD Spreader

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4770.0003.EE)



P4W EDD Cutter (Short Control Handle)

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4172.0303.EE)



P4W EDD Cutter

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4172.0003.EE)



P4FX EDD Frontliner

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4270.0003.EE)



P4 EDD Incl. Spreader Arms & Cutter Blades

The P4 is one-of-a-kind and a "must have" for any rescue team. It can be converted from being a dedicated spreader to a cutter in just seconds using interchangeable tool attachments.

(4272.3003.EE)



NT8 Hybrid Incl. Storage Case

It is the design of the NT Hybrid that is the driving force behind its many features and capabilities. The oval shape forces the bag to stay flat throughout the lift. Its embedded Load Capacity Enhancer (LCE) and Stability Center turns limitations of lifting bags into strengths and ease of use.

(8508.0008)



NT4 Hybrid Incl. Valise

It is the design of the NT Hybrid that is the driving force behind its many features and capabilities. The oval shape forces the bag to stay flat throughout the lift. Its embedded Load Capacity Enhancer (LCE) and Stability Center turns limitations of lifting bags into strengths and ease of use.

(8508.0004)



NT2 Hybrid Incl. Valise

It is the design of the NT Hybrid that is the driving force behind its many features and capabilities. The oval shape forces the bag to stay flat throughout the lift. Its embedded Load Capacity Enhancer (LCE) and Stability Center turns limitations of lifting bags into strengths and ease of use.

(8508.0002)



Negative Airblast 16" Variable Speed

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0120)



Negative Airblast 16" Honda

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0130)



Negative Airblast 16" Electric

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0100)



Negative Airblast 16" Electric

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0110)



Nailing Block

Mounted on the side of a ProFix Max' cylinder or piston to add additional wooden shoring.

(8430.0300)



Multi Tool

The Multi Tool is an accessory to the Restec Protix Max Series.

(8410.0600)



Multi Swivel With Ring Handle

The Multi Swivel with Ring Handle is an accessory to the Restec Protix Max Series.

(8420.4000)



Multi Swivel

The Multi Swivel is an accessory to the Restec Protix Max Series.

(8420.3550)



Multi Connector

The Multi Connector is an accessory to the Restec Protix Max Series.

(8420.0260)



Monopod Set

The Monopod can be mounted on to any Protix Max product and is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8420.2450)



Monopod

The Monopod can be mounted on to any Protix Max product and is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8420.2650)



Mini GXH50 STO 1x1 3SR+Smart

The 3SR power units have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(3641.1121.XX)



Mini GXH50 STO 1x1 3SR

The 3SR power units have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(3641.1111.XX)



Midi GX100 STO 1x1 3SR+Smart

The 3SR power units have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(3642.1122.XX)



Midi GX100 STO 1x1 3SR

The 3SR power units have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(3642.1112.XX)



Midi GX100 MTO 2x2 3SR+Smart

The 3SR power units have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(3742.1122.XX)



Midi GX100 MTO 2x2 3SR

The 3SR power units have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(3742.1112.XX)



Maxi GX160S MTO 3SR STD

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3744.1112.XX)



Maxi GX160S MTO 3SR IHR 2x20M

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3744.4312.XX)



Maxi GX160S MTO 3SR IHR 2x20M

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3744.3312.XX)



Maxi GX160 E-Start MTO 3SR STD

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3745.1111.XX)



Maxi GX160 E-Start MTO 3SR IHR 2x20M

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3745.4311.XX)



Maxi GX160 E-Start MTO 3SR IHR 2x20M

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3745.3311.XX)



Maxi 2.2kW 220/50Hz MTO 3SR STD

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3722.1111.XX)



Maxi 2.2kW 220/50Hz MTO 3SR IHR 2x20M

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.


(3722.4311.XX)



Maxi 2.2kW 220/50Hz MTO 3SR IHR 2x20M

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3722.3311.XX)



Mains Power Adapter

Mains Power Adapter allows you to work without batteries. Connected to 110 or 220V, the mains power adapter enables any EDD tool to operate continuously, without interruption.

(4300.1000)



Laminated Glass Saw

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0406)



Laminated Glass Cutter With Holster

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0405)



Hose Strap

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(2600.0000)



Hose Reel 2 x 20M Green /Blue

Hose Reel 2 x 20m is an accessorie for the Resqtec's product line.

(2075.7220XX)



Hose Reel 1 x 20 M Green

Hose Reel 1 x 20m (GREEN) is an accessorie for the Resqtec's product line.


(2075.7120XX)



Hose Reel 1 x 20 M Blue

Hose Reel 1 x 20m (BLUE) is an accessorie for the Resqtec's product line.

(2075.7020XX)



Hard Casualty Shield (Transparent)

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0772)



Handheld Dual Controller 12 Bar

Resqtec Handheld Dual Controller 12 Bar

(8700.0552)



Handheld Controller Strut 12 Bar

Handheld Controller Strut is an accessory to the Restec Protix Max Series.

(8410071000)



G8W Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(4186.0000.XX)



G8C Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(41860000RQ)



G6W EDD Cutter

A NEW ERA STARTS FOR RESCUE EXTRICATION EQUIPMENT. For the first time ever, the need for hydraulics is completely eliminated in a complete line of extrication equipment. No need for a hydraulic pump, fluid, piston, valves or seals. Electronic Direct Drive (EDD) directly converts battery power – from a compact, powerful and efficient motor – to output force.

(5163.1202.EE)



G6W Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(4163.0000.XX)



G6C EDD Cutter

A NEW ERA STARTS FOR RESCUE EXTRICATION EQUIPMENT. For the first time ever, the need for hydraulics is completely eliminated in a complete line of extrication equipment. No need for a hydraulic pump, fluid, piston, valves or seals. Electronic Direct Drive (EDD) directly converts battery power – from a compact, powerful and efficient motor – to output force.

(5162.1202.EE)



G6 Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(4160.0000.XX)



G4W EDD Cutter

A NEW ERA STARTS FOR RESCUE EXTRICATION EQUIPMENT. For the first time ever, the need for hydraulics is completely eliminated in a complete line of extrication equipment. No need for a hydraulic pump, fluid, piston, valves or seals. Electronic Direct Drive (EDD) directly converts battery power – from a compact, powerful and efficient motor – to output force.

(5143.1202.EE)



G4W Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(4142.0000.XX)



G4C EDD Cutter

A NEW ERA STARTS FOR RESCUE EXTRICATION EQUIPMENT. For the first time ever, the need for hydraulics is completely eliminated in a complete line of extrication equipment. No need for a hydraulic pump, fluid, piston, valves or seals. Electronic Direct Drive (EDD) directly converts battery power – from a compact, powerful and efficient motor – to output force.

(5142.1202.EE)



G4 Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(4140.0000.XX)



G2 Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(4120.0000.XX)



FX6 Frontliner

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(4260.0000.XX)



FX6 FJ EDD Frontliner

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(5265.1202.EE)



FX4 Frontliner

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(4240.0000.XX)



FX4 FJ EDD Frontliner

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(5245.1202.EE)



FX2 Frontliner With Integrated Hand Pump

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(2005.4000.M0)



FX2 Frontliner

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(4220.0000.XX)



Floor Mat Plug

Resqtec Floor Mat Plug

(8700.204)



Floor Mat

Resqtec Floor Mat

(8700.0715)



Flexible Duct With Carrying Bag 7.5M Explosion Proof

Accessories for Resqtec's Compact Airblast Series, Flexible Duct With Carrying Bag 7.5M Explosion Proof

(6143.0020)



Flexible Duct With Carrying Bag 7.5M

Accessories for Resqtec's Compact Airblast Series, Flexible Duct With Carrying Bag 7.5M

(6143.0010)



Flexible Duct With Carrying Bag 4.5M Explosion Proof

Accessories for Resqtec's Compact Airblast Series, Flexible Duct With Carrying Bag 4.5M Explosion Proof

(6143.0015)



Flexible Duct With Carrying Bag 4.5M

Accessories for Resqtec's Compact Airblast Series, Flexible Duct With Carrying Bag 4.5M

(6143.0000)



Fixed Base

The Fixed Base is an accessory to the Restec Protix Max Series.

(8420.0300)



EX-900

The Resqtec Protix Max Extension is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8410.0530.20)



EX-600

The Resqtec Protix Max Extension is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8410.0520.20)



EX-300

The Resqtec Protix Max Extension is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8410.0510.20)



EX-1500

The Resqtec Protix Max Extension is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8410.0550.20)



EX-150

The Resqtec Protix Max Extension is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8410.0500.20)



EX-1200

The Resqtec Protix Max Extension is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8410.0540.20)



Elevation Add-On 4000-5000M

Resqtec Elevation Add on for 3SR Power Units.

(3435.4050)



Elevation Add-On 3000-4000M

Resqtec Elevation Add on for 3SR Power Units.

(3435.3040)



Elevation Add-On 2000-3000M

Resqtec Elevation Add on for 3SR Power Units.

(3435.2030)



Elevation Add-On 2000-3000M

Resqtec Elevation Add on for 3SR Power Units.

(3436.2030)



Elevation Add-On 2000-3000

Resqtec Elevation Add on for 3SR Power Units.

(3434.2030)



Elevation Add-On 1000-2000M

Resqtec Elevation Add on for 3SR Power Units.

(3435.1020)



Elevation Add-On 1000-2000M

Resqtec Elevation Add on for 3SR Power Units.

(3436.1020)



Elevation Add-On 1000-2000
Resqtec Elevation Add on for 3SR Power Units.
(3434.1020)



Elevation Add On 4000>5000M
Resqtec Elevation Add on for 3SR Power Units.
(3437.4050)



Elevation Add On 3000>4000M
Resqtec Elevation Add on for 3SR Power Units.
(3437.3040)



Elevation Add On 2000>3000M
Resqtec Elevation Add on for 3SR Power Units.
(3437.2030)



Elevation Add On 1000>2000M
Resqtec Elevation Add on for 3SR Power Units.
(3437.1020)



Edge Support
Accessories for the Resqtec The Profix Max Extension Series.
(8420.0190)



Earth Nail
Accessories for the Resqtec The Profix Max Extension Series.
(9800.8011)



Dual Air Cylinder Connector
Resqtec Dual Air Cylinder Connector
(8700.062)



Door Opener With Pump & 3M Hose
The door opener has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.
(2064.100M.MS)



Delivery Hose 12 Bar/8M/Red/Rubber
Resqtec Delivery Hose 12 Bar/8M/Red/Rubber
(8700.1332)



Delivery Hose 12 Bar/8M/Yellow/Rubber
Resqtec Delivery Hose 12 Bar/8M/Yellow/Rubber
(8700.1337)



Delivery Hose 12 Bar/8M/Green/Rubber
Resqtec Delivery Hose 12 Bar/8M/Green/Rubber
(8700.1342)



Delivery Hose 12 Bar/8M/Blue/Rubber
Resqtec Delivery Hose 12 Bar/8M/Blue/Rubber
(8700.1347)



Delivery Hose 12 Bar/10M/Yellow
Resqtec Delivery Hose 12 Bar/10M/Yellow
(8700.1112)



Delivery Hose 12 Bar/10M/Red
Resqtec Delivery Hose 12 Bar/10M/Red
(8700.1107)



Delivery Hose 12 Bar/10M/Green
Resqtec Delivery Hose 12 Bar/10M/Green
(8700.1117)



Crown
Accessories for the Resqtec The Profix Max Extension Series.
(8420.0000)



SET CB8
Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.
(8400.0736)



SET CB6
Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.
(8400.0735)



SET CB4
Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.
(8400.0734)



SET CB2
Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.
(8400.0733)



Crib Block Set CB 600-2
Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.
(8400.0724)



Crib Block Set CB 600-1
Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.
(8400.0722)



Connector Key
Resqtec Connector Key
(8700.2008)



Connector

Dimensions 123 x 40 x 15mm
Weight 0.1kg

(8400.055)



Compact Airblast 8" Explosion Proof

The Compact Airblast has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0001)



Compact Airblast 8"

The Compact Airblast has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0000)



Command Light Shadow SL422A-FS 2 X 220 W AC Spectra LED

The SL422A-FS is a part of Command Light's most compact line of light towers. Powered by 115 or 230V AC power, this tower has a reach of over 4 feet above it's base (or over 6.5 ft with an optional 80" arm).

(5876.2220)



Command Light Knight KL415A-FS 6 X 220W AC Spectre LED

Command Light's KL415A-FS is a mid-size LED light tower that provides reliable scene lighting to any situation. These towers are extremely stable, yet more compact than the CL Series. They lay flat with a smaller footprint at only 47" for smaller to mid size apparatus, or larger trucks with limited space.

(5876.0230)



Command Light Knight KL 450A-LF 6 X 500 Watt

Command Light's KL450A-LF is a mid-size light tower that provides reliable scene lighting to any situation. These towers are extremely stable, yet more compact than the CL Series. They lay flat with a smaller footprint at only 47" for smaller to mid size apparatus, or larger trucks with limited space.

(5876.0510)



Command Light CL607A-HQ 6 X 750 Watt

Command Light's CL607A-HQ is a highly versatile quartz-halogen light tower that provides reliable scene lighting to any situation. These towers deploy in less than 15 seconds and give users precise control of direction, while giving departments the most dependable, best light possible.

(5876.0750)



Command Light CL602A-FS 6 X 22W AC Spectra LED

Command Light's CL602A-FS is a highly versatile LED light tower that provides reliable scene lighting to any situation. These towers deploy in less than 15 seconds and give users precise control of direction, while giving departments the most dependable, best light possible.

(5876.0220)



Column Gantry

Accessories for the Resqtec The Profix Max Extension Series.

(8430.0380)



Chain Head

Accessories for the Resqtec The Profix Max Extension Series.

(8420.0340)



Chain & Shackle Set X-Series

Shackles are used in lifting and static systems as removable links to connect steel wire rope, chains, and can be used in conjunction with other Resqtec products.

(2310.3000)



Chain & Shackle Set Fx-Series

Accessories for the Resqtec The Profix Max Extension Series.

(2305.5000)



CB80

Dimensions 200 x 200 x 80mm
Weight 2.5kg

(8400.0670)



CB600 With Strap

Dimensions 600 x 200 x 80mm
Weight 7.9kg

(8400.0512)



CB40

Dimensions 200 x 200 x 40mm
Weight 1.3kg

(8400.0660)



Carrying Bag Type D (For 2 Airbags)

Accessories for Resqtec's SQ Lifting Bag.

(8100.0388)



Carrying Bag Type C (For 2 Airbags)

Accessories for Resqtec's SQ Lifting Bag.

(8100.0387)



Carrying Bag Type B (For 2 Airbags)

Accessories for Resqtec's SQ Lifting Bag.

(8100.0386)



Carrying Bag Type A (For 2 Airbags)

Accessories for Resqtec's SQ Lifting Bag.

(8100.0385)



Carrying Bag For Type E Airbag For 2 Bags

Accessories for Resqtec's SQ Lifting Bag.

(8100.0434)



Carrying Bag For Type D-1 Airbag For 2 Bags

Accessories for Resqtec's SQ Lifting Bag.

(8100.0427)



Carrying Bag For Type D Airbag For 2 Bags

Accessories for Resqtec's SQ Lifting Bag.

(8100.0433)



Carrying Bag For Type C Airbag For 2 Bags

Accessories for Resqtec's SQ Lifting Bag.

(8100.0432)



Carrying Bag For Type B Airbag For 2 Bags

Accessories for Resqtec's SQ Lifting Bag.

(8100.0431)



Carrying Bag For Type A Airbag For 2 Bags

Accessories for Resqtec's SQ Lifting Bag.

(8100.0430)



Carrying Bag For SQ70 Airbag

Accessories for Resqtec's SQ Lifting Bag.

(8100.0177)



Carrying Bag For SQ54 Airbag

Accessories for Resqtec's SQ Lifting Bag.

(8100.0355)



Carrying Bag For SQ40 HP Airbag

Accessories for Resqtec's SQ Lifting Bag.

(8100.0350)



Carrying Bag For SQ31 HP Airbag

Accessories for Resqtec's SQ Lifting Bag.

(8100.0340)



Carrying Bag For SQ24 HP Airbag

Accessories for Resqtec's SQ Lifting Bag.

(8100.0330)



Carrying Bag For SQ19 HP Airbag

Accessories for Resqtec's SQ Lifting Bag.

(8100.0320)



Carrying Bag For SQ12 HP Airbag

Accessories for Resqtec's SQ Lifting Bag.

(8100.0310)



Carrying Bag For SQ10 HP Airbag

Accessories for Resqtec's SQ Lifting Bag.

(8100.0300)



C6 Concrete Crusher

The Concrete Crushers are equipped with replaceable crusher tips to guarantee an optimum and effective tool whatever the circumstances.

(4465.0000.XX)



C4 Concrete Crusher

The Concrete Crushers are equipped with replaceable crusher tips to guarantee an optimum and effective tool whatever the circumstances.

(4445.0000.XX)



Boxed Dual Controller (V-Conn)

Accessories for Resqtec's SQ Lifting Bag.

(8700.0500.V)



Bipod Set

The Bipod can be mounted on to any Profix Max product and is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8420.2470)



Bipod

The Bipod can be mounted on to any Profix Max product and is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8420.2600)



Beam Support

Accessories for the Resqtec The Profix Max Extension Series.

(8420.0210)



Battery Pack 10 EDD

Through EED Technology, battery power is more efficient. Eliminating hydraulics means more overall efficiency and long battery runtimes.

(4300.0520)



Battery Pack 1 EDD

Through EED Technology, battery power is more efficient. Eliminating hydraulics means more overall efficiency and long battery runtimes.

(4300.0010)



Battery Charger EDD

Nominal output 50.2 VDC/2.2 A
Nominal input 100-240 VAC
Charge time battery pack 1 EDD 1 hour
Charge time battery backpack 10 EDD 9 hour
Dimensions (L x W x H) 257 x 135 x 105mm (+/- 5mm)
Weight 1.1kg
Cable length (wall plug) 1.9m
Cable length (charge plug) 1.4m
Charger adapter assembly Included

(4300.053)



Basic Set NT4

Max operation pressure 12 bar
Max. lifting capacity 70 tonnes
Max. lifting capacity at max. lifting height 9.5 tonnes
Insertion height 10 mm / 48 mm
Max. lifting height N x 440 mm
Effective lifting height N x 392 mm
Temperature range -20 °C till +65 °C
Weight 15.5 kg
Safety factor 4

(8700.0140)



Basic Set NT2

Max operation pressure 12 bar
Max. lifting capacity 26 tonnes
Max. lifting capacity at max. lifting height 6.2 tonnes
Insertion height 10 mm / 34 mm
Max. lifting height N x 275 mm
Effective lifting height N x 241 mm
Temperature range -20 °C till +65 °C
Weight 6.5 kg
Safety factor 4

(8700.0135)



Auto Crib-It Suv & Vans Set Of 2

Lightweight, portable, automatic extension and a maximum load capacity of 1.3 ton are the key characteristics of the Auto Crib-it.

(8400.0320)



Auto Crib-It Cars Set Of 2

Lightweight, portable, automatic extension and a maximum load capacity of 1.3 ton are the key characteristics of the Auto Crib-it.

(8400.0310)



Attachment Bag

Accessories for the Resqtec The Profix Max Extension Series.

(8462.0150)



Airbag Safety System For Passengers

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9340.0013)



Airbag Safety System (3 Pcs) For Trucks And Vans

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9340.0012)



Airbag Safety System (2 Pcs) For Cars

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9340.0010)



Air Cylinder 300 Bar / 6 Ltr

Accessories for Resqtec's SQ Lifting Bag.

(8200.7505)



Adapter Kit For Alternative Air Sources

Accessories for Resqtec's SQ Lifting Bag.

(8700.0610)



Accessory Storage Case

Resqtec Accessory Storage Case

(8700.0795)



5M NEO1 Hose Red

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3405RQ)



5M NEO1 Hose Green

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3005RQ)



5M NEO1 Hose Blue

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3205RQ)



20M NEO1 Hose Green

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3020RQ)



20M NEO1 Hose Blue

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3220RQ)



20M NEO1 Hose Red

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3420RQ)



20" Flexible Duct 6M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 20" Flexible Duct 6M (inc. Strap)

(6140.0062)



20" Flexible Duct 3M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 20" Flexible Duct 3M (inc. Strap)

(6140.0061)



18" Flexible Duct 6M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 18" Flexible Duct 6M (inc. Strap)

(6140.0052)



18" Flexible Duct 3M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 18" Flexible Duct 3M (inc. Strap)

(6140.0050)



16" Flexible Duct 6M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 16" Flexible Duct 6M (inc. Strap)

(6140.0042)



16" Flexible Duct 3M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 16" Flexible Duct 3M (inc. Strap)

(6140.0040)



15M Twin Hose Green

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units. The design of this product will enable firefighters, USAR-teams and other rescue workers to work with optimal performance and ease of use.

(2600.4515XX)



15M Twin Hose Blue

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units. The design of this product will enable firefighters, USAR-teams and other rescue workers to work with optimal performance and ease of use.

(2600.4615XX)



15M NEO1 Hose Red

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3415RQ)



15M NEO1 Hose Green

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3015RQ)



15M NEO1 Hose Blue

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3215RQ)



10M Twin Hose Green

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units. The design of this product will enable firefighters, USAR-teams and other rescue workers to work with optimal performance and ease of use.

(2600.4510XX)



10M Twin Hose Blue

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units. The design of this product will enable firefighters, USAR-teams and other rescue workers to work with optimal performance and ease of use.

(2600.4610XX)



10M NEO1 Hose Red

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3410RQ)



10M NEO1 Hose Blue

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3210RQ)



10M NEO1 Hose Green

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3010RQ)



Cribs



Wedge

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.

(8400.065)



Saddle Wedge With Strap

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.

(8400.0640)



Rapid Stair

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.

(8400.0620)



Crib Block Set CB8

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.

(8400.0736)



Crib Block Set CB6

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.

(8400.0735)



Crib Block Set CB4

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.

(8400.0734)



Crib Block Set CB2

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.

(8400.0733)



Crib Block Set CB 600-2

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.

(8400.0724)



Crib Block Set CB 600-1

Cribbing blocks are used for stabilization of an object or to support in lifting objects during rescue operations.

(8400.0722)



Connector

Dimensions 123 x 40 x 15mm
Weight 0.1kg

(8400.055)



CB80

Dimensions 200 x 200 x 80mm
Weight 2.5kg

(8400.0670)



CB600 With Strap

Dimensions 600 x 200 x 80mm
Weight 7.9kg

(8400.0512)



CB40

Dimensions 200 x 200 x 40mm
Weight 1.3kg

(8400.0660)



Auto Crib-It Suv & Vans Set Of 2

Lightweight, portable, automatic extension and a maximum load capacity of 1.3 ton are the key characteristics of the Auto Crib-It.

(8400.0320)



Auto Crib-It Cars Set Of 2

Lightweight, portable, automatic extension and a maximum load capacity of 1.3 ton are the key characteristics of the Auto Crib-It.

(8400.0310)

15 total products.



Hydraulic Operated Equipment



X6 Spreader

Resqtec offers an unmatched in practical performance X-Series Spreader range. The biggest challenge in designing spreaders is its jaw; it must be strong enough and simultaneously have very thin tips at the end of the jaw.

(4760.0000.XX)



X4 Spreader (Rq)

Resqtec offers an unmatched in practical performance X-Series Spreader range. The biggest challenge in designing spreaders is its jaw; it must be strong enough and simultaneously have very thin tips at the end of the jaw.

(4744.0000RQ)



X4 Spreader

Resqtec offers an unmatched in practical performance X-Series Spreader range. The biggest challenge in designing spreaders is its jaw; it must be strong enough and simultaneously have very thin tips at the end of the jaw.

(4744.0000.XX)



X2 Spreader

Resqtec offers an unmatched in practical performance X-Series Spreader range. The biggest challenge in designing spreaders is its jaw; it must be strong enough and simultaneously have very thin tips at the end of the jaw.

(4720.0000.XX)



V6 Ram

Resqtec offers a fantastic V-series Ram tool range. The ram is an essential tool for a rescue operation. Being compatible with Profix Max accessories, the V-series ram offers a large variety of options to complete any rescue operation.

(4560.2000.XX)



V5T Teleram

Resqtec offers a fantastic V-series Ram tool range. The ram is an essential tool for a rescue operation. Being compatible with Profix Max accessories, the V-series ram offers a large variety of options to complete any rescue operation.

(4550.0000.XX)



V4 Ram

Resqtec offers a fantastic V-series Ram tool range. The ram is an essential tool for a rescue operation. Being compatible with Profix Max accessories, the V-series ram offers a large variety of options to complete any rescue operation.

(4540.2000.XX)



V3T Teleram

Resqtec offers a fantastic V-series Ram tool range. The ram is an essential tool for a rescue operation. Being compatible with Profix Max accessories, the V-series ram offers a large variety of options to complete any rescue operation.

(4530.0000.XX)



V2 Ram

Resqtec offers a fantastic V-series Ram tool range. The ram is an essential tool for a rescue operation. Being compatible with Profix Max accessories, the V-series ram offers a large variety of options to complete any rescue operation.

(4520.2000.XX)



Set Of 2 Pulling Jaws FX6

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(2120.4280)



Set Of 2 Pulling Jaws FX2/FX4

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(2130.4280)



Q1 Cutter

The Q1 is designed for cutting brake pedals, hinges, steering wheels and reinforcement bars and more if needed. Use its spreading force to create space in the narrowest places. The Q1 is a must have for any rescue team. It gives access to confined spaces that are hard to get to.

(4310.0000.XX)



G8W Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(4186.0000.XX)



G8C Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(41860000RQ)



G6W Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(4163.0000.XX)



G6 Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(4160.0000.XX)



G4W Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(4142.0000.XX)



G4 Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(4140.0000.XX)



G2 Cutter

Resqtec offers a wide range of cutting capabilities within the G-Series. The design of the blades strongly influences the capabilities of a cutter. Blades transform the power (force) created in the tool and in what manner it cuts the many different materials.

(4120.0000.XX)



FX6 Frontliner

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(4260.0000.XX)



FX4 Frontliner

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(4240.0000.XX)



FX2 Frontliner With Intergrated Hand Pump

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(2005.4000.M0)



FX2 Frontliner

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(4220.0000.XX)



Chain & Shackle Set X-Series

Shackles are used in lifting and static systems as removable links to connect steel wire rope, chains, and can be used in conjunction with other Resqtec products.

(2310.3000)



C6 Concrete Crusher

The Concrete Crushers are equipped with replaceable crusher tips to guarantee an optimum and effective tool whatever the circumstances.

(4465.0000.XX)



C4 Concrete Crusher

The Concrete Crushers are equipped with replaceable crusher tips to guarantee an optimum and effective tool whatever the circumstances.

(4445.0000.XX)



Lifting Bags



Shut-Off Hose 12 Bar/2M/Green/Rubber

Resqtec Hybrid Accessories: Shut-Off Hose 12 Bar/2M/Green/Rubber

(8700.1362)



Shut-Off Hose 12 Bar/2M/Green

Resqtec Hybrid Accessories: Shut-Off Hose 12 Bar/2M/Green

(8700.1283)



Shut-Off Hose 12 Bar/2M/Blue/Rubber

Resqtec Hybrid Accessories: Shut-Off Hose 12 Bar/2M/Blue/Rubber

(8700.1367)



Shut-Off Hose 12 Bar/2M/Blue

Resqtec Hybrid Accessories: Shut-Off Hose 12 Bar/2M/Blue

(8700.1273)



Regulator C/W 2M Black Rubber Inlet Hose

Resqtec Hybrid Accessories: Regulator C/W 2M Black Rubber Inlet Hose

(8700.0570)



Power Plate Plug

Used to mount a MultiSwivel on a PowerPlate.

(8700.2075)



Power Plate

Mounted on MultiSwivel by using the PowerPlate plug. Also compatible with the Resqtec NT HYBRID and CribBlock series.

(8420.0060)



NT8 Hybrid Incl. Storage Case

It is the design of the NT Hybrid that is the driving force behind its many features and capabilities. The oval shape forces the bag to stay flat throughout the lift. Its embedded Load Capacity Enhancer (LCE) and Stability Center turns limitations of lifting bags into strengths and ease of use.

(8508.0008)



NT4 Hybrid Incl. Valise

It is the design of the NT Hybrid that is the driving force behind its many features and capabilities. The oval shape forces the bag to stay flat throughout the lift. Its embedded Load Capacity Enhancer (LCE) and Stability Center turns limitations of lifting bags into strengths and ease of use.


(8508.0004)



NT2 Hybrid Incl. Valise

It is the design of the NT Hybrid that is the driving force behind its many features and capabilities. The oval shape forces the bag to stay flat throughout the lift. Its embedded Load Capacity Enhancer (LCE) and Stability Center turns limitations of lifting bags into strengths and ease of use.

(8508.0002)



Handheld Dual Controller 12 Bar

Resqtec Handheld Dual Controller 12 Bar

(8700.0552)



Floor Mat Plug

Resqtec Floor Mat Plug

(8700.204)



Floor Mat

Resqtec Floor Mat

(8700.0715)



Dual Air Cylinder Connector

Resqtec Dual Air Cylinder Connector

(8700.062)



Delivery Hose 12 Bar/8M/Red/Rubber

Resqtec Delivery Hose 12 Bar/8M/Red/Rubber

(8700.1332)



Delivery Hose 12 Bar/8M/Yellow/Rubber

Resqtec Delivery Hose 12 Bar/8M/Yellow/Rubber

(8700.1337)



Delivery Hose 12 Bar/8M/Green/Rubber

Resqtec Delivery Hose 12 Bar/8M/Green/Rubber

(8700.1342)



Delivery Hose 12 Bar/8M/Blue/Rubber

Resqtec Delivery Hose 12 Bar/8M/Blue/Rubber

(8700.1347)



Delivery Hose 12 Bar/10M/Yellow

Resqtec Delivery Hose 12 Bar/10M/Yellow

(8700.1112)



Delivery Hose 12 Bar/10M/Red

Resqtec Delivery Hose 12 Bar/10M/Red

(8700.1107)



Delivery Hose 12 Bar/10M/Green

Resqtec Delivery Hose 12 Bar/10M/Green

(8700.1117)



Connector Key

Resqtec Connector Key

(8700.2008)



Basic Set NT4

Max operation pressure 12 bar
Max. lifting capacity 70 tonnes
Max. lifting capacity at max. lifting height 9.5 tonnes
Insertion height 10 mm / 48 mm
Max. lifting height N x 440 mm
Effective lifting height N x 392 mm
Temperature range -20 °C till +65 °C
Weight 15.5 kg
Safety factor 4

(8700.0140)



Basic Set NT2

Max operation pressure 12 bar
Max. lifting capacity 26 tonnes
Max. lifting capacity at max. lifting height 6.2 tonnes
Insertion height 10 mm / 34 mm
Max. lifting height N x 275 mm
Effective lifting height N x 241 mm
Temperature range -20 °C till +65 °C
Weight 6.5 kg
Safety factor 4

(8700.0135)



Accessory Storage Case

Resqtex Accessory Storage Case

(8700.0795)

25 total products.



Lights



Command Light Shadow SL422A-FS 2 X 220 W AC Spectra LED

The SL422A-FS is a part of Command Light's most compact line of light towers. Powered by 115 or 230V AC power, this tower has a reach of over 4 feet above its base (or over 6.5 ft with an optional 80" arm).

(5876.2220)



Command Light Knight KL415A-FS 6 X 220W AC Spectre LED

Command Light's KL415A-FS is a mid-size LED light tower that provides reliable scene lighting to any situation. These towers are extremely stable, yet more compact than the CL Series. They lay flat with a smaller footprint at only 47" for smaller to mid size apparatus, or larger trucks with limited space.

(5876.0230)



Command Light Knight KL 450A-LF 6 X 500 Watt

Command Light's KL450A-LF is a mid-size light tower that provides reliable scene lighting to any situation. These towers are extremely stable, yet more compact than the CL Series. They lay flat with a smaller footprint at only 47" for smaller to mid size apparatus, or larger trucks with limited space.

(5876.0510)



Command Light CL607A-HQ 6 X 750 Watt

Command Light's CL607A-HQ is a highly versatile quartz-halogen light tower that provides reliable scene lighting to any situation. These towers deploy in less than 15 seconds and give users precise control of direction, while giving departments the most dependable, best light possible.

(5876.0750)



Command Light CL602A-FS 6 X 22W AC Spectra LED

Command Light's CL602A-FS is a highly versatile LED light tower that provides reliable scene lighting to any situation. These towers deploy in less than 15 seconds and give users precise control of direction, while giving departments the most dependable, best light possible.

(5876.0220)

5 total products.



NEO1 Technology



5M NEO1 Hose Red

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3405RQ)



5M NEO1 Hose Green

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3005RQ)



5M NEO1 Hose Blue

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3205RQ)



20M NEO1 Hose Green

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3020RQ)



20M NEO1 Hose Blue

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3220RQ)



20M NEO1 Hose Red

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3420RQ)



15M NEO1 Hose Red

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3415RQ)



15M NEO1 Hose Green

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3015RQ)



15M NEO1 Hose Blue

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3215RQ)



10M NEO1 Hose Red

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3410RQ)



10M NEO1 Hose Blue

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3210RQ)



10M NEO1 Hose Green

The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units.

(2600.3010RQ)

12 total products.



Pod Sets



Tripod Set

The Tripod can be mounted on to any Profix Max product and is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8420.0610)



Tripod

The Tripod can be mounted on to any Profix Max product and is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8420.0600)



Monopod Set

The Monopod can be mounted on to any Profix Max product and is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8420.2450)



Monopod

The Monopod can be mounted on to any Profix Max product and is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8420.2650)



Bipod Set

The Bipod can be mounted on to any Profix Max product and is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8420.2470)



Bipod

The Bipod can be mounted on to any Profix Max product and is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8420.2600)

6 total products.



Pow'rench



Pow'rench 750 Set Mm

The Pow'rench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0021)



Pow'rench 750 Set Inch

The Pow'rench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0022)



Pow'rench 750

The Pow'rench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0020)



Pow'rench 625-50 Set Mm

The Pow'rench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0011)



Pow'rench 625-50 Set Inch

The Pow'rench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0012)



Pow'rench 625-50

The Pow'rench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.001)



Pow'rench 1000 Set Mm

The Pow'rench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0031)



Pow'rench 1000 Set Inch

The Pow'rench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0032)



Pow'rench 1000

The Pow'rench has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(9310.0030)

9 total products.



Power



Mini GXH50 STO 1x1 3SR+Smart

The 3SR power units have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(3641.1121.XX)



Mini GXH50 STO 1x1 3SR

The 3SR power units have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(3641.1111.XX)



Midi GX100 STO 1x1 3SR+Smart

The 3SR power units have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(3642.1122.XX)



Midi GX100 STO 1x1 3SR

The 3SR power units have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(3642.1112.XX)



Midi GX100 MTO 2x2 3SR+Smart

The 3SR power units have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(3742.1122.XX)



Midi GX100 MTO 2x2 3SR

The 3SR power units have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(3742.1112.XX)



Maxi GX160S MTO 3SR STD

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3744.1112.XX)



Maxi GX160S MTO 3SR IHR 2x20M

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3744.4312.XX)



Maxi GX160S MTO 3SR IHR 2x20M

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3744.3312.XX)



Maxi GX160 E-Start MTO 3SR STD

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3745.1111.XX)



Maxi GX160 E-Start MTO 3SR IHR 2x20M

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3745.4311.XX)



Maxi GX160 E-Start MTO 3SR IHR 2x20M

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3745.3311.XX)



Maxi 2.2kW 220/50Hz MTO 3SR STD

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3722.1111.XX)



Maxi 2.2kW 220/50Hz MTO 3SR IHR 2x20M

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3722.4311.XX)



Maxi 2.2kW 220/50Hz MTO 3SR IHR 2x20M

The 3SR power unit is designed to power Resqtec's double acting hydraulic rescue tools.

(3722.3311.XX)



Hose Reel 2 x 20M Green /Blue

Hose Reel 2 x 20m is an accessory for the Resqtec's product line.

(2075.7220XX)



Hose Reel 1 x 20 M Green

Hose Reel 1 x 20m (GREEN) is an accessory for the Resqtec's product line.

(2075.7120XX)



Hose Reel 1 x 20 M Blue

Hose Reel 1 x 20m (BLUE) is an accessory for the Resqtec's product line.

(2075.7020XX)



Elevation Add-On 4000-5000M

Resqtec Elevation Add-on for 3SR Power Units.

(3435.4050)



Elevation Add-On 3000-4000M

Resqtec Elevation Add-on for 3SR Power Units.

(3435.3040)



Elevation Add-On 2000-3000M
Resqtec Elevation Add on for 3SR Power Units.
(3435.2030)



Elevation Add-On 2000-3000M
Resqtec Elevation Add on for 3SR Power Units.
(3436.2030)



Elevation Add-On 2000-3000
Resqtec Elevation Add on for 3SR Power Units.
(3434.2030)



Elevation Add-On 1000-2000M
Resqtec Elevation Add on for 3SR Power Units.
(3435.1020)



Elevation Add-On 1000-2000M
Resqtec Elevation Add on for 3SR Power Units.
(3436.1020)



Elevation Add-On 1000-2000
Resqtec Elevation Add on for 3SR Power Units.
(3434.1020)



Elevation Add On 4000>5000M
Resqtec Elevation Add on for 3SR Power Units.
(3437.4050)



Elevation Add On 3000>4000M
Resqtec Elevation Add on for 3SR Power Units.
(3437.3040)



Elevation Add On 2000>3000M
Resqtec Elevation Add on for 3SR Power Units.
(3437.2030)



Elevation Add On 1000>2000M
Resqtec Elevation Add on for 3SR Power Units.
(3437.1020)



15M Twin Hose Green
The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units. The design of this product will enable firefighters, USAR-teams and other rescue workers to work with optimal performance and ease of use.
(2600.4515XX)



15M Twin Hose Blue
The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units. The design of this product will enable firefighters, USAR-teams and other rescue workers to work with optimal performance and ease of use.
(2600.4615XX)



10M Twin Hose Green
The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units. The design of this product will enable firefighters, USAR-teams and other rescue workers to work with optimal performance and ease of use.
(2600.4510XX)



10M Twin Hose Blue
The Resqtec NEO1 and STD couplers and hoses have been designed and engineered to connect Resqtec double acting hydraulic rescue tools to the power units. The design of this product will enable firefighters, USAR-teams and other rescue workers to work with optimal performance and ease of use.
(2600.4610XX)



Accessories



Elevation Add-On 4000-5000M
Resqtec Elevation Add on for 3SR Power Units.
(3435.4050)



Elevation Add-On 3000-4000M
Resqtec Elevation Add on for 3SR Power Units.
(3435.3040)



Elevation Add-On 2000-3000M
Resqtec Elevation Add on for 3SR Power Units.
(3435.2030)



Elevation Add-On 2000-3000M
Resqtec Elevation Add on for 3SR Power Units.
(3436.2030)



Elevation Add-On 2000-3000
Resqtec Elevation Add on for 3SR Power Units.
(3434.2030)



Elevation Add-On 1000-2000M
Resqtec Elevation Add on for 3SR Power Units.
(3435.1020)



Elevation Add-On 1000-2000M
Resqtec Elevation Add on for 3SR Power Units.
(3436.1020)



Elevation Add-On 1000-2000
Resqtec Elevation Add on for 3SR Power Units.
(3434.1020)



Elevation Add On 4000>5000M
Resqtec Elevation Add on for 3SR Power Units.
(3437.4050)



Elevation Add On 3000>4000M
Resqtec Elevation Add on for 3SR Power Units.
(3437.3040)



Elevation Add On 2000>3000M
Resqtec Elevation Add on for 3SR Power Units.
(3437.2030)



Elevation Add On 1000>2000M
Resqtec Elevation Add on for 3SR Power Units.
(3437.1020)

12 total products.



Power Pushers



Ram Support

The Power Pushers have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(2350.0535)



PP40

The Power Pushers have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(8440.0010)



PP25

The Power Pushers have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(8440.0020)

3 total products.



Accessories



Ram Support

The Power Pushers have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(2350.0535)

1 total products.



Profix



Set Of 2 Hoses 12 Bar/10M Each
Resqtec Set Of 2 Hoses 12 Bar/10M Each
(8410.0851)



Rhino
Resqtec Rhino
(8420.0020)



Remote Controller
Resqtec Remote Controller
(8410.0710.00)



Ram Adapter
Resqtec Ram Adapter
(8420.0230)



Raker Rail Hinge
Female end clicked on a ProFix Max male connector ring.
(8430.0180)



Raker Rail Connector
Used to connect two raker rails.
(8430.0120)



Raker Rail 1500
Used for wall, ground or ceiling support
(8430.0070)



PXM Protection Strap
Prevents undesirable extension of the ProFix Max.
(8410.4110)



ProFix Max 880
The ProFix Max manual and pneumatic shoring device has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various shoring applications they encounter.
(8410.0310.20)



ProFix Max 600
The ProFix Max manual and pneumatic shoring device has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various shoring applications they encounter.
(8410.0300.20)



ProFix Max 470
The ProFix Max manual and pneumatic shoring device has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various shoring applications they encounter.
(8410.0290.00)



ProFix Max 2300
The ProFix Max manual and pneumatic shoring device has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various shoring applications they encounter.
(8410.0330.20)



ProFix Max 1400
The ProFix Max manual and pneumatic shoring device has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various shoring applications they encounter.
(8410.0320.20)



Profix Junction
Used as a junction in wall support systems.
(8430.0240)



Nailing Block
Mounted on the side of a ProFix Max' cylinder or piston to add additional wooden shoring.
(8430.0300)



Multi Tool
The Multi Tool is an accessory to the Restec Protix Max Series.
(8410.0600)



Multi Swivel With Ring Handle
The Multi Swivel with Ring Handle is an accessory to the Restec Protix Max Series.
(8420.4000)



Multi Swivel
The Multi Swivel is an accessory to the Restec Protix Max Series.
(8420.3550)



Multi Connector
The Multi Connector is an accessory to the Restec Protix Max Series.
(8420.0260)



Handheld Controller Strut 12 Bar
Handheld Controller Strut is an accessory to the Restec Protix Max Series.
(8410071000)



Fixed Base

The Fixed Base is an accessory to the Restec Profix Max Series.

(8420.0300)



EX-900

The Resqtec Profix Max Extension is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8410.0530.20)



EX-600

The Resqtec Profix Max Extension is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8410.0520.20)



EX-300

The Resqtec Profix Max Extension is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8410.0510.20)



EX-1500

The Resqtec Profix Max Extension is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8410.0550.20)



EX-150

The Resqtec Profix Max Extension is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8410.0500.20)



EX-1200

The Resqtec Profix Max Extension is an integrated and easy to use shoring device with a powerful 15 tons capacity at a safety factor 4:1.

(8410.0540.20)



Edge Support

Accessories for the Resqtec The Profix Max Extension Series.

(8420.0190)



Earth Nail

Accessories for the Resqtec The Profix Max Extension Series.

(9800.8011)



Crown

Accessories for the Resqtec The Profix Max Extension Series.

(8420.0000)



Column Gantry

Accessories for the Resqtec The Profix Max Extension Series.

(8430.0380)



Chain Head

Accessories for the Resqtec The Profix Max Extension Series.

(8420.0340)



Chain & Shackle Set Fx-Series

Accessories for the Resqtec The Profix Max Extension Series.

(2305.5000)



Beam Support

Accessories for the Resqtec The Profix Max Extension Series.

(8420.0210)



Attachment Bag

Accessories for the Resqtec The Profix Max Extension Series.

(8462.0150)

35 total products.



Accessories



Set Of 2 Hoses 12 Bar/10M Each

Resqtec Set Of 2 Hoses 12 Bar/10M Each
(8410.0851)



Rhino

Resqtec Rhino
(8420.0020)



Remote Controller

Resqtec Remote Controller
(8410.0710.00)



Ram Adapter

Resqtec Ram Adapter
(8420.0230)



Raker Rail Hinge

Female end clicked on a ProFix Max male connector ring.
(8430.0180)



Raker Rail Connector

Used to connect two raker rails.
(8430.0120)



Raker Rail 1500

Used for wall, ground or ceiling support
(8430.0070)



PXM Protection Strap

Prevents undesirable extension of the ProFix Max.
(8410.4110)



Profix Junction

Used as a junction in wall support systems.
(8430.0240)



Nailing Block

Mounted on the side of a ProFix Max cylinder or piston to add additional wooden shoring.
(8430.0300)



Multi Swivel

The Multi Swivel is an accessory to the Restec Profix Max Series.
(8420.3550)



Multi Connector

The Multi Connector is an accessory to the Restec Profix Max Series.
(8420.0260)



Edge Support

Accessories for the Resqtec The Profix Max Extension Series.
(8420.0190)



Earth Nail

Accessories for the Resqtec The Profix Max Extension Series.
(9800.8011)



Door Opener With Pump & 3M Hose

The door opener has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.
(2064.100M.MS)



Crown

Accessories for the Resqtec The Profix Max Extension Series.
(8420.0000)



Column Gantry

Accessories for the Resqtec The Profix Max Extension Series.
(8430.0380)



Chain Head

Accessories for the Resqtec The Profix Max Extension Series.
(8420.0340)



Chain & Shackle Set Fx-Series

Accessories for the Resqtec The Profix Max Extension Series.
(2305.5000)



Beam Support

Accessories for the Resqtec The Profix Max Extension Series.
(8420.0210)



Rescue Equipment



X2 EDD Spreader

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(5720.1202.EE)



Vehicle Charger 24V

The Vehicle Charger charges your batteries on board of any rescue vehicle, by simply connecting it to any in-vehicle power source - whether is 110/220V, or with the special converter to 12/24V.

(4300.0740)



Vehicle Charger 110V / 220V

The Vehicle Charger charges your batteries on board of any rescue vehicle, by simply connecting it to any in-vehicle power source - whether is 110/220V, or with the special converter to 12/24V.

(4300.0880)



Vehicle Charger

The Vehicle Charger charges your batteries on board of any rescue vehicle, by simply connecting it to any in-vehicle power source - whether is 110/220V, or with the special converter to 12/24V.

(4300.0550)



V4 EDD Ram

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4540.2041.EE)



V4 EDD Ram

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4540.2001.EE)



Rear 360Deg Carry Handle (Long Version Only)

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4250.1065)



P4X EDD Spreader (Short Control Handle)

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4770.0303.EE)



P4X EDD Spreader

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4770.0003.EE)



P4W EDD Cutter (Short Control Handle)

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4172.0303.EE)



P4W EDD Cutter

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4172.0003.EE)



P4FX EDD Frontliner

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4270.0003.EE)



P4 EDD Incl. Spreader Arms & Cutter Blades

The P4 is one-of-a-kind and a "must have" for any rescue team. It can be converted from being a dedicated spreader to a cutter in just seconds using interchangeable tool attachments.

(4272.3003.EE)



Mains Power Adapter

Mains Power Adaptor allows you to work without batteries. Connected to 110 or 220V, the mains power adapter enables any EDD tool to operate continuously, without interruption.

(4300.1000)



G6W EDD Cutter

A NEW ERA STARTS FOR RESCUE EXTRICATION EQUIPMENT. For the first time ever, the need for hydraulics is completely eliminated in a complete line of extrication equipment. No need for a hydraulic pump, fluid, piston, valves or seals. Electronic Direct Drive (EDD) directly converts battery power - from a compact, powerful and efficient motor - to output force.

(5163.1202.EE)



G6C EDD Cutter

A NEW ERA STARTS FOR RESCUE EXTRICATION EQUIPMENT. For the first time ever, the need for hydraulics is completely eliminated in a complete line of extrication equipment. No need for a hydraulic pump, fluid, piston, valves or seals. Electronic Direct Drive (EDD) directly converts battery power - from a compact, powerful and efficient motor - to output force.

(5162.1202.EE)



G4W EDD Cutter

A NEW ERA STARTS FOR RESCUE EXTRICATION EQUIPMENT. For the first time ever, the need for hydraulics is completely eliminated in a complete line of extrication equipment. No need for a hydraulic pump, fluid, piston, valves or seals. Electronic Direct Drive (EDD) directly converts battery power – from a compact, powerful and efficient motor – to output force.

(5143.1202.EE)



G4C EDD Cutter

A NEW ERA STARTS FOR RESCUE EXTRICATION EQUIPMENT. For the first time ever, the need for hydraulics is completely eliminated in a complete line of extrication equipment. No need for a hydraulic pump, fluid, piston, valves or seals. Electronic Direct Drive (EDD) directly converts battery power – from a compact, powerful and efficient motor – to output force.

(5142.1202.EE)



FX6 FJ EDD Frontliner

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(5265.1202.EE)



FX4 FJ EDD Frontliner

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(5245.1202.EE)



Battery Pack 10 EDD

Through EED Technology, battery power is more efficient. Eliminating hydraulics means more overall efficiency and long battery runtimes.

(4300.0520)



Battery Pack 1 EDD

Through EED Technology, battery power is more efficient. Eliminating hydraulics means more overall efficiency and long battery runtimes.

(4300.0010)



Battery Charger EDD

Nominal output 50.2 VDC/2.2 A
Nominal input 100-240 VAC
Charge time battery pack 1 EDD 1 hour
Charge time battery backpack 10 EDD 9 hour
Dimensions (L x W x H) 257 x 135 x 105mm (+/- 5mm)
Weight 1.1kg
Cable length (wall plug) 1.9m
Cable length (charge plug) 1.4m
Charger adapter assembly Included

(4300.053)

23 total products.



Battery Operated Equipment



X2 EDD Spreader

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(5720.1202.EE)



V4 EDD Ram

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4540.2041.EE)



V4 EDD Ram

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4540.2001.EE)



Rear 360Deg Carry Handle (Long Version Only)

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4250.1065)



P4X EDD Spreader (Short Control Handle)

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4770.0303.EE)



P4X EDD Spreader

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4770.0003.EE)



P4W EDD Cutter (Short Control Handle)

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4172.0303.EE)



P4W EDD Cutter

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4172.0003.EE)



P4FX EDD Frontliner

A new era starts for rescue extrication equipment; Electronic Direct Drive (EDD) Technology direct from the motor to the output force. No need for hydraulic fluids, pump, valves or seals. Simply direct from a compact and powerful efficient motor that drives a screw piston.

(4270.0003.EE)



P4 EDD Incl. Spreader Arms & Cutter Blades

The P4 is one-of-a-kind and a "must have" for any rescue team. It can be converted from being a dedicated spreader to a cutter in just seconds using interchangeable tool attachments.

(4272.3003.EE)



G6W EDD Cutter

A NEW ERA STARTS FOR RESCUE EXTRICATION EQUIPMENT. For the first time ever, the need for hydraulics is completely eliminated in a complete line of extrication equipment. No need for a hydraulic pump, fluid, piston, valves or seals. Electronic Direct Drive (EDD) directly converts battery power – from a compact, powerful and efficient motor – to output force.

(5163.1202.EE)



G6C EDD Cutter

A NEW ERA STARTS FOR RESCUE EXTRICATION EQUIPMENT. For the first time ever, the need for hydraulics is completely eliminated in a complete line of extrication equipment. No need for a hydraulic pump, fluid, piston, valves or seals. Electronic Direct Drive (EDD) directly converts battery power – from a compact, powerful and efficient motor – to output force.

(5162.1202.EE)



G4W EDD Cutter

A NEW ERA STARTS FOR RESCUE EXTRICATION EQUIPMENT. For the first time ever, the need for hydraulics is completely eliminated in a complete line of extrication equipment. No need for a hydraulic pump, fluid, piston, valves or seals. Electronic Direct Drive (EDD) directly converts battery power – from a compact, powerful and efficient motor – to output force.

(5143.1202.EE)



G4C EDD Cutter

A NEW ERA STARTS FOR RESCUE EXTRICATION EQUIPMENT. For the first time ever, the need for hydraulics is completely eliminated in a complete line of extrication equipment. No need for a hydraulic pump, fluid, piston, valves or seals. Electronic Direct Drive (EDD) directly converts battery power – from a compact, powerful and efficient motor – to output force.

(5142.1202.EE)



FX6 FJ EDD Frontliner

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(5265.1202.EE)



FX4 FJ EDD Frontliner

The Frontliner FX-series combine high cutting, spreading and pulling performance in one truly multifunctional rescue tool.

(5245.1202.EE)

16 total products.



Battery Operated Equipment Accessories



Vehicle Charger 24V

The Vehicle Charger charges your batteries on board of any rescue vehicle, by simply connecting it to any in-vehicle power source - whether is 110/220V, or with the special converter to 12/24V.

(4300.0740)



Vehicle Charger 110V / 220V

The Vehicle Charger charges your batteries on board of any rescue vehicle, by simply connecting it to any in-vehicle power source - whether is 110/220V, or with the special converter to 12/24V.

(4300.0880)



Vehicle Charger

The Vehicle Charger charges your batteries on board of any rescue vehicle, by simply connecting it to any in-vehicle power source - whether is 110/220V, or with the special converter to 12/24V.

(4300.0550)



Mains Power Adapter

Mains Power Adaptor allows you to work without batteries. Connected to 110 or 220V, the mains power adapter enables any EDD tool to operate continuously, without interruption.

(4300.1000)



Battery Pack 10 EDD

Through EED Technology, battery power is more efficient. Eliminating hydraulics means more overall efficiency and long battery runtimes.

(4300.0520)



Battery Pack 1 EDD

Through EED Technology, battery power is more efficient. Eliminating hydraulics means more overall efficiency and long battery runtimes.

(4300.0010)



Battery Charger EDD

Nominal output 50.2 VDC/2.2 A
Nominal input 100-240 VAC
Charge time battery pack 1 EDD 1 hour
Charge time battery backpack 10 EDD 9 hour
Dimensions (L x W x H) 257 x 135 x 105mm (+/- 5mm)
Weight 1.1kg
Cable length (wall plug) 1.9m
Cable length (charge plug) 1.4m
Charger adapter assembly Included

(4300.053)

7 total products.



Rescue Equipment Accessories



Window Center Punch

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0771)



Toolmat 3x2M

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0777)



Toolmat 2x1.5M

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0778)



Spare Saw / Blade For Glass Cutter

Our assist tools and accessories perform potentially dangerous jobs easy and safe.


(9330.0407)



Spare Blade For Glass Saw, Set Of 2

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0408)



Soft Casualty Shield Transparent

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0774)



Protection Cover Set B (8 Pcs)

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9340.0009)



Protection Cover Set A (4 Pcs)

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9340.0011)



Laminated Glass Saw

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0406)



Laminated Glass Cutter With Holster

Our assist tools and accessories perform potentially dangerous jobs easy and safe.


(9330.0405)



Hose Strap

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(2600.0000)



Hard Casualty Shield (Transparent)

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9330.0772)



Airbag Safety System For Passengers

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9340.0013)



Airbag Safety System (3 Pcs) For Trucks And Vans

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9340.0012)



Airbag Safety System (2 Pcs) For Cars

Our assist tools and accessories perform potentially dangerous jobs easy and safe.

(9340.0010)

15 total products.



Accessories



Toolmat 3x2M

Our assist tools and accessories perform potentially dangerous
jobs easy and safe.

(9330.0777)



Toolmat 2x1.5M

Our assist tools and accessories perform potentially dangerous
jobs easy and safe.

(9330.0778)

2 total products.



SQ Bags



SQ9 L HP Airbag (30x45)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0106)



SQ8 HP Airbag (38x38)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0104)



SQ70 HP Airbag (94.5x94.5)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0176)



SQ6 HP Airbag (30x30)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0102)



SQ54 HP Airbag (87x87)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0165)



SQ40 HP Airbag (78x78)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0155)



SQ31 HP Airbag (69x69)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0148)



SQ3 HP Airbag (22.5x22.5)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0101)



SQ24 L HP Airbag (32x102)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0140)



SQ24 HP Airbag (61x61)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0135)



SQ20 L HP Airbag (37.5x75)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0121)



SQ19 HP Airbag (55x55)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0115)



SQ13 L HP Airbag (37.5x50)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0114)



SQ12 HP Airbag (45x45)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0108)



SQ1 HP Airbag (15x15)

Resqtec's SQ Bag is capable of large stroke and effective lifting height.
(8100.0092)



Carrying Bag Type D (For 2 Airbags)

Accessories for Resqtec's SQ Lifting Bag.
(8100.0388)



Carrying Bag Type C (For 2 Airbags)

Accessories for Resqtec's SQ Lifting Bag.
(8100.0387)



Carrying Bag Type B (For 2 Airbags)

Accessories for Resqtec's SQ Lifting Bag.
(8100.0386)



Carrying Bag Type A (For 2 Airbags)

Accessories for Resqtec's SQ Lifting Bag.
(8100.0385)



Carrying Bag For Type E Airbag For 2 Bags

Accessories for Resqtec's SQ Lifting Bag.
(8100.0434)



Carrying Bag For Type D-1 Airbag For 2 Bags

Accessories for Resqtec's SQ Lifting Bag.
(8100.0427)



Carrying Bag For Type D Airbag For 2 Bags

Accessories for Resqtec's SQ Lifting Bag.
(8100.0433)



Carrying Bag For Type C Airbag For 2 Bags

Accessories for Resqtec's SQ Lifting Bag.
(8100.0432)



Carrying Bag For Type B Airbag For 2 Bags

Accessories for Resqtec's SQ Lifting Bag.
(8100.0431)



Carrying Bag For Type A Airbag For 2 Bags

Accessories for Resqtec's SQ Lifting Bag.
(8100.0430)



Carrying Bag For SQ70 Airbag

Accessories for Resqtec's SQ Lifting Bag.
(8100.0177)



Carrying Bag For SQ54 Airbag

Accessories for Resqtec's SQ Lifting Bag.
(8100.0355)



Carrying Bag For SQ40 HP Airbag

Accessories for Resqtec's SQ Lifting Bag.
(8100.0350)



Carrying Bag For SQ31 HP Airbag

Accessories for Resqtec's SQ Lifting Bag.
(8100.0340)



Carrying Bag For SQ24 HP Airbag

Accessories for Resqtec's SQ Lifting Bag.
(8100.0330)



Carrying Bag For SQ19 HP Airbag

Accessories for Resqtec's SQ Lifting Bag.
(8100.0320)



Carrying Bag For SQ12 HP Airbag

Accessories for Resqtec's SQ Lifting Bag.
(8100.0310)



Carrying Bag For SQ10 HP Airbag

Accessories for Resqtec's SQ Lifting Bag.
(8100.0300)



Boxed Dual Controller (V-Conn)

Accessories for Resqtec's SQ Lifting Bag.
(8700.0500.V)



Air Cylinder 300 Bar / 6 Ltr

Accessories for Resqtec's SQ Lifting Bag.
(8200.7505)



Adapter Kit For Alternative Air Sources

Accessories for Resqtec's SQ Lifting Bag.
(8700.0610)

36 total products.



Accessories



Boxed Dual Controller (V-Conn)

Accessories for Resqtec's SQ Lifting Bag.

(8700.0500.V)



Air Cylinder 300 Bar / 6 Ltr

Accessories for Resqtec's SQ Lifting Bag.

(8200.7505)



Adapter Kit For Alternative Air Sources

Accessories for Resqtec's SQ Lifting Bag.

(8700.0610)

3 total products.



Straps



Rapid Rescue Single Strap 6M

The Rapid Rescue Straps have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(8461.0500)



Rapid Rescue Double Strap 3M

The Rapid Rescue Straps have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(8461.1000)

2 total products.



Ventilation Equipment



Water Mist System For Stream Shaper Guard

Water Mist System For Stream Shaper Guard is an accessory for Resqtec's Airlast Ventilation Series.

(6500.0122)



Water Mist System

Water Mist System is an accessory for Resqtec's Airlast Ventilation Series.

(6500.0022)



Positive Airblast 20" Variable Speed

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0260)



Positive Airblast 20" Honda GX

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0272)



Positive Airblast 20" Honda GC

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0270)



Positive Airblast 20" Electric

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0240)



Positive Airblast 20" ATEX

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0250)



Positive Airblast 18" Variable Speed

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0220)



Positive Airblast 18" Honda GX

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0232)



Positive Airblast 18" Honda GC

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0230)



Positive Airblast 18" Electric

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0200)



Positive Airblast 18" ATEX

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0210)



Negative Airblast 16" Variable Speed

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0120)



Negative Airblast 16" Honda

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0130)



Negative Airblast 16" Electric

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0100)



Negative Airblast 16" Electric

The Airblast ventilators have been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0110)



Flexible Duct With Carrying Bag 7.5M Explosion Proof

Accessories for Resqtec's Compact Airlast Series, Flexible Duct With Carrying Bag 7.5M Explosion Proof

(6143.0020)



Flexible Duct With Carrying Bag 7.5M

Accessories for Resqtec's Compact Airlast Series, Flexible Duct With Carrying Bag 7.5M

(6143.0010)



Flexible Duct With Carrying Bag 4.5M Explosion Proof

Accessories for Resqtec's Compact Airlast Series, Flexible Duct With Carrying Bag 4.5M Explosion Proof

(6143.0015)



Flexible Duct With Carrying Bag 4.5M

Accessories for Resqtec's Compact Airlast Series, Flexible Duct With Carrying Bag 4.5M

(6143.0000)



Compact Airblast 8" Explosion Proof

The Compact Airblast has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0001)



Compact Airblast 8"

The Compact Airblast has been designed and engineered to assist firefighters, USAR-teams and other rescue workers with the various rescue applications they encounter.

(6060.0000)



20" Flexible Duct 6M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 20" Flexible Duct 6M (inc. Strap)

(6140.0062)



20" Flexible Duct 3M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 20" Flexible Duct 3M (inc. Strap)

(6140.0061)



18" Flexible Duct 6M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 18" Flexible Duct 6M (inc. Strap)

(6140.0052)



18" Flexible Duct 3M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 18" Flexible Duct 3M (inc. Strap)

(6140.0050)



16" Flexible Duct 6M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 16" Flexible Duct 6M (inc. Strap)

(6140.0042)



16" Flexible Duct 3M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 16" Flexible Duct 3M (inc. Strap)

(6140.0040)

28 total products.



Accessories



Water Mist System For Stream Shaper Guard

Water Mist System For Stream Shaper Guard is an accessory for Resqtec's Airlast Ventilation Series.

(6500.0122)



Water Mist System

Water Mist System is an accessory for Resqtec's Airlast Ventilation Series.

(6500.0022)



Flexible Duct With Carrying Bag 7.5M Explosion Proof

Accessories for Resqtec's Compact Airblast Series, Flexible Duct With Carrying Bag 7.5M Explosion Proof

(6143.0020)



Flexible Duct With Carrying Bag 7.5M

Accessories for Resqtec's Compact Airblast Series, Flexible Duct With Carrying Bag 7.5M

(6143.0010)



Flexible Duct With Carrying Bag 4.5M Explosion Proof

Accessories for Resqtec's Compact Airblast Series, Flexible Duct With Carrying Bag 4.5M Explosion Proof

(6143.0015)



Flexible Duct With Carrying Bag 4.5M

Accessories for Resqtec's Compact Airblast Series, Flexible Duct With Carrying Bag 4.5M

(6143.0000)



20" Flexible Duct 6M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 20" Flexible Duct 6M (inc. Strap)

(6140.0062)



20" Flexible Duct 3M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 20" Flexible Duct 3M (inc. Strap)

(6140.0061)



18" Flexible Duct 6M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 18" Flexible Duct 6M (inc. Strap)

(6140.0052)



18" Flexible Duct 3M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 18" Flexible Duct 3M (inc. Strap)

(6140.0050)



16" Flexible Duct 6M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 16" Flexible Duct 6M (inc. Strap)

(6140.0042)



16" Flexible Duct 3M (inc. Strap)

Accessories for Resqtec's Compact Airblast Series, 16" Flexible Duct 3M (inc. Strap)

(6140.0040)

12 total products.




Rope Rescue



Ultra-Pro Edge Protector - 4 Edge Protector

Edge Protector Ultra Pro 2 CMC Ultra-Pro is lighter and easier to transport than edge rollers.

(CMC294044)



Ultra-Pro Edge Protector - 2 Edge Protector

Edge Protector Ultra Pro 2 CMC Ultra-Pro is lighter and easier to transport than edge rollers.

(CMC294042)



TURBOFOOT right

Hook these mini ascenders to your feet and climb lines with greater ease.

(VCAM 2258)



Turbo Chest Ascender

The Turbo Chest Ascender is a compact and lightweight ascender which includes new patented rollers for high efficiency climbing.

(VCAM 2256)



Traverse Titan Titanium Basket Stretcher Split Version Titanium

For the ultimate in strength to weight ratio, the Titan Titanium Basket Stretchers sets a new standard for rescue litters.

(FWETTI-SP)



Traverse Titan Titanium Basket Stretcher One Piece Titanium

For the ultimate in strength to weight ratio, the Titan Titanium Basket Stretchers sets a new standard for rescue litters.

(FWETTI)



Traverse Titan Basket Stretcher Split Version Stainless Steel

The Titan Series Basket Stretcher is specifically designed to perform in a technical rescue environment. Its superior design provides a user-friendly platform from which to work.

(FWETB-SP)



Traverse Titan Basket Stretcher One Piece Stainless Steel

The Titan Series Basket Stretcher is specifically designed to perform in a technical rescue environment. Its superior design provides a user-friendly platform from which to work.

(FWETBT)



Traverse Gazelle Basket Stretcher

A strong, durable and cost effective black powder coated, carbon steel basket stretcher that's suitable for industrial rescue and retrieval.

(FWETBG)



Traverse 540 Rescue Belay (small)

The 540™ Rescue Belay, Small has all the same features of the Large, but is engineered to work with 11mm to 11.6mm (7/16 in.) rope.

(TRAV16-0200)



Traverse 540 Rescue Belay (large)

The Traverse 540 Rescue Belay is developed specifically to meet the needs of rescue system belays.

(TRAV16-0100)



Steel Triplock Karabiner 50 kN

A compact, lightweight, hardened steel karabiner with a 50 kN rating and triple lock gate.

(VCT A595TBBZO)



Steel Screw Gate Karabiner 50 kN

This high strength, hardened zinc plated steel karabiner has a useful wide opening screw gate entry.

(VCT A455TBZO)



Stainless Steel Triplock Karabiner SS Gate 35 kN

Large stainless steel triplock karabiner with large gate opening.

(VCT146500PO ASS)



Sparrow Self Locking Descender 200kg

The Sparrow 200R allows you to unblock the rope position without having to tie off. It allows for short ascent and the assembly of a reversible haul system. The floating cam design forces users to load the rope preventing accidental "reverse loading".

(VCT 2D656)



Sling - Snake 50 x 1500 30 kN Red / Blue / Yellow / Black

Every Ferno Sling is made from high grade, abrasion resistant webbing and is available in a variety of colours and lengths.

(VSL S30kN 1500)



Sling - Round 25 x 1500 32 kN Red / Blue / Yellow / Black

Every Ferno Sling is made from high grade, abrasion resistant webbing and is available in a variety of colours and lengths.

(VSL R32kN 1500)



Safe Spring Hook Each

Coiled, plastic coated stainless wire extends from 430 mm to 1600 mm and prevents tools accidentally falling.

(EB-STL INDV)



Rope Protector - Wraparound

Serious heavy duty rope protection made from super strong webbing.

(VAIROPPTINDWRAP)



Rope Protector - Flat

Made from a heavy-duty webbing with medium duty webbing for the closure flaps.

(VAIROPPTINDFLAT)



Roll N Lock Self Jamming Pulley

A compact, ultra-light self jamming pulley with three operational modes: pulley, progress capture pulley and ascender.

(VCT 2D625)



Ringers Rope Rescue Gloves

The Ringers Rope Rescue Glove is ideal for optimum grip and control in inclement weather.

(RINGERS-355)



Rescue Descender D5

The D5 Work/Rescue Descender is suitable for industrial height safety, rope access, edge management, arborists and search and rescue.

(VISC RP885A1)



Rescue Descender D4

The D4 Rescue Descender is ideal for rescue, belay, descending, rope access and industrial situations.

(VISC RP880)



RALF Rescue Kit 5 to 1

Packaged ready to rescue, no assembly required, the RALF Rescue Retrieval System allows you to quickly raise or lower a person.

(FWE-RRK)



RALF Rescue Kit 3 to 1

Packaged ready to rescue, no assembly required, the RALF Rescue Retrieval System allows you to quickly raise or lower a person.

(FWE-RRK 3:1)



Med Sled Vertical Lift Rescue Red

The Med Sled Rescue is an innovative, cost effective rescue device designed specifically for vertical or horizontal lift operations.

(MS-MS36VLR)



Maillon Rapide Twist Standard Steel - 7mm

Fitted with a 90 degree twist, the Maillon Rapide Twist is ideal for smoother PPE connections, rope access as well as in mountaineering and climbing.

(VMR STSTW07)



Maillon Rapide Twist Large Opening Steel - 8mm

Fitted with a 90 degree twist, the Maillon Rapide Twist is ideal for smoother PPE connections, rope access as well as in mountaineering and climbing.

(VMR LOSTW08)



Maillon Rapide Standard Steel - 10mm

The Maillon Rapide Standard is extremely strong when loaded along the long axis.

(VMR STS10)



Maillon Rapide Standard S/Steel - 10mm

The Maillon Rapide Standard is extremely strong when loaded along the long axis.

(VMR STSS10)



Maillon Rapide Standard Alloy - 10mm

The Maillon Rapide Standard is extremely strong when loaded along the long axis.

(VMR STA10)



Maillon Rapide Large Opening Steel - 10mm

The wider mouth opening makes connecting easier.

(VMR LOS10)



Maillon Rapide Large Opening S/Steel - 10mm

The wider mouth opening makes connecting easier.

(VMR LOSS10)



Maillon Rapide Delta Steel - 10mm

Ideal in situations where a three-way load is exerted.

(VMR DS10)



Maillon Rapide Delta S/Steel - 10mm

Ideal in situations where a three-way load is exerted.

(VMR DSS10)



Maillon Rapide Delta Alloy - 10mm

Ideal in situations where a three-way load is exerted.

(VMR DA10)



Maillon Rapide C Steel - 10mm

Commonly used when connecting sit and chest harnesses.

(VMR CS10)



KASK HP+ Mesh Full Visor

Arborist/Mesh visor designed by Protector to fit the KASK High Performance and HP Plus Helmets.

(VKA-FCMS)



KASK HP+ Half Visor

KASK have three options available for the half visor that attaches to their HP Plus Helmet.

(VKA WVI 2)



KASK HP+ Full Visor Clear

Full face protection in a clear polycarbonate face shield for the KASK HP Plus helmet.

(VKA WVI 3.015)



Kask HP+ Ear Muffs Pair Class 5

Class 5 ear muffs for the Kask HP Plus Helmet, certified to AS/NZS 1270:2002.

(VKA RBZ2CA)



KASK High Performance Plus AS/NZ 1801 Certified

Certified to AS/NZS 1801 and CE EN14052 Specifically designed for emergency rescue and rope access technicians, arborist and specialists working at height.

(VKA WHE 20)



ISC Rope Grab with Pip Pin 11 - 13 mm

Available with fixed axle or in-field detachable pip pin axle to allow fitting to the rope at any point. Two sizes available to suit either 11 mm to 13 mm or 14 mm to 16 mm semi-static ropes.

(VISC RP209A)



ISC Prusik Pulley Small Single SS

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP060D1)



ISC Prusik Pulley Small Single Alloy

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP060A1)



ISC Prusik Pulley Small Double SS

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP061D1)



ISC Prusik Pulley Small Double Alloy

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP061A1)



ISC Prusik Pulley Medium Single SS Becket

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP065D1)



ISC Prusik Pulley Medium Single SS Alloy

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP063D1)



ISC Prusik Pulley Medium Single Alloy Becket

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP065A1)



ISC Prusik Pulley Medium Single Alloy Becket

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP063A1)



ISC Prusik Pulley Medium Double SS

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP064D1)



ISC Prusik Pulley Medium Double Alloy

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP064A1)



ISC Prusik Pulley Large Single SS

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP066D1)



ISC Prusik Pulley Large Single Alloy

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP066A1)



ISC Prusik Pulley Large Double SS

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP067D1)



ISC Prusik Pulley Large Double Alloy

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP067A1)



HaulerBiner Rescue Kit 300cm

The HaulerBiner Rescue is a simple and compact mechanical advantage rescue kit with some very unique features.

(VISC HB300A)



HaulerBiner Rescue Kit 165cm

The HaulerBiner Rescue is a simple and compact mechanical advantage rescue kit with some very unique features.

(VISC HB165A)



HaulerBiner Rescue Kit 105cm

The HaulerBiner Rescue is a simple and compact mechanical advantage rescue kit with some very unique features.

(VISC HB105A)



HaulerBiner Rescue Kit

The HaulerBiner Rescue is a simple and compact mechanical advantage rescue kit with some very unique features.

(VISC HB)



Girth Hitch Sling 1200mm

The Girth Hitch Sling differs significantly in design and performance from other adjustable anchor straps, allowing it to handle a higher load before slipping.

(VSL G30kN 1200)



Ferno Vertical Rescue Stretcher

The Ferno Vertical Rescue Stretcher's roll-up, compact and lightweight design makes it ideal for high angle, confined space, horizontal or vertical rescue.

(VRES STRETCH)

**Ferno Vertical Rescue Stretcher 6 Point Bridle**

Although the Vertical Rescue Stretcher is supplied standard with six lifting slings the Ferno VRS 6 Point Lift Bridle is designed specifically to fit the Vertical Rescue Stretcher and offers the rescuer additional adjustment of the stretcher angle in delicate rescue scenarios.

(BRB-VRS)

**Ferno Ultralite X Harness**

The Ultralite X full body harness is designed and manufactured in Australia and combines world-leading safety features with superior comfort and easy vest style donning.

(VHI ULTRALITE X)

**Ferno ROAR LITE Harness**

The ROAR Lite is the ultimate technical harnesses for rope access and rescue specific requirements.

(VHI ROAR LITE)

**Ferno Industrial Rope Protection Mat**

Hard wearing PVC strips are concealed within full length hinged sections that allow conformity to most edge contours.

(VAI ROP PROT MAT)

**Ferno Heavy Duty Rope Bag**

Ferno Rope Bags keep your rope conveniently stowed, ready for transportation and quick deployment.

(VBS HIVIS)

**Ferno Hardpoint Ascender Full Body Harness**

The Ferno Hardpoint full body harness provides all the comfort, benefits and industry leading features of the Ferno Centrepoint 2 harness, but with a front hard connection point in place of the web belay loop.

(VHI HP ASC)

**Ferno Centrepoint 2 Ascender Full Body Harness**

A favourite with Australian emergency services and rope access technicians, the Centrepoint II is a tried and proven workhorse that can be used in a multitude of applications.

(VHI CEN FB 2 A)

**Ferno 71S Basket Stretcher Split Version**

The Ferno 71-S two-piece Basket Stretcher has the same features as the one-piece Ferno 71 Basket Stretcher but separates in half for compact storage or backpacking to a rescue site.

(FWE71S)

**Ferno 71 Basket Stretcher One Piece**

The Ferno 71 Basket Stretcher is constructed of a high density polyethylene shell supported by a permanently attached heavy-duty aluminium frame.

(FWE71)

**Etrier Five Step**

The Etrier and Aider Four and Five Step are ideal for rescue, rope access and recreational aid climbing.

(VAS ETRIER 5)

**CT Orbiter T Twin Pulley with Becket**

The Orbiter T is a light, alloy double pulley with oscillating side plates with twin sheaves mounted on heavy duty ball bearings.

(VCT 2P662)

**CT Orbiter S Single Pulley**

The Orbiter S Single Pulley is a large, light weight alloy pulley with oscillating side plates.

(VCT 2P660)

**CT Orbiter M Single Pulley Small**

The new Orbiter M Single Pulley Small is a robust and compact yet lightweight alloy pulley with oscillating side plates.

(VCT 2P664)

**CT Orbiter L Triple Pulley**

The Orbiter L Triple pulley with mobile side plates is very versatile and robust and has provision for two connectors through the upper eyelet. Its triple sheaves are mounted on heavy duty ball bearings.

(VCT 2P666)

**CT Orbiter H Triple Pulley with Becket**

Triple pulley with mobile side plates, very versatile and robust.

(VCT 2P667)

**CT Orbiter D Single Pulley with Becket**

This large yet light weight alloy pulley has oscillating side plates and becket.

(VCT 2P661)

**CT Orbiter A Single Pulley**

Innovative pulley with mobile light alloy side plates designed for tree climbing.

(VCT 2P665)

**CT Glove Half Finger Large**

Comfortable Leather Gloves.

(VCT 7X980AB)

**CT Alloy Swivel Twister**

The Twister is a lightweight, hot forged, alloy swivel which helps prevent rope twist.

(VCT 2D793)

**CT Alloy Swivel Twirl**

The Twirl is a lightweight, hot forged alloy swivel which helps prevent rope twist

(VCT2D795)



CMC Rescue MPD 11mm

The MPD is a multi-purpose device that performs all functions for main lines, belay/safety lines, tag lines and hoisting lines and be used to tension high and guiding lines.

(CMC333010)



CMC Rescue CSR2 Pulley with Lock

The redesigned CSR2 (Confined Space Rescue) Pulley is stronger yet lighter and incorporates 7/16 in (11 mm) to 1/2 in (13 mm) life safety rope.

(CMC300343)



CMC Rescue CSR2 Pulley

The redesigned CSR2 (Confined Space Rescue) Pulley is stronger yet lighter and incorporates 7/16 in (11 mm) to 1/2 in (13 mm) life safety rope.

(CMC300342)



Anchor Plates (8 holes)

Anchor Plates allow you to create and organise your anchor systems safely.

(VCT L6370503)



Anchor Plates (4 Holes)

Anchor Plates allow you to create and organise your anchor systems safely.

(VCT L6370303)



Anchor Plates (15 holes)

Anchor Plates allow you to create and organise your anchor systems safely.

(VISC RP320A)



Alloy Triplock Karabiner 30 kN

Extra light, drop forged alloy karabiner with triple action gate opening.

(VCT L5300001)



Alloy Triplock Karabiner 30 kN

A large, alloy, triplock karabiner supplied with a captive bar.

(VCT2C4650CXSACT001)



Alloy Screw Gate Karabiner 30 kN

A multipurpose, lightweight karabiner with a large base and wide sizing.

(VCT 2C4550B)



Aider Five Step

The Vertical Etrier and Aider four and five step are ideal for recreational aid climbing, rope access and rescue.

(VAS AIDER 5)



8mm Arresta Prusik Cord Yellow 25m

Arresta Prusik Cord is supple for handling and knot holding but hard wearing for prolonged use.

(NAR-Q3962R51)



8mm Arresta Prusik Cord Red 50m

Arresta Prusik Cord is supple for handling and knot holding but hard wearing for prolonged use.

(NAR-Q3962Y25)



**11mm Patron Static Rope (215 m)
White Red**

Teufelberger's Patron 11mm Static Rope is an exceptionally appealing choice for multiple applications because of its low weight, high breaking strength and low danger of cracking.

(VTB 7360931)



**11mm KM-III Static Rope (196 m)
White**

The Teufelberger KM-III is an exceptional static rope for rescue, life-safety and fixed rope applications, rappelling, hauling and caving.

(VTB 3300-14)



**11mm Arresta Static 200m Blk/Org
Fleck**

The Arresta Kernmantle 11mm static rope will get the job done and won't cost you a fortune.

(NAR-Q3936BO200)



Ascender/Descender/Backup



TURBOFOOT right

Hook these mini ascenders to your feet and climb lines with greater ease.

(VCAM 2258)



Turbo Chest Ascender

The Turbo Chest Ascender is a compact and lightweight ascender which includes new patented rollers for high efficiency climbing.

(VCAM 2256)



Sparrow Self Locking Descender 200kg

The Sparrow 200R allows you to unblock the rope position without having to tie off. It allows for short ascent and the assembly of a reversible haul system. The floating cam design forces users to load the rope preventing accidental "reverse loading".

(VCT 2D656)



Roll N Lock Self Jamming Pulley

A compact, ultra-light self jamming pulley with three operational modes: pulley, progress capture pulley and ascender.

(VCT 2D625)



Rescue Descender D5

The D5 Work/Rescue Descender is suitable for industrial height safety, rope access, edge management, arborists and search and rescue.

(VISC RP885A1)



Rescue Descender D4

The D4 Rescue Descender is ideal for rescue, belay, descending, rope access and industrial situations.

(VISC RP880)



ISC Rope Grab with Pip Pin 11 - 13 mm

Available with fixed axle or in-field detachable pip pin axle to allow fitting to the rope at any point. Two sizes available to suit either 11 mm to 13 mm or 14 mm to 16 mm semi-static ropes.

(VISC RP209A)

7 total products.



Belays & Pulleys



Traverse 540 Rescue Belay (small)

The 540™ Rescue Belay, Small has all the same features of the Large, but is engineered to work with 11mm to 11.6mm (7/16 in.) rope.

(TRAV16-0200)



Traverse 540 Rescue Belay (large)

The Traverse 540 Rescue Belay is developed specifically to meet the needs of rescue system belays.

(TRAV16-0100)



ISC Prusik Pulley Small Single SS

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP060D1)



ISC Prusik Pulley Small Single Alloy

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP060A1)



ISC Prusik Pulley Small Double SS

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP061D1)



ISC Prusik Pulley Small Double Alloy

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP061A1)



ISC Prusik Pulley Medium Single SS Becket

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP065D1)



ISC Prusik Pulley Medium Single Alloy

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP063D1)



ISC Prusik Pulley Medium Single Alloy Becket

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP065A1)



ISC Prusik Pulley Medium Single Alloy

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP063A1)



ISC Prusik Pulley Medium Double SS

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP064D1)



ISC Prusik Pulley Medium Double Alloy

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP064A1)



ISC Prusik Pulley Large Single SS

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP066D1)



ISC Prusik Pulley Large Single Alloy

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP066A1)



ISC Prusik Pulley Large Double SS

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP067D1)



ISC Prusik Pulley Large Double Alloy

ISC Prusik Minding Pulleys are designed for heavy duty rescue, rigging and hauling systems.

(VISC RP067A1)



CT Orbiter T Twin Pulley with Becket

The Orbiter T is a light, alloy double pulley with oscillating side plates with twin sheaves mounted on heavy duty ball bearings.

(VCT 2P662)



CT Orbiter S Single Pulley

The Orbiter S Single Pulley is a large, light weight alloy pulley with oscillating side plates.

(VCT 2P660)



CT Orbiter M Single Pulley Small

The new Orbiter M Single Pulley Small is a robust and compact yet lightweight alloy pulley with oscillating side plates.

(VCT 2P664)



CT Orbiter L Triple Pulley

The Orbiter L Triple pulley with mobile side plates is very versatile and robust and has provision for two connectors through the upper eyelet. Its triple sheaves are mounted on heavy duty ball bearings.

(VCT 2P666)



CT Orbiter H Triple Pulley with Becket

Triple pulley with mobile side plates, very versatile and robust.
(VCT 2P667)



CT Orbiter D Single Pulley with Becket

This large yet light weight alloy pulley has oscillating side plates and becket.
(VCT 2P661)



CT Orbiter A Single Pulley

Innovative pulley with mobile light alloy side plates designed for tree climbing.
(VCT 2P665)



CT Alloy Swivel Twister

The Twister is a lightweight, hot forged, alloy swivel which helps prevent rope twist.
(VCT 2D793)



CT Alloy Swivel Twirl

The Twirl is a lightweight, hot forged alloy swivel which helps prevent rope twist
(VCT2D795)



CMC Rescue MPD 11mm

The MPD is a multi-purpose device that performs all functions for main lines, belay/safety lines, tag lines and hoisting lines and be used to tension high and guiding lines.
(CMC333010)



CMC Rescue CSR2 Pulley with Lock

The redesigned CSR2 (Confined Space Rescue) Pulley is stronger yet lighter and incorporates 7/16 in (11 mm) to 1/2 in (13 mm) life safety rope.
(CMC300343)



CMC Rescue CSR2 Pulley

The redesigned CSR2 (Confined Space Rescue) Pulley is stronger yet lighter and incorporates 7/16 in (11 mm) to 1/2 in (13 mm) life safety rope.
(CMC300342)

28 total products.



Gloves



Ringers Rope Rescue Gloves

The Ringers Rope Rescue Glove is ideal for optimum grip and control in inclement weather.

(RINGERS-355)

1 total products.



Harnesses



Ferno Ultralite X Harness

The Ultralite X full body harness is designed and manufactured in Australia and combines world-leading safety features with superior comfort and easy vest style donning.

(VHI ULTRALITE X)



Ferno ROAR LITE Harness

The ROAR Lite is the ultimate technical harnesses for rope access and rescue specific requirements.

(VHI ROAR LITE)



Ferno Hardpoint Ascender Full Body Harness

The Ferno Hardpoint full body harness provides all the comfort, benefits and industry leading features of the Ferno Centrepoint 2 harness, but with a front hard connection point in place of the web belay loop.

(VHI HP ASC)



Ferno Centrepoint 2 Ascender Full Body Harness

A favourite with Australian emergency services and rope access technicians, the Centrepoint II is a tried and proven workhorse that can be used in a multitude of applications.

(VHI CEN FB 2 A)

4 total products.



Helmets



KASK HP+ Mesh Full Visor

Arborist/Mesh visor designed by Protector to fit the KASK High Performance and HP Plus Helmets.

(VKA-FCMS)



KASK HP+ Half Visor

KASK have three options available for the half visor that attaches to their HP Plus Helmet.

(VKA WVI 2)



KASK HP+ Full Visor Clear

Full face protection in a clear polycarbonate face shield for the KASK HP Plus helmet.

(VKA WVI 3.015)



Kask HP+ Ear Muffs Pair Class 5

Class 5 ear muffs for the Kask HP Plus Helmet, certified to AS/NZS 1270:2002.

(VKA RBZ2CA)



KASK High Performance Plus AS/NZ 1801 Certified

Certified to AS/NZS 1801 and CE EN14052 Specifically designed for emergency rescue and rope access technicians, arborist and specialists working at height.

(VKA WHE 20)

5 total products.



Karabiners / Maillon / Hardware



Steel Triplock Karabiner 50 kN

A compact, lightweight, hardened steel karabiner with a 50 kN rating and triple lock gate.

(VCT A595TBBZO)



Steel Screw Gate Karabiner 50 kN

This high strength, hardened zinc plated steel karabiner has a useful wide opening screw gate entry.

(VCT A455TBZO)



Stainless Steel Triplock Karabiner SS Gate 35 kN

Large stainless steel triplock karabiner with large gate opening.

(VCT146500PO ASS)



Safe Spring Hook Each

Coiled, plastic coated stainless wire extends from 430 mm to 1600 mm and prevents tools accidentally falling.


(EB-STL INDV)



Maillon Rapide Twist Standard Steel - 7mm

Fitted with a 90 degree twist, the Maillon Rapide Twist is ideal for smoother PPE connections, rope access as well as in mountaineering and climbing.

(VMR STSTW07)



Maillon Rapide Twist Large Opening Steel - 8mm

Fitted with a 90 degree twist, the Maillon Rapide Twist is ideal for smoother PPE connections, rope access as well as in mountaineering and climbing.

(VMR LOSTW08)



Maillon Rapide Standard Steel - 10mm

The Maillon Rapide Standard is extremely strong when loaded along the long axis.

(VMR STS10)



Maillon Rapide Standard S/Steel - 10mm

The Maillon Rapide Standard is extremely strong when loaded along the long axis.

(VMR STSS10)



Maillon Rapide Standard Alloy - 10mm

The Maillon Rapide Standard is extremely strong when loaded along the long axis.

(VMR STA10)



Maillon Rapide Large Opening Steel - 10mm

The wider mouth opening makes connecting easier.

(VMR LOS10)



Maillon Rapide Large Opening S/Steel - 10mm

The wider mouth opening makes connecting easier.

(VMR LOSS10)



Maillon Rapide Delta Steel - 10mm

Ideal in situations where a three-way load is exerted.

(VMR DS10)



Maillon Rapide Delta S/Steel - 10mm

Ideal in situations where a three-way load is exerted.

(VMR DSS10)



Maillon Rapide Delta Alloy - 10mm

Ideal in situations where a three-way load is exerted.

(VMR DA10)



Maillon Rapide C Steel - 10mm

Commonly used when connecting sit and chest harnesses.

(VMR CS10)



CT Glove Half Finger Large

Comfortable Leather Gloves.

(VCT 7X980AB)



Anchor Plates (8 holes)

Anchor Plates allow you to create and organise your anchor systems safely.

(VCT L6370503)



Anchor Plates (4 Holes)

Anchor Plates allow you to create and organise your anchor systems safely.

(VCT L6370303)



Anchor Plates (15 holes)

Anchor Plates allow you to create and organise your anchor systems safely.

(VISC RP320A)



Alloy Triplock Karabiner 30 kN

Extra light, drop forged alloy karabiner with triple action gate opening.

(VCT L5300001)



Alloy Triplock Karabiner 30 kN

A large, alloy, triplock karabiner supplied with a captive bar.

(VCT2C4650CXSACT001)



Alloy Screw Gate Karabiner 30 kN

A multipurpose, lightweight karabiner with a large base and wide sizing.

(VCT 2C4550B)

22 total products.



Rescue Kits



RALF Rescue Kit 5 to 1

Packaged ready to rescue, no assembly required, the RALF Rescue Retrieval System allows you to quickly raise or lower a person.

(FWE-RRK)



RALF Rescue Kit 3 to 1

Packaged ready to rescue, no assembly required, the RALF Rescue Retrieval System allows you to quickly raise or lower a person.

(FWE-RRK 3:1)



HaulerBiner Rescue Kit 300cm

The HaulerBiner Rescue is a simple and compact mechanical advantage rescue kit with some very unique features.

(VISC HB300A)



HaulerBiner Rescue Kit 165cm

The HaulerBiner Rescue is a simple and compact mechanical advantage rescue kit with some very unique features.

(VISC HB165A)



HaulerBiner Rescue Kit 105cm

The HaulerBiner Rescue is a simple and compact mechanical advantage rescue kit with some very unique features.

(VISC HB105A)



HaulerBiner Rescue Kit

The HaulerBiner Rescue is a simple and compact mechanical advantage rescue kit with some very unique features.

(VISC HB)

6 total products.



Rescue Stretchers



Traverse Titan Titanium Basket Stretcher Split Version Titanium

For the ultimate in strength to weight ratio, the Titan Titanium Basket Stretchers sets a new standard for rescue litters.

(FWETTI-SP)



Traverse Titan Titanium Basket Stretcher One Piece Titanium

For the ultimate in strength to weight ratio, the Titan Titanium Basket Stretchers sets a new standard for rescue litters.

(FWETTI)



Traverse Titan Basket Stretcher Split Version Stainless Steel

The Titan Series Basket Stretcher is specifically designed to perform in a technical rescue environment. Its superior design provides a user-friendly platform from which to work.

(FWETB-SP)



Traverse Titan Basket Stretcher One Piece Stainless Steel

The Titan Series Basket Stretcher is specifically designed to perform in a technical rescue environment. Its superior design provides a user-friendly platform from which to work.

(FWETBT)



Traverse Gazelle Basket Stretcher

A strong, durable and cost effective black powder coated, carbon steel basket stretcher that's suitable for industrial rescue and retrieval.

(FWETBG)



Med Sled Vertical Lift Rescue Red

The Med Sled Rescue is an innovative, cost effective rescue device designed specifically for vertical or horizontal lift operations.

(MS-MS36VLR)



Ferno Vertical Rescue Stretcher

The Ferno Vertical Rescue Stretcher's roll-up, compact and lightweight design makes it ideal for high angle, confined space, horizontal or vertical rescue.

(VRES STRETCH)



Ferno Vertical Rescue Stretcher 6 Point Bridle

Although the Vertical Rescue Stretcher is supplied standard with six lifting slings the Ferno VRS 6 Point Lift Bridle is designed specifically to fit the Vertical Rescue Stretcher and offers the rescuer additional adjustment of the stretcher angle in delicate rescue scenarios.

(BRB-VRS)



Ferno 71S Basket Stretcher Split Version

The Ferno 71-S two-piece Basket Stretcher has the same features as the one-piece Ferno 71 Basket Stretcher but separates in half for compact storage or backpacking to a rescue site.

(FWE71S)



Ferno 71 Basket Stretcher One Piece


The Ferno 71 Basket Stretcher is constructed of a high density polyethylene shell supported by a permanently attached heavy-duty aluminium frame.

(FWE71)

10 total products.




Rope



Ultra-Pro Edge Protector - 4 Edge Protector

Edge Protector Ultra Pro 2 CMC Ultra-Pro is lighter and easier to transport than edge rollers.

(CMC294044)



Ultra-Pro Edge Protector - 2 Edge Protector

Edge Protector Ultra Pro 2 CMC Ultra-Pro is lighter and easier to transport than edge rollers.

(CMC294042)



Sling - Snake 50 x 1500 30 kN Red / Blue / Yellow / Black

Every Ferno Sling is made from high grade, abrasion resistant webbing and is available in a variety of colours and lengths.

(VSL S30kN 1500)



Sling - Round 25 x 1500 32 kN Red / Blue / Yellow / Black

Every Ferno Sling is made from high grade, abrasion resistant webbing and is available in a variety of colours and lengths.

(VSL R32kN 1500)



Rope Protector - Wraparound

Serious heavy duty rope protection made from super strong webbing.

(VAIROPROTINDWRAP)



Rope Protector - Flat

Made from a heavy-duty webbing with medium duty webbing for the closure flaps.

(VAIROPROTINDFLAT)



Girth Hitch Sling 1200mm

The Girth Hitch Sling differs significantly in design and performance from other adjustable anchor straps, allowing it to handle a higher load before slipping.

(VSL G30kN 1200)



Ferno Industrial Rope Protection Mat

Hard wearing PVC strips are concealed within full length hinged sections that allow conformity to most edge contours.

(VAI ROP PROT MAT)



Etrier Five Step

The Etrier and Aider Four and Five Step are ideal for rescue, rope access and recreational aid climbing.

(VAS ETRIER 5)



Aider Five Step

The Vertical Etrier and Aider four and five step are ideal for recreational aid climbing, rope access and rescue.

(VAS AIDER 5)



8mm Arresta Prusik Cord Yellow 25m

Arresta Prusik Cord is supple for handling and knot holding but hard wearing for prolonged use.

(NAR-Q3962R51)



8mm Arresta Prusik Cord Red 50m

Arresta Prusik Cord is supple for handling and knot holding but hard wearing for prolonged use.

(NAR-Q3962Y25)



11mm Patron Static Rope (215 m) White Red

Teufelberger's Patron 11mm Static Rope is an exceptionally appealing choice for multiple applications because of its low weight, high breaking strength and low danger of cracking.

(VTB 7360931)



11mm KM-III Static Rope (196 m) White

The Teufelberger KM-III is an exceptional static rope for rescue, life-safety and fixed rope applications, rappelling, hauling and caving.

(VTB 3300-14)



11mm Arresta Static 200m Blk/Org Fleck

The Arresta Kernmantle 11mm static rope will get the job done and won't cost you a fortune.

(NAR-Q3936BO200)

15 total products.



Rope Bags



Ferno Heavy Duty Rope Bag

Ferno Rope Bags keep your rope conveniently stowed, ready for transportation and quick deployment.

(VBS HIVIS)

1 total products.



Shelters



XACT 1.25 Ton Cooling 15000BTU Heating 15000BTU 240V
(HAVAC125.1)



ASAP 18 Shelter 4.5M L x 5.5M W x 2.6M H inc Stake Kit Repair Kit Protective Vinyl

The ASAP Rapid Response Shelters are designed to be compact and the first to be deployed in the field.

(SC1806)



ASAP 18 Insulation Liner

Maximise Climate Control Efficiency with the DLX Insulation Liner Package for the ASAP Rapid Shelter Systems.

(RB1806)



ASAP 18 Air Plenum

Maximize Climate Control Efficiency With The Air Plenum Package For The Asap Rapid Shelter Systems.

(AP1801)



4 Atlas Anchor Bags 12 Liner Straps & Clips Mini Shovel

The DLX Patented Atlas Anchor System is designed to give you maximum operational freedom in the smallest, lightest package possible.

(AB0401)

5 total products.



Shelter



**ASAP 18 Shelter 4.5M L x 5.5M W x
2.6M H inc Stake Kit Repair Kit
Protective Vinyl**

The ASAP Rapid Response Shelters are designed to be compact and the first to be deployed in the field.

(SC1806)

1 total products.



Shelter Accessories



**XACT 1.25 Ton Cooling 15000BTU
Heating 15000BTU 240V**

(HAVAC125.1)



ASAP 18 Insulation Liner

Maximise Climate Control Efficiency with the DLX Insulation Liner Package for the ASAP Rapid Shelter Systems.

(RB1806)



ASAP 18 Air Plenum

Maximize Climate Control Efficiency With The Air Plenum Package For The Asap Rapid Shelter Systems.

(AP1801)



**4 Atlas Anchor Bags 12 Liner Straps &
Clips Mini Shovel**

The DLX Patented Atlas Anchor System is designed to give you maximum operational freedom in the smallest, lightest package possible.

(AB0401)

4 total products.



Evacuation Systems



QE90 EWIS Panel
(QE90)

1 total products.



QE90



QE90 EWIS Panel
(QE90)

1 total products.



Fire Appliances



Ultra Light G Wagon

With our intelligent modular 'Slip-On' firefighting system paired with hard-hitting Military pedigree Mercedes G-Wagon this vehicle will revolutionise your firefighting capability.

(302001)



Quik Flush Box 24

"Quik Flush" is a low foaming emulsifying and wetting agent that can be used safely to rinse all internal (and external) chemical components of the Quik Spray unit to reduce the damaging effects of agricultural chemicals, particularly on the rubber components.

(303002)



Multi Purpose G Wagon

Our high quality mobile workspaces are built to last. When paired with the hard-hitting Military pedigree Mercedes G-Wagon this vehicle will revolutionise your work capability.

(302020)



Mop Up, 500L Tank

The Mop-Up Unit is a light weight and compact firefighting unit.

(301010)



Mine Spec G Wagon

Our high quality mobile workspaces are built to last. When paired with the hard-hitting Military pedigree Mercedes G-Wagon this vehicle will revolutionise your work capability.

(302010)



7-IN-1 400L Tank

7-In-1 Quick Attack Multi-System Slip On 400L Tank

(301001)



7-IN-1 300L Tank

7-In-1 Quick Attack Multi-System Slip On 300L Tank

(301001)



1L Quik Cover

Quik Cover can be added to the tank and used as a wash-down and deodorising.

(303003)



1kg Foam Blocks Box 5

Solid EF is a surfactant, and like traditional foams is a substance capable of lowering the surface tension of liquids, facilitating the wetting of solid surfaces, and permitting the penetration of liquids into the capillaries.

(303001)

9 total products.



Slip On & Trailers



Quik Flush Box 24

"Quik Flush" is a low foaming emulsifying and wetting agent that can be used safely to rinse all internal (and external) chemical components of the Quik Spray unit to reduce the damaging effects of agricultural chemicals, particularly on the rubber components.

(303002)



Mop Up, 500L Tank

The Mop-Up Unit is a light weight and compact firefighting unit.

(301010)



7-IN-1 400L Tank

7-In-1 Quick Attack Multi-System Slip On 400L Tank

(301001)



7-IN-1 300L Tank

7-In-1 Quick Attack Multi-System Slip On 300L Tank

(301001)



1L Quik Cover

Quik Cover can be added to the tank and used as a wash-down and deodorising.

(303003)



1kg Foam Blocks Box 5

Solid EF is a surfactant, and like traditional foams is a substance capable of lowering the surface tension of liquids, facilitating the wetting of solid surfaces, and permitting the penetration of liquids into the capillaries.

(303001)

6 total products.



Mop Up



Mop Up, 500L Tank

The Mop-Up Unit is a light weight and compact firefighting unit.

(301010)

1 total products.



Ultra Light



Ultra Light G Wagon

With our intelligent modular "Slip-On" firefighting system paired with hard-hitting Military pedigree Mercedes G-Wagon this vehicle will revolutionise your firefighting capability.
(302001)



Multi Purpose G Wagon

Our high quality mobile workspaces are built to last. When paired with the hard-hitting Military pedigree Mercedes G-Wagon this vehicle will revolutionise your work capability.
(302020)



Mine Spec G Wagon

Our high quality mobile workspaces are built to last. When paired with the hard-hitting Military pedigree Mercedes G-Wagon this vehicle will revolutionise your work capability.
(302010)

3 total products.



Fire Detection

**Wire Guard for Detectors (195 Dia. x 120 High)**

W500 Series detector cages are available in a range of sizes to cater for most of the detectors that are available through Tyco Fire Protection Products.

(W502)

**Wire Guard for Detectors (130 Dia. x 105 High)**

W500 Series detector cages are available in a range of sizes to cater for most of the detectors that are available through Tyco Fire Protection Products.

(W504)

**Wire Guard for Detectors (115 Dia. x 80 High)**

W500 Series detector cages are available in a range of sizes to cater for most of the detectors that are available through Tyco Fire Protection Products.

(W500)

**WIP Ring Speaker 87mm, 4W 8 Ohm Paper Cone**

The WIP Ring Speaker 87mm unit is great as a replacement speaker.

(C0612D)

**WIP Phone Surface Mounting Enclosure**

The Warden Intercom Point (WIP) Phone Surface Mount Enclosure is designed for use in Emergency Warning Systems.

(EA0412)

**VSM4 VESDAnet Network Connection**

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VESDAnet network connection software.

(VSW-346)

**VSM4 VESDAnet Detector Connection**

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VESDAnet detector connection per detector.

(VSW-356)

**VSM4 Secondary Site Licence**

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VSM4 Central Site License - Primary PC

(VSW-216)

**VSM4 Remote Notification Email / SMS support Per PC**

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VSM4 Remote Notification Email / SMS Support per PC

(VSW-600)

**VSM4 Primary Site Licence**

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VSM4 Central Site License - Primary PC

(VSW-206)

**VSM4 and PSM4 Connection Token (21-100) per token**

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VSM4 and PSM4 Connection Token (21-100) per token

(VSW-427-002)

**VSM4 and PSM4 Connection Token (1-20) per token**

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VSM4 and PSM4 Connection Token (1-20) per token

(VSW-427-001)

ELD REPLACEABLE MC**VLI Secondary Foam Filter Spare Part**

The VESDA VLI filtration system effectively reduces the level of pollution in the air sample before it enters the detection chamber.

(VSP-031)

ELD REPLACEABLE MC**VLI Secondary Filter Spare Part**

VLI Secondary Filter Spare Part

(VSP-031)

ELD REPLACEABLE MC**VLI Intelligent Filter Spare Part**

The VESDA VLI Intelligent Filter effectively reduces the level of pollution in the air sample before it enters the detection chamber.

(VSP-030)

ELD REPLACEABLE MC**VLI Chamber Assembly Spare Part**

The VESDA VLI Chamber Assembly is a field-replaceable component of the VESDA VLI detector.

(VSP-033)

ELD REPLACEABLE MC**VLI Aspirator Spare Part**

The VESDA VLI Aspirator is a field-replaceable component of the VESDA VLI detector.

(VSP-032)

**VLF 3 Relay & 1 Input Multifunction Control Card**

The VESDA LaserFOCUS Relay Multifunction Control Card is an interface card for the range of Xtralis VESDA VLF smoke detectors. A MCC expands the range of input and output communications a VLF detector can perform.

(VIC-030)

**VIO800 VESDA Interface Module c/w Bracket (can use on 4100ESi)**

The VIO800 is an arrangement of the MIO800 Addressable Multi-I/O Module supplied ready to be fitted on to a VESDA LaserPLUS™ or Laser SCANNER

(516.018.014)

**Vigilant WIP Phone (RED)**

The Vigilant Warden Intercom Point (WIP) Phone RED is designed specifically for use with sound and intercommunication systems for emergency purposes.

(FP0938)



VESDAnet Simplex High Level Interface, Sliding Window

The VESDA ModBus High Level Interface (HLI) links your VESDAnet1 with PC software monitoring tools, Building Management Systems (BMSs) or Fire Alarm Control Panels (FACPs), otherwise known as 'host', that support the ModBus protocol.

(VHX-0400)



VESDAnet PC Link High Level Interface, Sliding Window

The VESDA Sliding Windows High Level Interface (HLI) links your VESDAnet1 with PC software monitoring and configuring tools such as Xtralis VSM4 and Xtralis VSC.

(VHX-0200)



VESDAnet PC Link High Level Interface, Open Protocol

The VESDA Open Protocol High Level Interface (HLI) links you VESDAnet with PC software monitoring tools, Building Management Systems (BMSs) and Fire Alarm Control Panels (FACPs), otherwise known as 'host'.

(VHX-0310)



VESDAnet Interface (VN) Card

The VESDAnet Interface Card (VN Card) is a simple interface card for the range of VESDA VLF by Xtralis aspirating smoke detectors.

(VIC-010)



VESDA VLQ-100 Demo Kit (inc Pipes, PSU, Carry Case)

VESDA VLQ-100 Demo Kit (inc Pipes, PSU, Carry Case)

(VKT-100)



VESDA VLQ Surface Mount Kit

The Surface Mount Kit is for the VESDA VLQ detector.

(VSP-890)



VESDA VLQ Replacement Filter Pack 20

VESDA VLQ Replacement Filter Pack 20

(VSP-892-20)



VESDA VLQ Replacement Filter

VESDA VLQ Replacement Filter

(VSP-892)



VESDA VLQ Flush Mount Kit

The Flush Mount Kit is for the VESDA VLQ detector.

(VSP-891)



VESDA VLQ 2 Pipe Stubs and End Caps

VESDA VLQ 2 Pipe Stubs and End Caps

(VSP-893)



VESDA VLI with VESDAnet

VESDA VLI with VESDAnet

(VLI-885)



VESDA VLI with Relays and Ethernet Only

VESDA VLI with Relays and Ethernet Only

(VLI-880)



VESDA VLC-505-EX

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.

(VLC-505-EX)



VESDA VLC- 500- EX

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.

(VLC-500-EX)



VESDA Test Transformer

Xtralis Test Transformer VTT-10000 (previously known as the Hot Wire Test – Power Supply Unit (PSU)) is a tool used to test very early warning aspirated smoke detection equipment.

(VTT-1000)



VESDA Power Supply in Cabinet 24VDC 2A to match VESDA LaserPlus

This Series 1948 Power Supply is designed match the VESDA LaserPLUS and LaserSCANNER detectors in size and colour.

(FP0852)



VESDA LaserPlus Compact Relays Only

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.

(VLC-500)



VESDA LaserFOCUS VESDAnet Compatible For 500m²

The VESDA LaserFOCUS early warning air sampling smoke detector incorporates world leading VESDA very early warning laser based aspirated smoke detection technology.

(VLF-500-02)



VESDA LaserFOCUS Relays Only

The VESDA LaserFOCUS early warning air sampling smoke detector incorporates world leading VESDA very early warning laser based aspirated smoke detection technology.

(VLF-250-02)



VESDA LaserFOCUS Relay Expansion Card

The VESDA LaserFOCUS Relay Expansion Card is an interface card for the range of Xtralis VESDA VLF smoke detectors. A Relay Expansion Card expands the range of input and output communications a VLF can perform.

(VIC-020)

**VESDA LaserCompact Relays Only - Marine Version**

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.

(VLC-50000-MRN)

**VESDA LaserCompact MX Addressable**

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.

(VLC-800MX)

**VESDA Laser Compact VESDAnet**

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.

(VLC-505)

**VESDA Inline Filter c/w Filters**

The VESDA In-Line Filter is an in-line filtration solution suitable for all VESDA Xtralis Aspirating Smoke Detectors.

(VSP-850-G)

**VESDA Inline Filter 4 Pack Elements Only**

The VESDA In-Line Filter (4 Pack) is an in-line filtration solution suitable for all VESDA Xtralis Aspirating Smoke Detectors.

(VSP-855-4)

**VESDA Inline Filter 20 Pack Elements Only**

The VESDA In-Line Filter (20 Pack) is an in-line filtration solution suitable for all VESDA Xtralis Aspirating Smoke Detectors.

(VSP-855-20)

**VESDA ECO Single Gas Hydrogen (H2) 0-100% LEL**

VESDA Stralis ECO Hydrogen Gas Detector
Xtralis has developed the industry's first multi-hole aspirated gas detector.

(ECO-D-B-11)

**VESDA E Range VEU Premium Aspirated Detector with 3.5" Display**

The VEU series of aspirating smoke detectors are the premium detector of the VESDAE range. An Ultra-wide sensitivity range; 15 times greater than VESDA VLP

(VEU-A10)

**VESDA E Range VEU Premium Aspirated Detector LED Only Display**

The VEU series of aspirating smoke detectors are the premium detector of the VESDAE range. An Ultra-wide sensitivity range; 15 times greater than VESDA VLP

(VEU-A00)

**VESDA E Range VESDA VEP w LEDs, Plastic Enclosure**

The VESDA-E VEP series of smoke detectors bring the latest and most advanced detection technology to provide very early warning and the best nuisance alarm rejection to a wide range of applications

(VEP-A00-P)

**VESDA E Range VESDA VEP w 3.5" Display, Plastic Enclosure**

The VESDA-E VEP series of smoke detectors bring the latest and most advanced detection technology to provide very early warning and the best nuisance alarm rejection to a wide range of applications

(VEP-A10-P)

**Ventilax Smoke Emitter Pack of 5 (4 Minute Burn Time)**

Ventilax Smoke Cartridge, 5 60g cartridges, dia 18x62mm, 17m3 smoke vol, 180-240s burn time

(X62)

**Tyco 614TD Type D Heat Detector**

(4098-9640EA)

**Tyco 614TC Type C Heat Detector**

(4098-9639EA)

**Tyco 614TB Type B Heat Detector**

(4098-9638EA)

**Tyco 614TA Type A Heat Detector**

(4098-9637EA)

**TYCO 614P Conventional Photo Optical Detector**

The 614P is capable of detecting the visible smoke produced by materials which smoulder or burn slowly, i.e. soft furnishings, plastic foam etc. or 'smoke' produced by overheated but unburnt PVC.

(516.600.301)

**TYCO 614CH Conventional Carbon Monoxide Detector**

The 614CH fire detector provides very early warning of slow smouldering fires. The CO fire detector is well suited to many applications where heat detection is insufficient but smoke detection causes unwanted alarms. As CO travels more freely than smoke, the positioning of CO fire detectors is more flexible

(516.600.304)

**Trunk Adaptor used for Capillary Tubes**

This product is a Trunk Adaptor used for Capillary Tubes.

(E700-TA)

**TrueStart2 test tool, comes with 24V power pack battery charger, test leads, instructions and carry bag**

The Simplex TrueSTART II Test Tool is a portable battery-operated test instrument, designed to enable contractors or technicians to quickly verify that all IDNet wiring and peripheral devices are installed correctly and operating properly

(TSIT-AUK)

**TrueAlarm IDNET Isolator Base**

The 4098-9793 isolator base accepts Simplex TrueAlarm analog sensors and provides communications isolation to improve installation convenience and increase system integrity.

(4098-9793EA)

**TrueAlarm Base with Sounder**

The 4098-9714EA Photoelectric smoke detector contains a state-of-the-art sensing chamber and analogue communication electronics.

(4098-9794EA)

**TrueAlarm Base with Remote LED O/P**

TrueAlarm detector bases contain integral addressable electronics that constantly monitor the status of the detachable photoelectric, ionisation, or heat detectors. Each detector's output is digitised and transmitted to the system CIE every four seconds.

(4098-9789EA)

**Transparent Hinged Cover Suits KAC Manual Call Points**

Transparent Hinged Cover Suits KAC Manual Call Points

(SU0615)

**TPS 2 Core Cable**

Our TPS cables are ideally suited for Fire Alarm, OWS and EWIS systems. The cables are double insulated and have an outer sheath which is easy to strip and terminate.

(602000)

**Thorn S330 Smoke Detector Tester**

SOLO330 Aerosol dispenser for use with all detector ranges. Connects directly to S100/S101 poles

(517.001.255)

**Thorn S200 Universal Detector Removal Tool - Requires X100/X101**

SOLO200 Universal detector changer for use with various manufacturers detectors - not suitable for M600/900 series low profile. Connects directly to SOLO100/101 poles

(517.001.240)

**Thorn S100 Telescopic Pole 1.26 - 4.5m Fibreglass**

SOLO100 Telescopic pole 1.26m to 4.5m

(517.001.230)

**T54B Type E Probe Heat Detector**

Constructed from stainless steel, the T54B is an extremely rugged heat detector that can be used to detect fires in the harshest of environments.

(T4E60Xx)

**T210 Test Source for S200 Series Detectors (Need X704 & X100/X101)**

T210+ Test Source for use with SOLO 704 Adaptor Tube B and SOLO100/101 poles

(592.001.016)

**T210 Adaptor for use with S200 Series Detectors**

T210+ Adaptor for S200 Detectors

(592.001.014)

**T-GEN / QE90 Microphone Flat 4-way plug (ECP9702 only)**

The hand held dynamic microphone is fitted with a press-to-talk button. It is suitable for plugging into T-GEN 50 and QE90 to provide emergency PA and recording of digitised speech message.

(ME0290)

**System Sensor 885WP-B Heat Fixed Weatherproof**

The 885WP-B is a 2 wire fixed temperature Type B heat detector. This detector is designed to provide open area protection in areas subject to moisture

(885WP-B)

**Strobe Light Multi-Candela Synchronised White Wall Mount**

The 4906-910x Multi-Candela strobe is a high output xenon strobe capable of signalling evacuation using the ISO 8201 "T3" temporal pattern, as required by AS1670.4-2004 and AS1670.1-2004.

(4906-9103)

**Strobe Lamp - Red TK86HP24 (3.15 joules, 320mA, 90FPM, IP55)**

Strobe Lamp - Red TK86HP24

(EA0306)

**Strobe Lamp - Red Ax35 (0.6 joules, 100mA, 130FPM, IP54)**

Strobe Lamp - Red Ax35

(EA0302)

**Strobe Lamp - Amber TK86HP24 (3.15 joules, 320mA, 90FPM, IP55)**

Strobe Lamp - Amber TK86HP24

(EA0305)

**Strobe Lamp - Amber Ax35 (0.6 joules, 100mA, 130FPM, IP54)**

Strobe Lamp - Amber Ax35

(EA0301)

**Stainless Steel Detector Cover - Flush Mounted**

The STI-8200-SS Series detector cages are available in flush mount or surface mount configuration.

(STI-8200-SS)

**Splintex Smoke Match Pack 25 Burn Time 25 Seconds**

Splintex Smoke Matches, 25 1g matches, 0.7m3 smoke vol, 25s burn time

(X65-25)

**Speech Intelligibility Meter & Talkbox**

The STI-CIS Analyser measures the speech intelligibility of a fire alarm evacuation signal. The TALKBox is used to send the STI-PA test tone into the fire alarm warning system. It interfaces with the system through its microphone input.

(STI-CIS)

**Speaker AS7240.24**

Full range 4" ceiling loudspeaker, which features five power taps at 100V line for 6W, 3W, 1.5W, 0.75W and 0.375W outputs. An optional surface mount box is available for solid ceiling or wall installation.

(FS-SP4-7240)

**Spare Part VESDA LaserFOCUS (Equivalent to new)**

The VESDA LaserFOCUS detector is a very early warning smoke detector designed to protect small, business-critical environments of less than 250 m2.

(VLF-250-02ETN)

**Spare Part VESDA LaserCOMPACT VESDAnet Version (Equivalent to new)**

The VESDA LaserCOMPACT (VESDAnet Version) is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including a very early warning, for small areas.

(VLC-505ETN)

**Spare Part VESDA LaserCOMPACT RO Version (Equivalent to new)**

The VESDA LaserCOMPACT (Relay Only) is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including a very early warning, for small areas.

(VLC-500ETN)

**Spare Part VESDA Compact VESDAnet Version Head Termination Card**

The VESDA COMPACT VESDAnet Version Head Termination Card a field-replaceable component for the VESDA VLC detector.

(VSP-515)

**Spare Part Scanner Chassis & Manifold Assembly (Equivalent to new)**

Spare Part Scanner Chassis & Manifold Assembly (Equivalent to new)

(VSP-009ETN)

**Spare Part Scanner Chassis & Manifold Assembly**


Spare Part Scanner Chassis & Manifold Assembly

(VSP-009)

**Spare Part Remote Termination Card without Relays**

Spare Part Remote Termination Card without Relays

(VSP-007)

**Spare Part Remote Termination Card with Relays**

Spare Part Remote Termination Card with Relays

(VSP-008)

**Spare Part Remote Compact Display**

The VESDA LaserCOMPACT Remote Display is a field-replaceable component for the VESDA VLC detector.

(VSP-502)

**Spare Part Remote Box Mounting Kit**

The VESDA Remote Mounting Kit option is normally exercised where there is a need to monitor and/or stand alone detector, or one connected to VESDAnet, from a remote location.

(VSP-012)

**Spare Part LaserPLUS Recess Mounting Kit**

The LaserPLUS Recess Mounting Kit is used to house a detector inside a wall cavity.

(VSP-011)

**Spare Part Filter Assembly Pack 20**

The VESDA replacement filter cartridge is used to replace filter cartridges.

(VSP-025)

**Spare Part Filter Assembly**

The VESDA replacement filter cartridge is used to replace filter cartridges.

(VSP-005)

**Spare Part Chassis Assembly (Equivalent to new)**

Spare Part Chassis Assembly (Equivalent to new)

(VSP-006ETN)

**Spare Part Chassis Assembly**

Spare Part Chassis Assembly

(VSP-006)

**Spare Glass - Pack 10, Tyco Logo**

Spare glass Tyco logo (pkt 10) white text on black background

(SU0603)

**Spare Glass - Pack 10, Simplex Logo**

Spare glass Black pictogram on which back ground

(SU0609)

**Solo Test Smoke - Aerosol Can**

Solo Test Smoke 250ml can

(517.001.279)



Solid Tee Piece Fitting

This product is a Solid Tee Piece Fitting.

(E700-T)



Smoke Detector Test Kit Includes X100, X200, X330 and X600

SOLO811 Smoke detector test kit including SOLO330 aerosol dispenser, SOLO200 detector removal tool, SOLO100 pole, SOLO101 extension tube and SOLO610 equipment bag. 800RT and SOLO704 may be ordered separately.

(X811)



Small Radius Bend (90mm)

This product is a Small Radius Bend (90mm)

(E700-SB)



SIO800 Relay Output Module

The RIM800 Relay Interface Module provides one volt-free changeover contact which is not supervised. The relay is controlled by a command sent from the CIE via the addressable loop and may be used to signal a state to other systems (security systems, for example) or to energise loads such as Door Holders

(RIM800)



Single Input / Output Module

(555.800.063)



SIMPLEX Remote LED Mapnet 'Room'

The 2098-1xxx range of remote indicators provide remote indication of an alarm condition on a detector fixed on a 4098-97xx detector base. These remote indicators are not suitable for connection to any other MAPNET II or IDNet module.

(2098-1113)



SIMPLEX Remote LED Mapnet 'Roof Space'

The 2098-1xxx range of remote indicators provide remote indication of an alarm condition on a detector fixed on a 4098-97xx detector base. These remote indicators are not suitable for connection to any other MAPNET II or IDNet module.

(2098-1110)



SIMPLEX Remote LED Mapnet 'Return Air'

The 2098-1xxx range of remote indicators provide remote indication of an alarm condition on a detector fixed on a 4098-97xx detector base. These remote indicators are not suitable for connection to any other MAPNET II or IDNet module.

(2098-1114)



SIMPLEX Remote LED Mapnet 'In Duct'

The 2098-1xxx range of remote indicators provide remote indication of an alarm condition on a detector fixed on a 4098-97xx detector base. These remote indicators are not suitable for connection to any other MAPNET II or IDNet module.

(2098-1115)



SIMPLEX Remote LED Mapnet 'Cupboard'

The 2098-1xxx range of remote indicators provide remote indication of an alarm condition on a detector fixed on a 4098-97xx detector base. These remote indicators are not suitable for connection to any other MAPNET II or IDNet module.

(2098-1112)



SIMPLEX Remote LED Mapnet 'Concealed Space'

The 2098-1xxx range of remote indicators provide remote indication of an alarm condition on a detector fixed on a 4098-97xx detector base. These remote indicators are not suitable for connection to any other MAPNET II or IDNet module.


(2098-1111)



Simplex BACpac BACnet Portal with Ethernet Interface

The 4100-6069 BACpac Ethernet module provides a supplementary communications interface that converts computer terminal information from a compatible Simplex CIE into the building automation protocol of BACnet.

(4100-6069)



Serial LCD Annunciator (4100 FIP only)

The Simplex 4603-9101 LCD annunciator provides remote annunciation and control using an 80 character, back-lit, alphanumeric, LCD readout. Information is presented in clear, descriptive English language

(4603-9101)



Sealed Lead Acid Battery 1 x 12volt x 75A/H

These rechargeable batteries are lead-lead dioxide systems. The dilute sulphuric acid electrolyte is suspended and thus immobilised.

(PS12750)



Sealed Lead Acid Battery 1 x 12volt x 7.0A/H

These rechargeable batteries are lead-lead dioxide systems. The dilute sulphuric acid electrolyte is suspended and thus immobilised.

(PS1270)



Sealed Lead Acid Battery 1 x 12volt x 40A/H

These rechargeable batteries are lead-lead dioxide systems. The dilute sulphuric acid electrolyte is suspended and thus immobilised.

(PS12400)



Sealed Lead Acid Battery 1 x 12volt x 33A/H

These rechargeable batteries are lead-lead dioxide systems. The dilute sulphuric acid electrolyte is suspended and thus immobilised.

(PS12330)



Sealed Lead Acid Battery 1 x 12volt x 24A/H

These rechargeable batteries are lead-lead dioxide systems. The dilute sulphuric acid electrolyte is suspended and thus immobilised.

(PS12260)



Sealed Lead Acid Battery 1 x 12volt x 12.0A/H

These rechargeable batteries are lead-lead dioxide systems. The dilute sulphuric acid electrolyte is suspended and thus immobilised.

(PS12120)



Sampling Point Label RED per sheet of 12

This product is a Sampling Point Label RED per Sheet of 12.

(E700-SPLR)



Sampling Point Heat Activated

This product is a Heat Activated Sampling Point.

(E700-HASP)



Sampling Point Decal - 200 per roll

This product is a Sampling Point Decal - 200 per roll.

(E700-SPDCL)



SAM800 Sounder Driver Module

The Sounder Addressing Beacon SAB801 and Sounder Addressable Module, SAM800 are designed to control an MX loop powered sounder base or relay base for use with compatible MX CIE


(516.800.954)



SAB801 Sounder Address LED Beacon

The Sounder Addressing Beacon SAB801 and Sounder Addressable Module, SAM800 are designed to control an MX loop powered sounder base or relay base for use with compatible MX CIE

(516.800.956)



**S100/S200 Bracket Assembly
Stainless Steel for use with S100/S200
Flame Detectors**

Stainless Steel bracket assy for with all S100/S200 Series detectors

(517.001.184)



**Round Remote Indicator 75mm Dia -
FIRE IN LIFT SHAFT**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E527)



**Round Remote Indicator 75mm Dia -
FIRE ALARM IN ROOM**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E523)



**Round Remote Indicator 75mm Dia -
FIRE ALARM IN ROOF**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E526)



**Round Remote Indicator 75mm Dia -
FIRE ALARM IN DUCT**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E525)



**Round Remote Indicator 75mm Dia -
FIRE ALARM IN CUPBOARD**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E529)



**Round Remote Indicator 75mm Dia -
FIRE ALARM IN CONCEALED
SPACE**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E521)



**Round Remote Indicator 75mm Dia -
FIRE ALARM ABOVE**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E524)



**Round Remote Indicator 75mm Dia -
FIRE ALARM**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E502)



Remote Box with VESDAnet Socket

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-300)



**Remote Box with VESDA VLI Display,
7 Relays**

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-Q00)



**Remote Box with VESDA VLI Display
No Relays**

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-T00)



**Remote Box with VESDA
LaserFOCUS, 7 Relays**

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-V00)



**Remote Box with Surround Only (No
Termination Card)**

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-000)



**Remote Box with Scanner Display, No
Relays**

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-700)



**Remote Box with Scanner Display, 7
Relays**

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-400)



Remote Box with Scanner Display, 12 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-800)



Remote Box with Programmer

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-100)



Remote Box with LaserCompact Display, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-J00)



Remote Box with Displays, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-200)



Remote Box with Display, No Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-600)



Remote Box with Blank Plate, DRP, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-E00)



Remote Box with Blank Plate, 7 Relays, Driver

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-500)



Remote Box with Blank Plate, 12 Relay Card, Driver

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-900)



Red Surface Mount Strobe with Backbox c/w "FIRE" Lettering 25mm 24VDC

The 40020B is designed to be mounted on a flat external wall. It is weather resistant and made of fire resistant ABS. Screws, caps and a back box is supplied.

(40020B)



QRM850 Quad Relay Module

The MX Quad Ancillary Modules form a versatile new range of multiple input and output modules for use with MX TECHNOLOGY systems*.

(555.800.073)



QMO850 Quad Monitored Output

The MX Quad Ancillary Modules form a versatile new range of multiple input and output modules for use with MX TECHNOLOGY systems*.

(555.800.070)



QIO850 Quad I/O Module

The MX Quad Ancillary Modules form a versatile new range of multiple input and output modules for use with MX TECHNOLOGY systems*.

(555.800.071)



PSU 24VDC 12A (PSU2412F) Mounted in 8U x 180 Battery Box

FP0803 comprises an ME0343 (PSU2412F 2U rack mounted) power supply for AS 1603.4 & AS 4428 MX4428/F4000 mounted within the FP0576 8U 19" rack battery box.

(FP0803)



PPU/AIU Door Kit

FP0937 comprises: 1x 4U hinged door & spacer bracket, connector strip, label, & wiring fitted 4x M6 screws/washers/cage nuts for mounting door 5x Cable ties, adhesive cable tie holders for fixing wiring 1x Green earth lead + nut, washer for door earth 4x PK screws, plastic spacers for mounting Cube ASE 4x M4 screws/washers for mounting the WA ASE.

(FP0937)



Power Supply 24VDC 2A in Cabinet to Match VESDA LaserPlus

The VESDA Power Supply (24VDC 2A) in Cabinet is uniquely designed to complement the style and appearance of BESDA LaserPLUS aspirating smoke detectors (ASD).

(FP0852)



Power Supply 1948 Series 24VDC 2A

Series 1948 Power Supplies are designed specifically for use in fire alarm systems. They provide a compact, self-contained 24 volts dc mains power supply.

(FP0766)



Pipe Junction Fitting

This product is a Pipe Junction Fitting.

(E700-PJ)



Pipe Clip Single Point Fix

This product is a Pipe Clip Single Point Fix.

(E700-PC)



Photo / Heat Multi Sensor - TrueAlarm

TrueAlarm multi-sensor 4098-9754EA combines the TrueAlarm photoelectric smoke sensor with a fast-acting and accurate TrueAlarm thermal sensor to provide both features in a single sensor/base assembly.

(4098-9754EA)



OSID Wire Guard

Open-area Smoke Imaging Detection Wire Guard
A steel cage to protect Open-area Smoke Imaging Detection Imagers and Emitters from vandalism and accidental damage.

(OSID-WG)



OSID Install Kit - Laser Tool, Test Filter, PC Cable, Cleaning Cloth, Manual

Open-area Smoke Imaging Detection Installation Kit includes Laser Alignment Tool, Test Filter, PC Cable, Reflectors, and Manual

(OSID-INST)



OSID Imager Environmental

Imager Environmental Housing
Custom designed IP 66, NEMA 4-4X protective and environmental housings protect OSID Imagers from dust and water ingress in industrial environments.

(OSID-EHI)



OSID Emitter Environmental

Emitter Environmental Housing
Custom designed IP 66, NEMA 4-4X protective and environmental housings protect OSID Emitters from dust and water ingress in industrial environments.

(OSID-EHE)



OSID Demo Kit - 2 x OSE-SPW (with alkaline batteries), 1 x OSI-90, 1 x OSID-INST, in Carry Case with Mounting Plates.

Open-area Smoke Imaging Detection Demo Kit consists of 2 X OSE-SP-01, 1 X OSI-90, 1 X OSID-INST and Mounting Plates, fitted in a rugged carry case.

(VKT-301)



OSID Anti Condensation Film for Emitter Pack 10

Anti-condensation film for OSID Emitters
An easy applicable film that provides a long time resistance to condensation on the acrylic Emitter lens.

(OSE-ACF)



Optical Sensor - TrueAlarm

The 4098-9714EA Photoelectric smoke detector contains a state-of-the-art sensing chamber and analogue communication electronics

(4098-9714EA)



NDU AS4428 Network Display, 4U 19" Rack Module

The Network Display Unit (NDU) is a fire alarm repeater panel compatible with the Panel-Link Network and the associated range of networked fire alarm systems (eg. MX4428, F3200). It provides alphanumeric display of alarms on a 2 line by 40 character LCD and keypad. The NDU is able to display alarms and status, and control all fire alarm panels connected to the network.

(FP0794)



MXR Responder in Box

MXR Responder in Box

(FP0824)



MX4428 PSU, 240VAC 24V 2.5A Mains Socket Fitted (replaces FP0874)

The 5A ME0476 Power Supply is a direct replacement for older 2.5A FP0874/FP0825 supplies

(ME0476)



MX4428 ADR-M 4mA Detector Current 1901-116

The FP0755 version of ADR supports the 15V MCP, the 614 series of detectors and all the other detectors from earlier versions of ADR, along with some new programmable circuit types.

(FP0755)



MX1 Single Loop 8U Panel 3U Blank (fit brigade kit separately)

The simple and cost effective solution for small to medium installations

The VIGILANT MX1 is an innovative, networkable, multi-loop analogue addressable fire indicator panel incorporating the latest technology and complying with the ISO-based AS 7240.2-2004 standard and including an integrated Fire Brigade Panel to AS 4428.3-2004.

(FP1040)



MX1 Single Loop 15U Panel 3U Blank

The Vigilant MX1 is an innovative single loop analogue addressable fire indicator panel incorporating the latest technology. It complies with AS 4428.3.2004, AS 7240.4.2004. Its support for Tyco MX technology, fuzzy logic detection algorithms and powerful control functions make it suitable for a wide range of fire protection applications for small to medium size systems and those in hazardous areas.

(FP0948)



MX1 Loop Card Kit

The MX Digital Loop Card provides MX loop communications for the Simplex 4100ESi fire alarm panel via a single electrically isolated MX Digital loop. It supports up to 250 MX devices - detectors and modules - and provides up to 500mA of loop power.

(FP0950)



MX Sounder Module

The SNM800 Sounder Notification Module can be used to switch an external power source to sounders, extinguishing devices or other auxiliary equipment.

(SNM800)



MX Programmable Relay Base

The 814RB Addressable Relay Base provides two sets of changeover volt-free relay contacts capable of switching 1A (resistive) @30Vdc.

(814RB)



MX Module Back Box

MX Module Back Box

(517.035.010)



MX Mk2 Loop Powered Sounder Base

The 802SB/901SB Addressable Sounder Bases provide a sounder function on MX addressable systems. Designed for indoor use, they require an associated detector in order to operate, as each base is controlled by its detector.

(802SB)



MX Loop Filter Board

The MXP Loop Filter board is available for fitting to an MXP in order to further improve common-mode interference suppression that may occur as a result of the MXP detector loop not being adequately separated from power wiring, lift motors etc.

(PA1038)



MX CP840Ex Intrinsically Safe(I.S) Manual Callpoint

The CP840Ex Intrinsically Safe Waterproof Break Glass Manual Call Point is designed to monitor and signal the condition of the switch contact associated with the call point. The callpoint is designed to comply with EN 50 014 and EN 50 020 for intrinsically safe apparatus.

(514.800.513)



MX Addressable IP67 Weatherproof MCP CP830

MCP and Backbox

(514.800.604.Y)



MX Addressable Indoor Call Point (no back box)

The CP820 Indoor Addressable Manual Call Point has a plastic coated frangible element to ensure safe and reliable operation, producing no dangerous glass shards. It is operated by simply pressing on the centre of the frangible element until it snaps.

(CP820)



MX 801PHEX Intrinsically Safe (I.S) Photoelectric & Heat Detector

The 801PHEX Intrinsically Safe Optical Smoke & Heat Detector plugs into a 5BEx base. The detector is designed to transmit to a remote MX fire controller, digital signals which represent the status of the optical smoke and heat elements of the detector.

(516.800.530)



MX 801HEX Intrinsically Safe (I.S) Heat Detector

The 801HEX Intrinsically Safe Heat Detector forms part of the 800Ex Intrinsically Safe Series of MX Addressable Fire Detectors. The detector plugs into a 5BEx base

(516.800.532)



MX 801CHEX Intrinsically Safe (I.S) Carbon Monoxide & Heat Detector

The 801CHEX Intrinsically Safe Carbon Monoxide plus Heat Detector forms part of the 800Ex Intrinsically Safe Series of MX Addressable Fire Detectors. The detector plugs into a 5BEx base.

(516.800.531)



MR601TEX High Performance Optical Intrinsically Safe

The MR601TEX has been developed to overcome the slower response of the optical detectors to hot burning fires, by increasing the sensitivity of the optical detector when it is associated with a rapid change in temperature.

(516.054.011.y)



MIO800 Multi Input Output Module (can use on 4100ESi)

The MIO800 Multi-Input Output Module allows multiple input and output connections to be made between external equipment and the MX DIGITAL loop. Three inputs and two outputs are provided.

(555.800.065)



MIO800 DIN Rail Mounting Kit

DIN Rail Mounting Kit

(557.201.303)



Mini Input Module

The MIM800 Mini Input Module monitors a voltage-free contact and transmits its state to the c.i.e. It can be programmed to monitor either Normally Open (default) or Normally Closed contacts.

(MIM800)



MIMIMAX Smoke Emmitter Pack 10 Burn Time 40 Seconds, Grey Smoke

Miniax Smoke Cartridge, 10 3g cartridges, dia 14x32mm, 2.5m3 smoke vol, 40s burn time

(X66)



MDU601EX Enhanced Heat and Carbon Monoxide Detector

The MDU601EX detector combines the features of both the MU601EX detector and the MD601EX detector to provide a combined CO and Rate of Rise Heat Detector where the sensitivity of the CO detector is enhanced in response to a fast rate of change of temperature.

(516.061.001)



MD611EX Fixed Temperature Heat Detector

Where environmental conditions rule out the use of smoke detectors, MD601Ex/MD611Ex heat detectors may provide an acceptable, though less sensitive, alternative.

(516.052.041)



MD601EX Rate of Rise Heat Detector

Where environmental conditions rule out the use of smoke detectors, MD601Ex/MD611Ex heat detectors may provide an acceptable, though less sensitive, alternative.

(516.052.051)



MCP830 MX IP67 Addressable MCP with Isolator No Backbox

(514.800.612)



MCP820 MX Addressable MCP with Isolator No Backbox

(514.800.611)



Magnetic Door Holder Wall Mounted 25kg

The FP0101 Electromagnetic Door Holder is designed to hold fire and smoke doors open under normal conditions, but automatically close under their own spring return mechanism when a fire or smoke alarm system is activated.

(FP0101)



Magnetic Door Holder Release Switch

The EA0405 Electromagnetic Door Holder Release is designed to allow fire and smoke doors to be opened manually. A standard switch plate mounting is used. A momentary action switch de-energises the door holder allowing the door to open.

(EA0405)



Magnetic Door Holder Floor Mounted 40kg

The EA0409 Floor Mount Door Holder comprises of a Box and Door Holder that will retain a load of 25kg. The Box provides a convenient attractive cover protecting the door holder from accidental damage.

(EA0409)



Magnetic Door Holder 300mm Straight

The EA0408 Electromagnetic Door Holder is designed to hold fire and smoke doors open under normal conditions, but automatically close under their own spring return mechanism when a fire or smoke alarm system is activated.

(EA0408)



Magnetic Door Holder 150mm Straight

The EA0407 Electromagnetic Door Holder is designed to hold fire and smoke doors open under normal conditions, but automatically close under their own spring return mechanism when a fire or smoke alarm system is activated.

(EA0407)



M520 Ancillary Cover for MX Devices

MX Module Cover incl PCB cover and screws

(517.035.007)



LPSY865R - Addressable Loop Powered Sounder

MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.962)



LPSY800W - Addressable Loop Powered Sounder

MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.961)



LPSY800R - Addressable Loop Powered Sounder

MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.960)



LPAV865 Addressable Sounder Beacon Outdoor IP65

MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.965)



LPAV800W - Addressable Loop Powered Sounder Beacon

MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.964)



LPAV800R - Addressable Loop Powered Sounder Beacon

MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.963)



Long Radius Bend (150mm)

This product is a Long Radius Bend (150mm)

(E700-LB)



Local Gas Control Station Auto c/w Isolate Switch

Local Gas Control Stations (LGCS) are used in gaseous fire extinguishing systems to provide local area manual control of a release. The automatic version includes a Gas Inhibit switch, buzzer and LED, whereas the manual version (FP0572) does not.

(FP0570)



LIM800 Line Isolator Module

The LIM800 Line Isolator Module is designed to be used on the MX addressable controller loop circuits

(545.800.004)



LaserPLUS Handheld Programmer c/w Cable

The LaserPLUS Handheld Programmer including a lead for temporary connection of a programmer to a network via a VESDAnet socket.

(VHH-100)



LaserPlus c/w Fire & OK LEDs, 2 Blanks

The VESDA LaserPLUS by Xtralis is the flagship of the VESDA aspirating smoke detector product line.

(VLP-400)



LaserPlus c/w Blank, Blank, Programmer

The VESDA LaserPLUS by Xtralis is the flagship of the VESDA aspirating smoke detector product line.

(VLP-001)



LaserPlus c/w Blank, Blank, 1 Display

The VESDA LaserPLUS by Xtralis is the flagship of the VESDA aspirating smoke detector product line.

(VLP-002)



LaserPlus c/w Blank, 2 Display

The VESDA LaserPLUS by Xtralis is the flagship of the VESDA aspirating smoke detector product line.

(VLP-022)



LaserPlus c/w Blank, 1 Display, Programmer

The VESDA LaserPLUS by Xtralis is the flagship of the VESDA aspirating smoke detector product line.

(VLP-012)



LaserCOMPACT Replacement Aspirator

The VESDA VLC Aspirator is a field-replaceable component of the VESDA LaserCOMPACT detector.

(VSP-501)



Laser Alignment Tool

A unique alignment tool for fast alignment. Aligns and locks the eyeball, and is able to activate Emitters with locked.

(OSP-002)



KAC RED Manual Call Point (back box only)

Red Backbox

(SU0632)



KAC RED Manual Call Point

The SU0631 Manual Call Point is supplied with one normally open and one normally closed contact.

(SU0631)



KAC Manual Call Point Test Key (Pack of 10)

Packet of ten Test keys for Tyco MCPs

(SC070)



KAC Manual Call Point Plastic Insert Element

Flexible plastic element

(515.001.127)



KAC Manual Call Point (White) with Surface Box

The KAC Manual Call Point with Surface Box (White) is surface mounting, with a plastic coated glass element to ensure reliable, safe operation.

(SU0608)



KAC Manual Call Point - IP67 Weatherproof/Special Environment Unbranded

This surface mounting Manual Call Point has an Ingress Protection rating of IP67, making it suitable for wet area applications. The callpoint is operated by simply pressing on the centre of the frangible element until it snaps, which releases a microswitch, signaling an alarm at the CIE.

(SU0634)



Isolation Amplifier, 100V, 50W

The FP0875 Isolation Amplifier connects to an existing 100V speaker line and reproduces this signal at up to 50W load on a separate supervised 100V line. It is suitable for use with speech and music as well as with warning tones.

(FP0875)



ISO 8201 Strobe Driver Board PCB Assy 1922-77

The ISO 8201 Strobe Driver generates an ISO 8201 compliant "T3" pattern for the Multi-Candela strobe 4906-9104.

(PA1043)



Imager - 80° Coverage, 24V DC

Open-area Smoke Imaging Detection (OSID) Imager 80° FOV

(OSI-90)



Imager - 7° Coverage, 24V DC

Open-area Smoke Imaging Detection (OSID) Imager 7° FOV

(OSI-10)



Imager - 38°

Open-area Smoke Imaging Detection (OSID) Imager 38° FOV

(OSI-45)



IDNet Relay Output IAM (RIAM) (Uses RACO232 & Lid)

The 4090-9002 Relay IAM allows the CIE to control a remotely located Form "C" Relay contact using IDNet addressable communications for both data and module power

(4090-9002)



IDNet Relay IAM with Unsupervised Input (Uses RACO232 & Lid)

The 4090-9119 allows a 4100ES IDNet communication channel to monitor an unsupervised input contact with one point and control an output relay with the other point, yet occupy a single address

(4090-9119)



IDNet Relay IAM with T-Sense Input (Uses RACO232 & Lid)

The 4090-9118 Relay IAM with T-Sense Input allows a 4100ES IDNet communication channel to monitor two input contact closures with one point and control an output relay with the other point, yet occupy a single loop address.

(4090-9118)



IDNet Monitor ZAM (Use RACO232 & Lid)

The 4090-9101 Zone Adaptor Module Monitor ZAM allows a 2-wire circuit of collective smoke or heat detectors to be interfaced on to the IDNet loop

(4090-9101)



IDnet Encapsulated IAM (Uses RACO232 & Lid)

This IDNet addressable device is an encapsulated version of 4090-9001. It has both power and communications supplied by a two-wire IDNet circuit.

(4090-9051)



IDnet Addressable Signal IAM (Uses RACO232 & Lid)

This IDNet addressable device provides a supervised, addressable interface to conventional warning devices such as sounders or strobes.

(4090-9007)



IDNet 6 Point I/O Module (4 I/Ps + 2 relay O/Ps) (Uses RACO232 & Lid)

The 4090-9120 allows 4100ES IDNet communication channel to monitor four T-sense input circuits and control two output relays from a single module requiring a single address.

(4090-9120)



Housing Without Relay (includes photo sensor)

The TrueAlarm duct sampling unit detects the presence of smoke in air conditioning or ventilating ducts. Sampling tubes are installed into the duct and air is directed to a 4098-9714EA smoke sensor mounted in the housing.

(4098-9755EA)



Horn Speaker 20 watt DIP Rated Eex

The Horn Speaker 20 Watt DIP Rated Eex is a weatherproof and used with a communication and public address system. The M20 cable gland protects against the ingress of dust and water.

(HP-20EExIIN(T))



Heat Sensor - TrueAlarm

TrueAlarm heat detectors are self-restoring and provide rate compensated, fixed temperature sensing, selectable with or without rate-of-rise temperature sensing

(4098-9733EA)



Gentex GX93 Mini Horn Temporal 3 or Continuous Tone

The GX93 is ideal for applications where a dependable alarm signal is required in hotels, dormitories, apartments, and other installations

(GX93R)



Gentex GX93 Mini Horn (White) Temporal 3 or Continuous Tone

The GX93 is ideal for applications where a dependable alarm signal is required in hotels, dormitories, apartments, and other installations

(GX93W)



FTDI Cable 1.5M

FTDI Cable 1.5 Metres
Allows to connect to a PC and hence OSID Diagnostic SW to the Imager. The FTDI cable can be extended with another 20m using a cable with an active USB amplifier.

(OSP-001)



Fire Rated 2 Core Cable

Our Fire Rated cables have been specifically designed for use with Australian Fire Alarm and Evacuation systems.

(60122)



Filter Cover

The VESDA Filter Cover, spare parts.

(VSP-019)



FD7 LaserPlus Scanner c/w 3 Blanks, Fire 1 & OK LEDs, 7 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-600)



FD7 LaserPlus Scanner c/w 3 Blanks, 7 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-200)



FD7 LaserPlus Scanner c/w 2 Blanks, 1 Programmer, 7 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-210)



FD7 LaserPlus Scanner c/w 2 Blanks, 1 Display, 7 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-204)



FD7 LaserPlus Scanner c/w 1 Blank, 1 Display, 1 Programmer, 7 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-214)



FD12 LaserPlus Scanner c/w 3 Blanks, Fire 1 & OK Leds, 12 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-700)



FD12 LaserPlus Scanner c/w 2 Blanks, 1 Display, 12 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-304)



FD12 LaserPlus Scanner c/w 1 Blank, 1 Display, 1 Programmer, 12 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-314)



F4000 Responder Relay Module (RRM) PCB Assembly 1901-15

The Responder Relay Module (RRM) is an optional add-on board to an ADR. When added the responder the combination is referred to as an Advanced Relay Responder (ARR). The RRM provides four relay outputs, which may be individually configured as supervised or not.

(PA0453)



F4000 Multi-Protocol Resp (MPR) 1901-141

MPR Responder in Box (PA0713 PCB only)

(FP0575)



F4000 Multi Prot Resp (MPR) PCB Assy 1901-141

Multi Protocol Responder (MPR)

(PA0713)



F4000 Loop Booster Unit 1901-36

The MX4428/F4000 Loop Booster overcomes problems such as Responder loop voltage drop and excessive loop length that would otherwise necessitate a restriction in responders or the use of thicker loop cable

(FP0487)



F4000 ADR-M 4mA Detector Current 1901-116

The F4000 version of ADR supports the 15V MCP, the 614 series of detectors and all the other detectors from earlier versions of ADR, along with some new programmable circuit types.

(FP0755)



F3200 FIP 8 Zones Fitted Small Cabinet 3A MAF/PSU

The 8 zone F3200 will suit small installations requiring a system up to 8 detection circuits.

(FP0784)



F3200 FIP 8 Zone Fitted 64 Max c/w Cardframe 3A PSU

The F3200 is a self-contained, modular, microprocessor based FIP which performs the functions of the CIE as specified by AS 4428.

(FP0781)



F3200 FIP 8 Zone Fitted 24 Max No Cardframe 6A PSU

The F3200 is a self-contained, modular, microprocessor based FIP which performs the functions of the CIE as specified by AS 4428.

(FP0782)



F3200 FIP 8 Zone Fitted 24 Max No Cardframe 3A PSU

The F3200 is a self-contained, modular, microprocessor based FIP which performs the functions of the CIE as specified by AS 4428.

(FP0780)



F3200 Empty Cabinet with Window 750H x 211D x 550Dmm

MX4428/F3200 15U Cabinet only

(FP0556)



F3200 Cardframe Upgrade Kit

A KT0072 Cardframe upgrade kit can be fitted to a 15U F3200 to allow it to take more than three 8 way modules

(KT0072)



F3200 AS4428 FIP STD CAB 6AMP 1U Gas Control Pre-Programmed

The F3200 Single Zone (single risk) Gas Control Panel is designed to meet the CIE requirements of AS 4214-2002, "Gaseous Fire Extinguishing Systems".

(FP0877)



F3200 AS4428 FIP 8U CAB 3AMP 1U Gas Control Pre-Programmed

The F3200 Single Zone (single risk) Gas Control Panel is designed to meet the CIE requirements of AS 4214-2002, "Gaseous Fire Extinguishing Systems".

(FP0876)



F3200 8 Zone Input Expansion Kit

F3200 8 Zone Input Expansion. This module features 8 op to isolated digital inputs.

(FP0553)



F3200 8 Relay Expansion Kit

This F3200 relay Board designed for industrial applications requiring isolation between the computer and the external signals it is monitoring and controlling. This module features 8 optoisolated digital inputs and 8 relay outputs.

(FP0554)



End Cap (Not drilled)

This product is a End Cap (Not Drilled).

(E700-EC)



Emitter - Standard Power Wired at 24V DC

Open-area Smoke Imaging Detection Wire Powered 24VDC Emitter

(OSE-SPW)



Emitter - Standard Power Battery Version

Open-area Smoke Imaging Detection Battery Powered (Alkaline Battery) Emitter

(OSE-SP)



Emitter - High

Open-area Smoke Imaging Detection Wire High Powered 24VDC Emitter. Allows to double the detection ranges of the Imager 80° (OSI-90)

(OSE-HPW)



Dual Strobe (Red/Amber) c/w Surface Mounting Base 24VDC

The Dual Strobe (Red/Amber) c/w Surface Mounting Base 24VDC unit is for applications where a two stage alarm system or two distinct visible signals are required.

(EA0313)



Dual Detector Module DDM800 (can use on 4100ESi)

The DDM800 may be used to connect two circuits of conventional 20V detectors and interface them with an MX addressable fire alarm system.

(577.800.006)



Display Extender Kit Additional to FZ3031

Display Extender Kit includes PA0454 16Z display PCB, LM0046 standoffs, power leads, diffuser, zone name label master.

(FP0475)



Detector Input Module

The DIM800 Detector Input Module interfaces two collective detector circuits onto the MX addressable loop. Each circuit can support 3mA of detector quiescent current and requires a 4k7 Ohm End Of Line resistor

(DIM800)



D800 Ancillary Housing - IP65 Enclosure for MX Modules

The D800 Ancillary Housing provides an IP65 rated enclosure for all MX modules. It incorporates a window to view the module LED.

(557.201.401)



D51 Duct Housing with Base to Suit MX Detectors

The D51MX consists of a D51 duct sampling housing fitted with a 5B base wired to suit an MX analogue addressable 814P or 814PH photoelectric smoke detector

(D51MX)



CTA Complete Kit - Back Box, Bezel and Clamp

The Ceiling Tile Adaptor (CTA) is used to prepare a ceiling tile to be able to accept a complete base and detector assembly. It comprises a Bezel (1), Clamp (2) and Back Box (3).

(517.050.060)



CTA Bezel and Clamp Ceiling Tile Adaptor

Ceiling Tile Adaptor Bezel and Clamp

(517.050.057)



CTA Back Box alone Ceiling Tile Adaptor

Ceiling Tile Adaptor Back Box

(517.050.056)



Contact Input Module

The CIM800 Addressable Contact Input Module monitors and supervises two circuits of voltage-free contacts such as outputs from extinguishing systems, ventilation controls, fire door controls, sprinkler flow switches, non-indicating hard contact detectors, etc.

(CIM800)



Carbon Monoxide(CO) Test Gas Can
CO Detector Test Gas, 120g can
(517.001.262)



Capillary Tube 5.2mm id 8mm od per metre
This product is a Capillary Tube 5.2mm ID 8mm OD per metre.
(E700-CT)



Capillary Sampling Connector for Capillary Tubes
This product is a Capillary Sampling Connector for Capillary Tubes.
(E700-CSC)



Brandax VS Smoke Emitter Pack of 5 (3-4 Minute Burn Time)
Brandax VS Smoke Cartridge, 5 60g cartridges, dia 32x62mm, 55m3 smoke vol, 180-240s burn time
(X61)



Blank Plate non-EMC with Fire 1 & OK LEDs
The VESDA Blank Plate non-EMC Protecting Processor Card is a replaceable component for VESDA LaserPLUS detectors.
(VSP-100)



Bell 24VDC Red 200mm dia.
Fire Bell red in colour 24VDC 200MM
(BELL01)




Back Box for BELL01
Surface mounting of bell box designed for use with the 150mm and 200mm Bell.
(BELL002)



AVI MK2 Kit Red Double Sided Expansion, not for IP65 AVI
Adds 2nd cover and base w/ht 2 LED boards for ceiling mounted double sided 2 line red signs
(KT0293)




AVI MK2 Face Plate "Warning - Fire Door Closing"
Faceplate "Warning - Fire Door Closing"
3-line Red UV stable
(FA2710)




AVI MK2 Face Plate "Fire Alarm - Evacuate Area"
Faceplate "Fire Alarm - Evacuate Area"
2-line Red UV stable
(FA2700)




AVI MK2 Face Plate "Fire Alarm - Do Not Enter"
Faceplate "Fire Alarm - Do Not Enter"
2-line Red UV stable
(FA2701)




AVI MK2 Face Plate "Extinguishing System Inoperative"
Faceplate "Extinguishing System Inoperative"
3-line Yellow UV stable
(FA2776)



AVI MK2 Face Plate "Do Not Enter - Inergen Gas Discharged"
Faceplate "Do Not Enter - INERGEN Gas Discharged"
3-line Red UV stable
(FA2704)



AVI MK2 Face Plate "Do Not Enter - FM200 Gas Discharged"
Faceplate "Do Not Enter - FM200 Gas Discharged"
3-line Red UV stable
(FA2703)



AVI MK2 Face Plate "Do Not Enter - CO2 Gas Discharged"
Faceplate "Do Not Enter - CO2 Gas Discharged"
3-line Red UV stable
(FA2702)



AVI MK2 3 Line Yellow LED Display
The AVI Mk2 is an illuminated warning sign that produces distinct audible and visual indication of an emergency. It is designed for use with fire alarm or gaseous fire extinguishing systems, or other applications where clear audio-visual warning is required. On activation, the AVI's internal LEDs illuminate the lettering on the 2 or 3 line sign faceplate/s and the internal loudspeaker produces either ISO 8201 or AS 2220 audible warning signals.
(FP0854)



AVI MK2 2 to 3 Line Conversion Kit for FP0853
Adds a 3rd LED board to make 3-line red sign
(KT0292)



AVI MK2 2 Line Red LED Display
The AVI Mk2 is an illuminated warning sign that produces distinct audible and visual indication of an emergency. It is designed for use with fire alarm or gaseous fire extinguishing systems, or other applications where clear audio-visual warning is required. On activation, the AVI's internal LEDs illuminate the lettering on the 2 or 3 line sign faceplate/s and the internal loudspeaker produces either ISO 8201 or AS 2220 audible warning signals.
(FP0853)



AVI IP65 MK2 3 Line Yellow LED Display
The AVI Mk2 is an illuminated warning sign that produces distinct audible and visual indication of an emergency. It is designed for use with fire alarm or gaseous fire extinguishing systems, or other applications where clear audio-visual warning is required. On activation, the AVI's internal LEDs illuminate the lettering on the 2 or 3 line sign faceplate/s and the internal loudspeaker produces either ISO 8201 or AS 2220 audible warning signals.
(FP1038)



AVI IP65 MK2 2 Line Red LED Display
The AVI Mk2 is an illuminated warning sign that produces distinct audible and visual indication of an emergency. It is designed for use with fire alarm or gaseous fire extinguishing systems, or other applications where clear audio-visual warning is required. On activation, the AVI's internal LEDs illuminate the lettering on the 2 or 3 line sign faceplate/s and the internal loudspeaker produces either ISO 8201 or AS 2220 audible warning signals.
(FP1037)



ASE Door Kit
4100ES-S1 ASE Door Kit
(FP0935)



AS4428 Single Loop 15U c/w TGEN AUI / PPU

The VIGILANT MX4428 Single Loop panel is a competitively-priced fire detection and alarm system that targets small to medium sized applications

(FP0872)



AS4428 Remote Display Unit Wall Mount

The AS4428.1 Remote LCD Display Unit (RDU) is a fire alarm repeater panel compatible with the MX4428 and F3200 range of fire alarm systems. It provides an alphanumeric display of alarms on a 2 line by 40 character LCD and keypad.

(FP0787)



AS4428 Remote Display Unit Flush Mount

The AS4428.1 Remote LCD Display Unit (RDU) is a fire alarm repeater panel compatible with the MX4428 and F3200 range of fire alarm systems. It provides an alphanumeric display of alarms on a 2 line by 40 character LCD and keypad.

(FP0788)



AS4428 4 Zone Gas Control 7U Door

Gas Control Modules provide indication and control of 1-4 zones of gas extinguishing on F3200 and MX4428 CIE. They are pre-wired modules (requiring appropriate input/output modules).

(ME0441)



AS4428 1 Zone Gas Control 1U Bracket

Gas Control modules provide indication and control of 1-4 zones of gas extinguishing F3200 and MX4428

(ME0442)



Alternative to VESDA Pipe 4 metre x 750 lengths

This product is an alternative to VESDA Pipe 4 metre x 750 lengths.

(E700-crate)



Alternative to VESDA Pipe 4 metre x 10 lengths

This product is an alternative to VESDA Pipe 4 metre x 10 lengths.

(E700-P)



ADR-M 2.5mA 3K3 EOL PCB 1901-200

The PA0844 version of ADR-M is used as a retrofit where existing detector circuits use a resistor ELD in the range of 1k5 to 3k3 ohms (restrictions apply), and Intrinsically Safe applications – since the intrinsically safe Active ELDs (EOL002ZEx) are no longer available for the standard ADR-M and the replacement units (EOL002B) are not intrinsically safe approved.

(PA0844)



Addressable MCP Mounting Box

Red surface mounting back box (for indoor callpoints) with terminals fitted.

(SR3T-P)



Addressable Loop Powered Sounder

MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.)



Addressable IDNet Isolator (Uses RAC0232 & Lid)

The 4090-9116 Isolator provides IDNet communications isolation, improving installation convenience and system integrity.

(4090-9116)



Adapter between S100 and XM69 Changer

SOLO704 Adaptor tube B - adapts SOLO100/101 pole sets for TYCO detector changers and testers

(517.001.224)



AAM4 Alarm Acknowledgement Module

The FP0842 Alarm Acknowledge Module provides a facility to locally annunciate a smoke/CO detector alarm, and for the occupant to acknowledge and clear a false fire alarm without the fire brigade being called.

(FP0842)



AAM2 Cover, 'Pres to Ack' Fire Alarm Cancelled"

The AAM2 can be used with the FA2317 face plate for general alarm indication, annunciation and acknowledgment, e.g., a Nurses Station.

(FA2317)



AAM2 Cover, 'Pres to Ack' Fire Alarm Cancelled"

The AAM2 can be used with the FA2318 face plate to make an Alarm Acknowledgment Module, as FA2318 contains the additional text information and space for the investigation time to be filled in on-site.

(FA2318)



AAM2 Alarm Acknowledgement Module

AAM2 Alarm Acknowledge Module (no sounder) is the basis for the AAM2.

(ME0420)

**901SB Sounder Base (Externally Powered)**

The 901SB Addressable Sounder Bases provide a sounder function on MX addressable systems. Designed for indoor use, they require an associated detector in order to operate, as each base is controlled by its detector.

(516.800.911)

**9 Pin M/F Lead for VESDA HLI VHX-0200**

The VESDA 9-Pin Serial Lead is a cable for direct programming of the VESDA LaserFOCUS and VESDA LaserCOMPACT detectors.

(VSP-509)

**8U Battery Box 550 x 440 x 211mm**

8U Battery Box - Empty

(FP0576)

**850PH MX Addr Photo Heat Detector c/w Isolator**

With its ability to detect a wide range of fires from flaming to smouldering types, the 850PH combined smoke and heat multi-sensor detector is the preferred choice for a range of applications including industrial, retail and office environments.

(516.850.051.E)

**850P MX Addr Photo Detector c/w Isolator**

The 850P is a state-of-the-art smoke detector using a photoelectric sensor which, in conjunction with the MX fire alarm panel, suits most fire detection applications. The 850P incorporates a unique "mousehole" design optical chamber with superior signal to noise ratio providing high resilience to dust and dirt which means reduced service costs

(516.850.052.E)

**850H MX Addr Heat Detector c/w Isolator**

The 850H is a flexible cost-effective addressable heat detector with most of the features of MX VIRTUAL detectors. The 850H reports the temperature to the MX fire alarm panel which allows various detection modes

(516.850.053.E)

**850EMT Engineer Manager Tool (complete Kit)**

The 850EMT is used to program the address into MX addressable devices. When used with VIGILANT MX1 systems, the 850EMT can also remotely interrogate, address and test 850 Series detectors via a two-way infrared link.

(850EMTK)

**814PH MX Photo & Heat Multi Detector c/w coating Thermistor (UK)**

The 814P is a state-of-the-art smoke detector using a photoelectric sensor which, in conjunction with the MX fire indicator panel (CIE), suits most fire detection applications including smoke management systems. The smoke sensors incorporate a unique

(516.800.510)

**814P MX Photo Optical Smoke Detector**

The 814P is a state-of-the-art smoke detector using a photoelectric sensor which, in conjunction with the MX fire indicator panel (CIE), suits most fire detection applications including smoke management systems. The smoke sensors incorporate a unique

(516.800.517)

**814I Ionisation Smoke Detector**

Tyco 814I detectors are offered for old specifications which still call for ionisation smoke detectors. The 814CH and 814PH detectors offer improved performance and lower false alarms for most smoke detection applications.

(516.800.512)

**814CH MX Carbon Monoxide/Heat Detector c/w coating Thermistor (UK)**

The 814CH is a state-of-the-art combined CO and heat detector that allows a full set of detection modes to be implemented in the MX fire alarm panels to suit most fire detection applications. The 814CH is particularly well suited to areas and applications where smoke detector positioning is difficult or where smoke detectors are prone to false alarm.

(516.800.511)

**800RT MX Detector Removal Tool**

800RT M600/M800 Detector removal tool. Requires Adaptor B and SOLO 100 pole

(516.800.917)

**601FEX Conventional Flame Detector Intrinsically Safe**

The 601FEX point type flame detectors are part of the 600 series of non-addressable detectors. The 601FEX is a full featured flame detector for indoor use.

(516.600.066)

**5B 5" Universal Mounting Base**

The 5B Universal Base is compatible with both the 614 collective series and the MX analogue addressable series of detectors and functional bases.

(517.050.017)

**5B 5" Universal Isolator Mounting Base**

5B 5" Universal Isolator Mounting Base

(517.050.018)

**50W 8U T-GEN Building OWS 1986-2 BOWS**

The VIGILANT Building Occupant Warning System (BOWS) is a self-contained AS 2220 or ISO 8201 Alert and Evacuate tone generator, with integral power supply, digitised speech messages, and PA microphone. It has been designed to connect directly to a fire alarm panel, but can also be used as a stand-alone unit. Zone-based non-emergency paging options, IP remote audio connectivity and multiple audio connectivity make the VIGILANT BOWS a versatile unit ideally suited to a variety of building occupant warning applications.

(FP1021)

**4B-I Isolator Base**

The 4B-I Isolator Base serves as both a base for an 814 Series MX detector and a protection device against loop short circuits, monitoring the voltage on the MX addressable loop. When a short circuit is detected, the 4B-I isolates the affected section whilst allowing the rest of the addressable loop to function normally.

(517.050.043)

**4B-EM 4" Euro Mount Back Box**

The 4B Universal Base contains no electronics and is suitable for indoor applications of the 614 series conventional (non-addressable), 814 and 850 series analogue addressable detectors. It provides excellent space for cable access and terminations

(517.050.052)

**4B-DHM 4" Deck-head Mount**

The 4B Universal Base contains no electronics and is suitable for indoor applications of the 614 series conventional (non-addressable), 814 and 850 series analogue addressable detectors. It provides excellent space for cable access and terminations

(517.050.051)



4B-C Continuity Base

The 4B-C Continuity Base is used for most installations involving 850 Series Detectors, as it allows the detector's in-built short circuit isolation function to be in-circuit when the detector is fitted and ensures continuity is maintained when the detector is removed.

(517.050.042)



4B Detector Base

The 4B Universal Base contains no electronics and is suitable for indoor applications of the 614 series conventional (non-addressable), 814 and 850 series analogue addressable detectors. It provides excellent space for cable access and terminations

(517.050.041)



4100ES Panel
(4100ES)



EA0101
200mm Round Grill PVC to Suit
EA0007

The 200mm Round Grill PVC is applicable to the 200mm Cone Loudspeaker including a Cap ATC 5010-6 Speaker

(EA0101)



200mm Cone Loudspeaker inc. Cap
ATC 5010-6

The 200mm Cone Loudspeaker features a tapped line transformer with cover.

(EA0007)



19" Rack c/w 4 Blanks

To compliment the VESDA range of detectors, displays and programmers in a 19 inch subrack enclosure is available.

(VSR-0000)



15W Plastic Horn Speaker - IP55
Rated - Large Cone

The 15W Plastic Horn Speaker - IP55 Rated - Large Cone is designed primarily for distributed paging systems.

(EA0016)



10W Plastic Horn Speaker - IP66
Rated - Small inc. Capacitor

Although the 10W Plastic Horn Speaker - IP66 Rated - Small inc. Capacitor is suitable for general paging applications, it has been primarily designed with sound systems for emergency purposes (evacuation systems) in mind

(EA0013)



100W 8U T-GEN OWS 1986-3 BOWS

The VIGILANT Building Occupant Warning System (BOWS) is a self-contained AS 2220 or ISO 8201 Alert and Evacuate tone generator, with integral power supply, digitised speech messages, and PA microphone. It has been designed to connect directly to a fire alarm panel, but can also be used as a stand-alone unit. Zone-based non-emergency paging options, IP remote audio connectivity and multiple audio connectivity make the VIGILANT BOWS a versatile unit ideally suited to a variety of building occupant warning applications.

(FP1022)



EA0101
100mm Round Grill PVC to Suit
EA0006

The 100mm Round Grill PVC is applicable to the 100mm Cone Loudspeaker including a Cap ATC 5010-3 Speaker

(EA0102)



100mm Cone Loudspeaker inc. Cap
ATC 5010-3

The 100mm Cone Loudspeaker features a tapped line transformer with cover.

(EA0006)



Speaker Grille
"One Shot" 200mm Ceiling Speaker
C2134C

The "One Shot" 200mm Ceiling Speaker and transformer combination has been specifically engineered to ensure a wide frequency range and dispersion angle, plus a high sound pressure level (SPL) ensuring excellent music and speech intelligibility; which is highly desirable for emergency paging applications

(EA0008)



"One Shot" 100mm Ceiling Speaker
C2168C

The "One Shot" 100mm Ceiling Speaker and transformer combination has been specifically engineered to ensure a wide frequency range and dispersion angle, plus a high sound pressure level (SPL) ensuring excellent music and speech intelligibility; which is highly desirable for emergency paging applications

(EA0005)



Batteries Sealed Lead Acid



Sealed Lead Acid Battery 1 x 12volt x 75A/H

These rechargeable batteries are lead-lead dioxide systems. The dilute sulphuric acid electrolyte is suspended and thus immobilised.

(PS12750)



Sealed Lead Acid Battery 1 x 12volt x 7.0A/H

These rechargeable batteries are lead-lead dioxide systems. The dilute sulphuric acid electrolyte is suspended and thus immobilised.

(PS1270)



Sealed Lead Acid Battery 1 x 12volt x 40A/H

These rechargeable batteries are lead-lead dioxide systems. The dilute sulphuric acid electrolyte is suspended and thus immobilised.

(PS12400)



Sealed Lead Acid Battery 1 x 12volt x 33A/H

These rechargeable batteries are lead-lead dioxide systems. The dilute sulphuric acid electrolyte is suspended and thus immobilised.

(PS12330)



Sealed Lead Acid Battery 1 x 12volt x 24A/H

These rechargeable batteries are lead-lead dioxide systems. The dilute sulphuric acid electrolyte is suspended and thus immobilised.

(PS12260)



Sealed Lead Acid Battery 1 x 12volt x 12.0A/H

These rechargeable batteries are lead-lead dioxide systems. The dilute sulphuric acid electrolyte is suspended and thus immobilised.

(PS12120)

6 total products.



Cable



TPS 2 Core Cable

Our TPS cables are ideally suited for Fire Alarm, OWS and EWIS systems. The cables are double insulated and have an outer sheath which is easy to strip and terminate.

(602000)



Fire Rated 2 Core Cable

Our Fire Rated cables have been specifically designed for use with Australian Fire Alarm and Evacuation systems.

(60122)

2 total products.



EWIS



WIP Ring Speaker 87mm, 4W 8 Ohm Paper Cone

The WIP Ring Speaker 87mm unit is great as a replacement speaker.

(C0612D)



WIP Phone Surface Mounting Enclosure

The Warden Intercom Point (WIP) Phone Surface Mount Enclosure is designed for use in Emergency Warning Systems.

(EA0412)



Vigilant WIP Phone (RED)

The Vigilant Warden Intercom Point (WIP) Phone RED is designed specifically for use with sound and intercommunication systems for emergency purposes.

(FP0938)



Speaker AS7240.24

Full range 4" ceiling loudspeaker, which features five power taps at 100V line for 6W, 3W, 1.5W, 0.75W and 0.375W outputs. An optional surface mount box is available for solid ceiling or wall installation.

(FS-SP4-7240)



QE90 EWIS Panel

(QE90)



KAC Manual Call Point (White) with Surface Box

The KAC Manual Call Point with Surface Box (White) is surface mounting, with a plastic coated glass element to ensure reliable, safe operation.

(SU0608)



Horn Speaker 20 watt DIP Rated Eex

The Horn Speaker 20 Watt DIP Rated Eex is a weatherproof and used with a communication and public address system. The M20 cable gland protects against the ingress of dust and water.

(HP-20EEIIN(T))



Dual Strobe (Red/Amber) c/w Surface Mounting Base 24VDC

The Dual Strobe (Red/Amber) c/w Surface Mounting Base 24VDC unit is for applications where a two stage alarm system or two distinct visible signals are required.

(EA0313)



EA0101

200mm Round Grill PVC to Suit EA0007

The 200mm Round Grill PVC is applicable to the 200mm Cone Loudspeaker including a Cap ATC 5010-6 Speaker

(EA0101)



200mm Cone Loudspeaker inc. Cap ATC 5010-6

The 200mm Cone Loudspeaker features a tapped line transformer with cover.

(EA0007)



15W Plastic Horn Speaker - IP55 Rated - Large Cone

The 15W Plastic Horn Speaker - IP55 Rated - Large Cone is designed primarily for distributed paging systems.

(EA0016)



10W Plastic Horn Speaker - IP66 Rated - Small inc. Capacitor

Although the 10W Plastic Horn Speaker - IP66 Rated - Small inc. Capacitor is suitable for general paging applications, it has been primarily designed with sound systems for emergency purposes (evacuation systems) in mind

(EA0013)



EA0101

100mm Round Grill PVC to Suit EA0006

The 100mm Round Grill PVC is applicable to the 100mm Cone Loudspeaker including a Cap ATC 5010-3 Speaker

(EA0102)



100mm Cone Loudspeaker inc. Cap ATC 5010-3

The 100mm Cone Loudspeaker features a tapped line transformer with cover.

(EA0006)



Speaker Grille

"One Shot" 200mm Ceiling Speaker C2134C

The "One Shot" 200mm Ceiling Speaker and transformer combination has been specifically engineered to ensure a wide frequency range and dispersion angle, plus a high sound pressure level (SPL) ensuring excellent music and speech intelligibility, which is highly desirable for emergency paging applications

(EA0008)



"One Shot" 100mm Ceiling Speaker C2168C

The "One Shot" 100mm Ceiling Speaker and transformer combination has been specifically engineered to ensure a wide frequency range and dispersion angle, plus a high sound pressure level (SPL) ensuring excellent music and speech intelligibility, which is highly desirable for emergency paging applications

(EA0005)

16 total products.



Simplex



TrueStart2 test tool, comes with 24V power pack battery charger, test leads, instructions and carry bag

The Simplex TrueSTART II Test Tool is a portable battery-operated test instrument, designed to enable contractors or technicians to quickly verify that all IDNet wiring and peripheral devices are installed correctly and operating properly

(TSIT-AUK)



TrueAlarm IDNET Isolator Base

The 4098-9793 Isolator base accepts Simplex TrueAlarm analog sensors and provides communications isolation to improve installation convenience and increase system integrity.

(4098-9793EA)



TrueAlarm Base with Sounder

The 4098-9714EA Photoelectric smoke detector contains a state-of-the-art sensing chamber and analogue communication electronics.

(4098-9794EA)



TrueAlarm Base with Remote LED O/P

TrueAlarm detector bases contain integral addressable electronics that constantly monitor the status of the detachable photoelectric, ionisation, or heat detectors. Each detector's output is digitised and transmitted to the system CIE every four seconds.

(4098-9789EA)



SIMPLEX Remote LED Mapnet 'Room'

The 2098-1xxx range of remote indicators provide remote indication of an alarm condition on a detector fixed on a 4098-97xx detector base. These remote indicators are not suitable for connection to any other MAPNET II or IDNet module.

(2098-1113)



SIMPLEX Remote LED Mapnet 'Roof Space'

The 2098-1xxx range of remote indicators provide remote indication of an alarm condition on a detector fixed on a 4098-97xx detector base. These remote indicators are not suitable for connection to any other MAPNET II or IDNet module.

(2098-1110)



SIMPLEX Remote LED Mapnet 'Return Air'

The 2098-1xxx range of remote indicators provide remote indication of an alarm condition on a detector fixed on a 4098-97xx detector base. These remote indicators are not suitable for connection to any other MAPNET II or IDNet module.

(2098-1114)



SIMPLEX Remote LED Mapnet 'In Duct'

The 2098-1xxx range of remote indicators provide remote indication of an alarm condition on a detector fixed on a 4098-97xx detector base. These remote indicators are not suitable for connection to any other MAPNET II or IDNet module.

(2098-1115)



SIMPLEX Remote LED Mapnet 'Cupboard'

The 2098-1xxx range of remote indicators provide remote indication of an alarm condition on a detector fixed on a 4098-97xx detector base. These remote indicators are not suitable for connection to any other MAPNET II or IDNet module.

(2098-1112)



SIMPLEX Remote LED Mapnet 'Concealed Space'

The 2098-1xxx range of remote indicators provide remote indication of an alarm condition on a detector fixed on a 4098-97xx detector base. These remote indicators are not suitable for connection to any other MAPNET II or IDNet module.


(2098-1111)



Simplex BACpac BACnet Portal with Ethernet Interface

The 4100-6069 BACpac Ethernet module provides a supplementary communications interface that converts computer terminal information from a compatible Simplex CIE into the building automation protocol of BACnet.

(4100-6069)



Serial LCD Annunciator (4100 FIP only)

The Simplex 4603-9101 LCD annunciator provides remote annunciation and control using an 80 character, back-lit, alphanumeric, LCD readout. Information is presented in clear, descriptive English language

(4603-9101)



PPU/AIU Door Kit

FP0937 comprises: 1x 4U hinged door & spacer bracket, connector strip, label, & wiring fitted 4x M6 screws/washers/cage nuts for mounting door 5x Cable ties, adhesive cable tie holders for fixing wiring 1x Green earth lead + nut, washer for door earth 4x PK screws, plastic spacers for mounting Cube ASE 4x M4 screws/washers for mounting the WA ASE.

(FP0937)



Photo / Heat Multi Sensor - TrueAlarm

TrueAlarm multi-sensor 4098-9754EA combines the TrueAlarm photoelectric smoke sensor with a fast-acting and accurate TrueAlarm thermal sensor to provide both features in a single sensor/base assembly.

(4098-9754EA)



Optical Sensor - TrueAlarm

The 4098-9714EA Photoelectric smoke detector contains a state-of-the-art sensing chamber and analogue communication electronics

(4098-9714EA)



IDNet Relay Output IAM (RIAM) (Uses RACO232 & Lid)

The 4090-9002 Relay IAM allows the CIE to control a remotely located Form "C" Relay contact using IDNet addressable communications for both data and module power

(4090-9002)



IDNet Relay IAM with Unsupervised Input (Uses RACO232 & Lid)

The 4090-9119 allows a 4100ES IDNet communication channel to monitor an unsupervised input contact with one point and control an output relay with the other point, yet occupy a single address

(4090-9119)



IDNet Relay IAM with T-Sense Input (Uses RACO232 & Lid)

The 4090-9118 Relay IAM with T-Sense allows a 4100ES IDNet communication channel to monitor two input contact closures with one point and control an output relay with the other point, yet occupy a single loop address.

(4090-9118)



IDNet Monitor ZAM (Use RACO232 & Lid)

The 4090-9101 Zone Adaptor Module Monitor ZAM allows a 2-wire circuit of collective smoke or heat detectors to be interfaced on to the IDNet loop

(4090-9101)



IDNet Encapsulated IAM (Uses RACO232 & Lid)

This IDNet addressable device is an encapsulated version of 4090-9001. It has both power and communications supplied by a two-wire IDNet circuit.

(4090-9051)



IDnet Addressable Signal IAM (Uses RACO232 & Lid)

This IDNet addressable device provides a supervised, addressable interface to conventional warning devices such as sounders or strobes.

(4090-9007)



IDNet 6 Point I/O Module (4 I/Ps + 2 relay O/Ps) (Uses RACO232 & Lid)

The 4090-9120 allows 4100ES IDNet communication channel to monitor four T-sense input circuits and control two output relays from a single module requiring a single address.

(4090-9120)



Housing Without Relay (includes photo sensor)

The TrueAlarm duct sampling unit detects the presence of smoke in air conditioning or ventilating ducts. Sampling tubes are installed into the duct and air is directed to a 4098-9714EA smoke sensor mounted in the housing.

(4098-9755EA)



Heat Sensor - TrueAlarm

TrueAlarm heat detectors are self-restoring and provide rate compensated, fixed temperature sensing, selectable with or without rate-of-rise temperature sensing

(4098-9733EA)



ASE Door Kit

4100ES-S1 ASE Door Kit

(FP0935)



Addressable MCP Mounting Box

Red surface mounting back box (for indoor callpoints) with terminals fitted.

(SR3T-P)



Addressable IDNet Isolator (Uses RACO232 & Lid)

The 4090-9116 Isolator provides IDNet communications isolation, improving installation convenience and system integrity.

(4090-9116)



4100ES Panel

(4100ES)

28 total products.



4100 Test Equipment



TrueStart2 test tool, comes with 24V power pack battery charger, test leads, instructions and carry bag

The Simplex TrueSTART II Test Tool is a portable battery-operated test instrument, designed to enable contractors or technicians to quickly verify that all IDNet wiring and peripheral devices are installed correctly and operating properly

(TSIT-AUK)

1 total products.



4102 to 4100ESI Annunciator / Mimic / Brigade Panels



Serial LCD Annunciator (4100 FIP only)

The Simplex 4603-9101 LCD annunciator provides remote annunciation and control using an 80 character, back-lit, alphanumeric, LCD readout. Information is presented in clear, descriptive English language

(4603-9101)

1 total products.



BACnet Portal



Simplex BACpac BACnet Portal with Ethernet Interface

The 4100-6069 BACpac Ethernet module provides a supplementary communications interface that converts computer terminal information from a compatible Simplex CIE into the building automation protocol of BACnet.

(4100-6069)

1 total products.



BOWS Parts



PPU/AIU Door Kit

FP0937 comprises: 1x 4U hinged door & spacer bracket, connector strip, label, & wiring fitted 4x M6 screws/washers/cage nuts for mounting door 5x Cable ties, adhesive cable tie holders for fixing wiring 1x Green earth lead + nut, washer for door earth 4x PK screws, plastic spacers for mounting Cube ASE 4x M4 screws/washers for mounting the WA ASE.

(FP0937)



ASE Door Kit

4100ES-S1 ASE Door Kit

(FP0935)

2 total products.



IDNET Addressable ZAMS / IAMs



IDNet Relay Output IAM (RIAM) (Uses RACO232 & Lid)

The 4090-9002 Relay IAM allows the CIE to control a remotely located Form "C" Relay contact using IDNet addressable communications for both data and module power

(4090-9002)



IDNet Relay IAM with Unsupervised Input (Uses RACO232 & Lid)

The 4090-9119 allows a 4100ES IDNet communication channel to monitor an unsupervised input contact with one point and control an output relay with the other point, yet occupy a single address

(4090-9119)



IDNet Relay IAM with T-Sense Input (Uses RACO232 & Lid)

The 4090-9118 Relay IAM with T-Sense allows a 4100ES IDNet communication channel to monitor two input contact closures with one point and control an output relay with the other point, yet occupy a single loop address.

(4090-9118)



IDNet Monitor ZAM (Use RACO232 & Lid)

The 4090-9101 Zone Adaptor Module Monitor ZAM allows a 2-wire circuit of collective smoke or heat detectors to be interfaced on to the IDNet loop

(4090-9101)



IDnet Encapsulated IAM (Uses RACO232 & Lid)

This IDNet addressable device is an encapsulated version of 4090-9001. It has both power and communications supplied by a two-wire IDNet circuit.

(4090-9051)



IDnet Addressable Signal IAM (Uses RACO232 & Lid)

This IDNet addressable device provides a supervised, addressable interface to conventional warning devices such as sounders or strobes.

(4090-9007)



IDNet 6 Point I/O Module (4 I/Ps + 2 relay O/Ps) (Uses RACO232 & Lid)

The 4090-9120 allows 4100ES IDNet communication channel to monitor four T-sense input circuits and control two output relays from a single module requiring a single address.

(4090-9120)



Addressable MCP Mounting Box

Red surface mounting back box (for indoor callpoints) with terminals fitted.

(SR3T-P)



Addressable IDNet Isolator (Uses RACO232 & Lid)

The 4090-9116 Isolator provides IDNet communications isolation, improving installation convenience and system integrity.

(4090-9116)

9 total products.



MAPNET / IDNET Addressable Bases



TrueAlarm IDNET Isolator Base

The 4098-9793 isolator base accepts Simplex TrueAlarm analog sensors and provides communications isolation to improve installation convenience and increase system integrity.

(4098-9793EA)



TrueAlarm Base with Sounder

The 4098-9714EA Photoelectric smoke detector contains a state-of-the-art sensing chamber and analogue communication electronics.

(4098-9794EA)



TrueAlarm Base with Remote LED O/P

TrueAlarm detector bases contain integral addressable electronics that constantly monitor the status of the detachable photoelectric, ionisation, or heat detectors. Each detector's output is digitised and transmitted to the system CIE every four seconds.

(4098-9789EA)

3 total products.



MAPNET / IDNET Addressable Duct Housing



Housing Without Relay (includes photo sensor)

The TrueAlarm duct sampling unit detects the presence of smoke in air conditioning or ventilating ducts. Sampling tubes are installed into the duct and air is directed to a 4098-9714EA smoke sensor mounted in the housing.

(4098-9755EA)

1 total products.



MAPNET / IDNET Sensors



Photo / Heat Multi Sensor - TrueAlarm

TrueAlarm multi-sensor 4098-9754EA combines the TrueAlarm photoelectric smoke sensor with a fast-acting and accurate TrueAlarm thermal sensor to provide both features in a single sensor/base assembly.

(4098-9754EA)



Optical Sensor - TrueAlarm

The 4098-9714EA Photoelectric smoke detector contains a state-of-the-art sensing chamber and analogue communication electronics

(4098-9714EA)



Heat Sensor - TrueAlarm

TrueAlarm heat detectors are self-restoring and provide rate compensated, fixed temperature sensing, selectable with or without rate-of-rise temperature sensing

(4098-9733EA)

3 total products.



Panel



4100ES Panel
(4100ES)

1 total products.



Remote LEDs for MAPNET / IDNET Detectors



**SIMPLEX Remote LED Mapnet
'Room'**

The 2098-1xxx range of remote indicators provide remote indication of an alarm condition on a detector fixed on a 4098-97xx detector base. These remote indicators are not suitable for connection to any other MAPNET II or IDNet module.

(2098-1113)



**SIMPLEX Remote LED Mapnet 'Roof
Space'**

The 2098-1xxx range of remote indicators provide remote indication of an alarm condition on a detector fixed on a 4098-97xx detector base. These remote indicators are not suitable for connection to any other MAPNET II or IDNet module.

(2098-1110)



**SIMPLEX Remote LED Mapnet
'Return Air'**

The 2098-1xxx range of remote indicators provide remote indication of an alarm condition on a detector fixed on a 4098-97xx detector base. These remote indicators are not suitable for connection to any other MAPNET II or IDNet module.

(2098-1114)



**SIMPLEX Remote LED Mapnet 'In
Duct'**

The 2098-1xxx range of remote indicators provide remote indication of an alarm condition on a detector fixed on a 4098-97xx detector base. These remote indicators are not suitable for connection to any other MAPNET II or IDNet module.

(2098-1115)



**SIMPLEX Remote LED Mapnet
'Cupboard'**

The 2098-1xxx range of remote indicators provide remote indication of an alarm condition on a detector fixed on a 4098-97xx detector base. These remote indicators are not suitable for connection to any other MAPNET II or IDNet module.

(2098-1112)



**SIMPLEX Remote LED Mapnet
'Concealed Space'**

The 2098-1xxx range of remote indicators provide remote indication of an alarm condition on a detector fixed on a 4098-97xx detector base. These remote indicators are not suitable for connection to any other MAPNET II or IDNet module.

(2098-1111)

6 total products.



VESDA



VSM4 VESDAnet Network Connection

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VESDAnet network connection software.

(VSW-346)



VSM4 VESDAnet Detector Connection

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VESDAnet detector connection per detector.

(VSW-356)



VSM4 Secondary Site Licence

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VSM4 Central Site License - Primary PC


(VSW-216)



VSM4 Remote Notification Email / SMS support Per PC

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VSM4 Remote Notification Email / SMS Support per PC


(VSW-600)



VSM4 Primary Site Licence

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VSM4 Central Site License - Primary PC

(VSW-206)



VSM4 and PSM4 Connection Token (21-100) per token

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VSM4 and PSM4 Connection Token (21-100) per token

(VSW-427-002)



VSM4 and PSM4 Connection Token (1-20) per token

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VSM4 and PSM4 Connection Token (1-20) per token

(VSW-427-001)



VLI Secondary Foam Filter Spare Part

The VESDA VLI filtration system effectively reduces the level of pollution in the air sample before it enters the detection chamber.

(VSP-031)



VLI Secondary Filter Spare Part

VLI Secondary Filter Spare Part

(VSP-031)



VLI Intelligent Filter Spare Part

The VESDA VLI Intelligent Filter effectively reduces the level of pollution in the air sample before it enters the detection chamber.

(VSP-030)



VLI Chamber Assembly Spare Part

The VESDA VLI Chamber Assembly is a field-replaceable component of the VESDA VLI detector.

(VSP-033)



VLI Aspirator Spare Part

The VESDA VLI Aspirator is a field-replaceable component of the VESDA VLI detector.

(VSP-032)



VLF 3 Relay & 1 Input Multifunction Control Card

The VESDA LaserFOCUS Relay Multifunction Control Card is an interface card for the range of Xtralis VESDA VLF smoke detectors. A MCC expands the range of input and output communications a VLF detector can perform.

(VIC-030)



VESDAnet Simplex High Level Interface, Sliding Window

The VESDA ModBus High Level Interface (HLI) links your VESDAnet1 with PC software monitoring tools, Building Management Systems (BMSs) or Fire Alarm Control Panels (FACPs), otherwise known as 'host', that support the ModBus protocol.

(VHX-0400)



VESDAnet PC Link High Level Interface, Sliding Window

The VESDA Sliding Windows High Level Interface (HLI) links your VESDAnet1 with PC software monitoring and configuring tools such as Xtralis VSM4 and Xtralis VSC.

(VHX-0200)



VESDAnet PC Link High Level Interface, Open Protocol

The VESDA Open Protocol High Level Interface (HLI) links your VESDAnet with PC software monitoring tools, Building Management Systems (BMSs) and Fire Alarm Control Panels (FACPs), otherwise known as 'host'.

(VHX-0310)



VESDAnet Interface (VN) Card

The VESDAnet Interface Card (VN Card) is a simple interface card for the range of VESDA VLF by Xtralis aspirating smoke detectors.

(VIC-010)



VESDA VLQ-100 Demo Kit (inc Pipes, PSU, Carry Case)

VESDA VLQ-100 Demo Kit (inc Pipes, PSU, Carry Case)

(VKT-100)



VESDA VLQ Surface Mount Kit

The Surface Mount Kit is for the VESDA VLQ detector.

(VSP-890)



VESDA VLQ Replacement Filter Pack 20

VESDA VLQ Replacement Filter Pack 20

(VSP-892-20)



VESDA VLQ Replacement Filter

VESDA VLQ Replacement Filter
(VSP-892)



VESDA VLQ Flush Mount Kit

The Flush Mount Kit is for the VESDA VLQ detector.
(VSP-891)



VESDA VLQ 2 Pipe Stubs and End Caps

VESDA VLQ 2 Pipe Stubs and End Caps
(VSP-893)



VESDA VLI with VESDAnet

VESDA VLI with VESDAnet
(VLI-885)



VESDA VLI with Relays and Ethernet Only

VESDA VLI with Relays and Ethernet Only
(VLI-880)



VESDA VLC-505-EX

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.
(VLC-505-EX)



VESDA VLC- 500- EX

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.
(VLC-500-EX)



VESDA Test Transformer

Xtralis Test Transformer VTT-10000 (previously known as the Hot Wire Test - Power Supply Unit (PSU)) is a tool used to test very early warning aspirated smoke detection equipment.
(VTT-1000)



VESDA LaserPlus Compact Relays Only

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.
(VLC-500)



VESDA LaserFOCUS VESDAnet Compatible For 500m²

The VESDA LaserFOCUS early warning air sampling smoke detector incorporates world leading VESDA very early warning laser based aspirated smoke detection technology.
(VLF-500-02)



VESDA LaserFOCUS Relays Only

The VESDA LaserFOCUS early warning air sampling smoke detector incorporates world leading VESDA very early warning laser based aspirated smoke detection technology.
(VLF-500-02)



VESDA LaserFOCUS Relay Expansion Card

The VESDA LaserFOCUS Relay Expansion Card is an interface card for the range of Xtralis VESDA VLF smoke detectors. A Relay Expansion Card expands the range of input and output communications a VLF can perform.
(VIC-020)



VESDA LaserCompact Relays Only - Marine Version

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.
(VLC-50000-MRN)



VESDA LaserCompact MX Addressable

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.
(VLC-800MX)



VESDA Laser Compact VESDAnet

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.
(VLC-505)



VESDA Inline Filter c/w Filters

The VESDA In-Line Filter is an in-line filtration solution suitable for all VESDA Xtralis Aspirating Smoke Detectors.
(VSP-850-G)



VESDA Inline Filter 4 Pack Elements Only

The VESDA In-Line Filter (4 Pack) is an in-line filtration solution suitable for all VESDA Xtralis Aspirating Smoke Detectors.
(VSP-855-4)



VESDA Inline Filter 20 Pack Elements Only

The VESDA In-Line Filter (20 Pack) is an in-line filtration solution suitable for all VESDA Xtralis Aspirating Smoke Detectors.
(VSP-855-20)



VESDA ECO Single Gas Hydrogen (H2) 0-100% LEL

VESDA Xtralis ECO Hydrogen Gas Detector
Xtralis has developed the industry's first multi-hole aspirated gas detector.
(ECO-D-B-11)



VESDA E Range VEU Premium Aspirated Detector with 3.5" Display

The VEU series of aspirating smoke detectors are the premium detector of the VESDAE range. An Ultra-wide sensitivity range; 15 times greater than VESDA VLP
(VEU-A10)



VESDA E Range VEU Premium Aspirated Detector LED Only Display

The VEU series of aspirating smoke detectors are the premium detector of the VESDAE range. An Ultra-wide sensitivity range; 15 times greater than VESDA VLP

(VEU-A00)



VESDA E Range VESDA VEP w LEDs, Plastic Enclosure

The VESDA-E VEP series of smoke detectors bring the latest and most advanced detection technology to provide very early warning and the best nuisance alarm rejection to a wide range of applications

(VEP-A00-P)



VESDA E Range VESDA VEP w 3.5\"/>

The VESDA-E VEP series of smoke detectors bring the latest and most advanced detection technology to provide very early warning and the best nuisance alarm rejection to a wide range of applications

(VEP-A10-P)



Trunk Adaptor used for Capillary Tubes

This product is a Trunk Adaptor used for Capillary Tubes.

(E700-TA)



Spare Part VESDA LaserFOCUS (Equivalent to new)

The VESDA LaserFOCUS detector is a very early warning smoke detector designed to protect small, business-critical environments of less than 250 m2.

(VLF-250-02ETN)



Spare Part VESDA LaserCOMPACT VESDAnet Version (Equivalent to new)

The VESDA LaserCOMPACT (VESDAnet Version) is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including a very early warning, for small areas.

(VLC-505ETN)



Spare Part VESDA LaserCOMPACT RO Version (Equivalent to new)

The VESDA LaserCOMPACT (Relay Only) is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including a very early warning, for small areas.

(VLC-500ETN)



Spare Part VESDA Compact VESDAnet Version Head Termination Card

The VESDA COMPACT VESDAnet Version Head Termination Card is a field-replaceable component for the VESDA VLC detector.

(VSP-515)



Spare Part Scanner Chassis & Manifold Assembly (Equivalent to new)

Spare Part Scanner Chassis & Manifold Assembly (Equivalent to new)

(VSP-009ETN)



Spare Part Scanner Chassis & Manifold Assembly

Spare Part Scanner Chassis & Manifold Assembly

(VSP-009)



Spare Part Remote Termination Card without Relays

Spare Part Remote Termination Card without Relays

(VSP-007)



Spare Part Remote Termination Card with Relays

Spare Part Remote Termination Card with Relays

(VSP-008)



Spare Part Remote Compact Display

The VESDA LaserCOMPACT Remote Display is a field-replaceable component for the VESDA VLC detector.

(VSP-502)



Spare Part Remote Box Mounting Kit

The VESDA Remote Mounting Kit option is normally exercised where there is a need to monitor and/or stand alone detector, or one connected to VESDAnet, from a remote location.

(VSP-012)



Spare Part LaserPLUS Recess Mounting Kit

The LaserPLUS Recess Mounting Kit is used to house a detector inside a wall cavity.

(VSP-011)



Spare Part Filter Assembly Pack 20

The VESDA replacement filter cartridge is used to replace filter cartridges.

(VSP-025)



Spare Part Filter Assembly

The VESDA replacement filter cartridge is used to replace filter cartridges.

(VSP-005)



Spare Part Chassis Assembly (Equivalent to new)

Spare Part Chassis Assembly (Equivalent to new)

(VSP-006ETN)



Spare Part Chassis Assembly

Spare Part Chassis Assembly

(VSP-006)



Solid Tee Piece Fitting

This product is a Solid Tee Piece Fitting.

(E700-T)



Small Radius Bend (90mm)

This product is a Small Radius Bend (90mm)

(E700-SB)



Sampling Point Label RED per sheet of 12

This product is a Sampling Point Label RED per Sheet of 12.

(E700-SPLR)



Sampling Point Heat Activated

This product is a Heat Activated Sampling Point.

(E700-HASP)



Sampling Point Decal - 200 per roll

This product is a Sampling Point Decal - 200 per roll.

(E700-SPDCL)



Remote Box with VESDAnet Socket

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-300)



Remote Box with VESDA VLI Display, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-Q00)



Remote Box with VESDA VLI Display, No Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-T00)



Remote Box with VESDA LaserFOCUS, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-V00)



Remote Box with Surround Only (No Termination Card)

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-000)



Remote Box with Scanner Display, No Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-700)



Remote Box with Scanner Display, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-400)



Remote Box with Scanner Display, 12 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-800)



Remote Box with Programmer

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-100)



Remote Box with LaserCompact Display, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-J00)



Remote Box with Displays, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-200)



Remote Box with Display, No Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-600)



Remote Box with Blank Plate, DRP, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-E00)



Remote Box with Blank Plate, 7 Relays, Driver

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-500)



Remote Box with Blank Plate, 12 Relay Card, Driver

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-900)



Power Supply 24VDC 2A in Cabinet to Match VESDA LaserPlus

The VESDA Power Supply (24VDC 2A) in Cabinet is uniquely designed to complement the style and appearance of BESDA LaserPLUS aspirating smoke detectors (ASD).

(FP0852)



Pipe Junction Fitting

This product is a Pipe Junction Fitting.

(E700-PJ)



Pipe Clip Single Point Fix

This product is a Pipe Clip Single Point Fix.

(E700-PC)



OSID Wire Guard

Open-area Smoke Imaging Detection Wire Guard
A steel cage to protect Open-area Smoke Imaging Detection Imagers and Emitters from vandalism and accidental damage.

(OSID-WG)



OSID Install Kit - Laser Tool, Test Filter, PC Cable, Cleaning Cloth, Manual

Open-area Smoke Imaging Detection Installation Kit includes Laser Alignment Tool, Test Filter, PC Cable, Reflectors, and Manual

(OSID-INST)



OSID Imager Environmental

Imager Environmental Housing
Custom designed IP 66, NEMA 4-4X protective and environmental housings protect OSID Imagers from dust and water ingress in industrial environments.

(OSID-EHI)



OSID Emitter Environmental

Emitter Environmental Housing
Custom designed IP 66, NEMA 4-4X protective and environmental housings protect OSID Emitters from dust and water ingress in industrial environments.


(OSID-EHE)



OSID Demo Kit - 2 x OSE-SPW (with alkaline batteries), 1 x OSI-90, 1 x OSID-INST, in Carry Case with Mounting Plates.

Open-area Smoke Imaging Detection Demo Kit consists of 2 X OSE-SP-01, 1 X OSI-90, 1 X OSID-INST and Mounting Plates, fitted in a rugged carry case.

(VKT-301)



OSID Anti Condensation Film for Emitter Pack 10

Anti-condensation film for OSID Emitters
An easy applicable film that provides a long time resistance to condensation on the acrylic Emitter lens.

(OSE-ACF)



Long Radius Bend (150mm)

This product is a Long Radius Bend (150mm)

(E700-LB)



LaserPLUS Handheld Programmer c/w Cable

The LaserPLUS Handheld Programmer including a lead for temporary connection of a programmer to a network via a VESDAnet socket.

(VHH-100)



LaserPlus c/w Fire & OK LEDs, 2 Blanks

The VESDA LaserPLUS by Xtralis is the flagship of the VESDA aspirating smoke detector product line.

(VLP-400)



LaserPlus c/w Blank, Blank, Programmer

The VESDA LaserPLUS by Xtralis is the flagship of the VESDA aspirating smoke detector product line.

(VLP-001)



LaserPlus c/w Blank, Blank, 1 Display

The VESDA LaserPLUS by Xtralis is the flagship of the VESDA aspirating smoke detector product line.

(VLP-002)



LaserPlus c/w Blank, 2 Display

The VESDA LaserPLUS by Xtralis is the flagship of the VESDA aspirating smoke detector product line.

(VLP-022)



LaserPlus c/w Blank, 1 Display, Programmer

The VESDA LaserPLUS by Xtralis is the flagship of the VESDA aspirating smoke detector product line.

(VLP-012)



LaserCOMPACT Replacement Aspirator

The VESDA VLC Aspirator is a field-replaceable component of the VESDA LaserCOMPACT detector.

(VSP-501)



Laser Alignment Tool

Laser Alignment Tool
A unique alignment tool for fast alignment. Aligns and locks the eyeball, and is able to activate Emitters with locked.

(OSP-002)



Imager - 80° Coverage, 24V DC

Open-area Smoke Imaging Detection (OSID) Imager 80° FOV (OSI-90)



Imager - 7° Coverage, 24V DC

Open-area Smoke Imaging Detection (OSID) Imager 7° FOV (OSI-10)



Imager - 38°

Open-area Smoke Imaging Detection (OSID) Imager 38° FOV (OSI-45)



FTDI Cable 1.5M

FTDI Cable 1.5 Metres
Allows to connect to a PC and hence OSID Diagnostic SW to the Imager. The FTDI cable can be extended with another 20m using a cable with an active USB amplifier.

(OSP-001)



Filter Cover

The VESDA Filter Cover, spare parts.

(VSP-019)



FD7 LaserPlus Scanner c/w 3 Blanks, Fire 1 & OK LEDs, 7 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-600)



FD7 LaserPlus Scanner c/w 3 Blanks, 7 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-200)



FD7 LaserPlus Scanner c/w 2 Blanks, 1 Programmer, 7 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-210)



FD7 LaserPlus Scanner c/w 2 Blanks, 1 Display, 7 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-204)



FD7 LaserPlus Scanner c/w 1 Blank, 1 Display, 1 Programmer, 7 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-214)



FD12 LaserPlus Scanner c/w 3 Blanks, Fire 1 & OK Leds, 12 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-700)



FD12 LaserPlus Scanner c/w 2 Blanks, 1 Display, 12 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-304)



FD12 LaserPlus Scanner c/w 1 Blank, 1 Display, 1 Programmer, 12 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-314)



End Cap (Not drilled)

This product is a End Cap (Not Drilled).

(E700-EC)



Emitter - Standard Power Wired at 24V DC

Open-area Smoke Imaging Detection Wire Powered 24VDC Emitter

(OSE-SPW)



Emitter - Standard Power Battery Version

Open-area Smoke Imaging Detection Battery Powered (Alkaline Battery) Emitter

(OSE-SP)



Emitter - High

Open-area Smoke Imaging Detection Wire High Powered 24VDC Emitter. Allows to double the detection ranges of the Imager 80° (OSI-90)

(OSE-HPW)



Capillary Tube 5.2mm id 8mm od per metre

This product is a Capillary Tube 5.2mm ID 8mm OD per metre.

(E700-CT)



Capillary Sampling Connector for Capillary Tubes

This product is a Capillary Sampling Connector for Capillary Tubes.

(E700-CSC)



Blank Plate non-EMC with Fire 1 & OK LEDs

The VESDA Blank Plate non-EMC Protecting Processor Card is a replaceable component for VESDA LaserPLUS detectors.

(VSP-100)



Alternative to VESDA Pipe 4 metre x 750 lengths

This product is an alternative to VESDA Pipe 4 metre x 750 lengths.

(E700-crate)



Alternative to VESDA Pipe 4 metre x 10 lengths

This product is an alternative to VESDA Pipe 4 metre x 10 lengths.

(E700-P)



9 Pin M/F Lead for VESDA HLI VHX-0200

The VESDA 9-Pin Serial Lead is a cable for direct programming of the VESDA LaserFOCUS and VESDA LaserCOMPACT detectors.

(VSP-509)



19" Rack c/w 4 Blanks

To compliment the VESDA range of detectors, displays and programmers in a 19 inch subrack enclosure is available.

(VSR-0000)



Air Sampling System Components



Trunk Adaptor used for Capillary Tubes

This product is a Trunk Adaptor used for Capillary Tubes.
(E700-TA)



Solid Tee Piece Fitting

This product is a Solid Tee Piece Fitting.
(E700-T)



Small Radius Bend (90mm)

This product is a Small Radius Bend (90mm)
(E700-SB)



Sampling Point Label RED per sheet of 12

This product is a Sampling Point Label RED per Sheet of 12.
(E700-SPLR)



Sampling Point Heat Activated

This product is a Heat Activated Sampling Point.
(E700-HASP)



Sampling Point Decal - 200 per roll

This product is a Sampling Point Decal - 200 per roll.
(E700-SPDCL)



Pipe Junction Fitting

This product is a Pipe Junction Fitting.
(E700-PJ)



Pipe Clip Single Point Fix

This product is a Pipe Clip Single Point Fix.
(E700-PC)



Long Radius Bend (150mm)

This product is a Long Radius Bend (150mm)
(E700-LB)



End Cap (Not drilled)

This product is a End Cap (Not Drilled).
(E700-EC)



Capillary Tube 5.2mm id 8mm od per metre

This product is a Capillary Tube 5.2mm ID 8mm OD per metre.
(E700-CT)



Capillary Sampling Connector for Capillary Tubes

This product is a Capillary Sampling Connector for Capillary Tubes.
(E700-CSC)



Alternative to VESDA Pipe 4 metre x 750 lengths

This product is an alternative to VESDA Pipe 4 metre x 750 lengths.
(E700-crate)



Alternative to VESDA Pipe 4 metre x 10 lengths

This product is an alternative to VESDA Pipe 4 metre x 10 lengths.
(E700-P)

14 total products.



E Range



VESDA E Range VEU Premium Aspirated Detector with 3.5" Display

The VEU series of aspirating smoke detectors are the premium detector of the VESDAE range. An Ultra-wide sensitivity range; 15 times greater than VESDA VLP

(VEU-A10)



VESDA E Range VEU Premium Aspirated Detector LED Only Display

The VEU series of aspirating smoke detectors are the premium detector of the VESDAE range. An Ultra-wide sensitivity range; 15 times greater than VESDA VLP

(VEU-A00)



VESDA E Range VESDA VEP w LEDs, Plastic Enclosure

The VESDA-E VEP series of smoke detectors bring the latest and most advanced detection technology to provide very early warning and the best nuisance alarm rejection to a wide range of applications

(VEP-A00-P)



VESDA E Range VESDA VEP w 3.5" Display, Plastic Enclosure

The VESDA-E VEP series of smoke detectors bring the latest and most advanced detection technology to provide very early warning and the best nuisance alarm rejection to a wide range of applications

(VEP-A10-P)

4 total products.



ECO



VESDA ECO Single Gas Hydrogen (H2) 0-100% LEL

VESDA Stralis ECO Hydrogen Gas Detector
Xtralis has developed the industries first multi-hole aspirated gas detector.

(ECO-D-B-11)

1 total products.



Laser Industrial

ELD REPLACEABLE MC



VLI Secondary Filter Spare Part

VLI Secondary Filter Spare Part

(VSP-031)



VESDA VLI with VESDAnet

VESDA VLI with VESDAnet

(VLI-885)



VESDA VLI with Relays and Ethernet Only

VESDA VLI with Relays and Ethernet Only

(VLI-880)

3 total products.



LaserCOMPACT



VESDA VLC-505-EX

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.

(VLC-505-EX)



VESDA VLC- 500- EX

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.

(VLC-500-EX)



VESDA LaserPlus Compact Relays Only

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.

(VLC-500)



VESDA LaserCompact Relays Only - Marine Version

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.

(VLC-50000-MRN)



VESDA LaserCompact MX Addressable

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.

(VLC-800MX)



VESDA Laser Compact VESDAnet

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.

(VLC-505)

6 total products.



Detectors



VESDA VLC-505-EX

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.

(VLC-505-EX)



VESDA VLC- 500- EX

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.

(VLC-500-EX)



VESDA LaserPlus Compact Relays Only

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.

(VLC-500)



VESDA LaserCompact Relays Only - Marine Version

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.

(VLC-50000-MRN)



VESDA LaserCompact MX Addressable

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.

(VLC-800MX)



VESDA Laser Compact VESDAnet

The LaserCOMPACT is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including very early warning, for small areas.

(VLC-505)

6 total products.



LaserFOCUS



VLF 3 Relay & 1 Input Multifunction Control Card

The VESDA LaserFOCUS Relay Multifunction Control Card is an interface card for the range of Xtralis VESDA VLF smoke detectors. A MCC expands the range of input and output communications a VLF detector can perform.

(VIC-030)



VESDAnet Interface (VN) Card

The VESDAnet Interface Card (VN Card) is a simple interface card for the range of VESDA VLF by Xtralis aspirating smoke detectors.

(VIC-010)



VESDA LaserFOCUS VESDAnet Compatible For 500m²

The VESDA LaserFOCUS early warning air sampling smoke detector incorporates world leading VESDA very early warning laser based aspirated smoke detection technology.

(VLF-500-02)



VESDA LaserFOCUS Relays Only

The VESDA LaserFOCUS early warning air sampling smoke detector incorporates world leading VESDA very early warning laser based aspirated smoke detection technology.

(VLF-250-02)



VESDA LaserFOCUS Relay Expansion Card

The VESDA LaserFOCUS Relay Expansion Card is an interface card for the range of Xtralis VESDA VLF smoke detectors. A Relay Expansion Card expands the range of input and output communications a VLF can perform.

(VIC-020)



Power Supply 24VDC 2A in Cabinet to Match VESDA LaserPlus

The VESDA Power Supply (24VDC 2A) in Cabinet is uniquely designed to complement the style and appearance of VESDA LaserPLUS aspirating smoke detectors (ASD).

(FP0852)

6 total products.



Detectors



VLF 3 Relay & 1 Input Multifunction Control Card

The VESDA LaserFOCUS Relay Multifunction Control Card is an interface card for the range of Xtralis VESDA VLF smoke detectors. A MCC expands the range of input and output communications a VLF detector can perform.

(VIC-030)



VESDAnet Interface (VN) Card

The VESDAnet Interface Card (VN Card) is a simple interface card for the range of VESDA VLF by Xtralis aspirating smoke detectors.

(VIC-010)



VESDA LaserFOCUS VESDAnet Compatible For 500m²

The VESDA LaserFOCUS early warning air sampling smoke detector incorporates world leading VESDA very early warning laser based aspirated smoke detection technology.

(VLF-500-02)



VESDA LaserFOCUS Relays Only

The VESDA LaserFOCUS early warning air sampling smoke detector incorporates world leading VESDA very early warning laser based aspirated smoke detection technology.

(VLF-250-02)



VESDA LaserFOCUS Relay Expansion Card

The VESDA LaserFOCUS Relay Expansion Card is an interface card for the range of Xtralis VESDA VLF smoke detectors. A Relay Expansion Card expands the range of input and output communications a VLF can perform.

(VIC-020)

5 total products.



Power Supplies



Power Supply 24VDC 2A in Cabinet to Match VESDA LaserPlus

The VESDA Power Supply (24VDC 2A) in Cabinet is uniquely designed to complement the style and appearance of BESDA LaserPLUS aspirating smoke detectors (ASD).

(FP0852)

1 total products.



LaserPlus



VSM4 VESDAnet Network Connection

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VESDAnet network connection software.

(VSW-346)



VSM4 VESDAnet Detector Connection

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VESDAnet detector connection per detector.

(VSW-356)



VSM4 Secondary Site Licence

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VSM4 Central Site License - Primary PC

(VSW-216)



VSM4 Remote Notification Email / SMS support Per PC

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VSM4 Remote Notification Email / SMS Support per PC

(VSW-600)



VSM4 Primary Site Licence

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VSM4 Central Site License - Primary PC

(VSW-206)



VSM4 and PSM4 Connection Token (21-100) per token

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VSM4 and PSM4 Connection Token (21-100) per token

(VSW-427-002)



VSM4 and PSM4 Connection Token (1-20) per token

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VSM4 and PSM4 Connection Token (1-20) per token

(VSW-427-001)



VESDAnet Simplex High Level Interface, Sliding Window

The VESDA ModBus High Level Interface (HLI) links your VESDAnet1 with PC software monitoring tools, Building Management Systems (BMSs) or Fire Alarm Control Panels (FACPs), otherwise known as 'host', that support the ModBus protocol.

(VHX-0400)



VESDAnet PC Link High Level Interface, Sliding Window

The VESDA Sliding Windows High Level Interface (HLI) links your VESDAnet* with PC software monitoring and configuring tools such as Xtralis VSM4 and Xtralis VSC.

(VHX-0200)



VESDAnet PC Link High Level Interface, Open Protocol

The VESDA Open Protocol High Level Interface (HLI) links you VESDAnet with PC software monitoring tools, Building Management Systems (BMSs) and Fire Alarm Control Panels (FACPs), otherwise known as 'host'.

(VHX-0310)



VESDA Test Transformer

Xtralis Test Transformer VTT-10000 (previously known as the Hot Wire Test - Power Supply Unit (PSU)) is a tool used to test very early warning aspirated smoke detection equipment.

(VTT-1000)



Remote Box with VESDAnet Socket

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-300)



Remote Box with VESDA VLI Display, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-Q00)



Remote Box with VESDA VLI Display No Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-T00)



Remote Box with VESDA LaserFOCUS, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-V00)



Remote Box with Surround Only (No Termination Card)

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-000)



Remote Box with Scanner Display, No Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-700)



Remote Box with Scanner Display, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-400)



Remote Box with Scanner Display, 12 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-800)



Remote Box with Programmer

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-100)



Remote Box with LaserCompact Display, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-J00)



Remote Box with Displays, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-200)



Remote Box with Display, No Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-600)



Remote Box with Blank Plate, DRP, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-E00)



Remote Box with Blank Plate, 7 Relays, Driver

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-500)



Remote Box with Blank Plate, 12 Relay Card, Driver

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-900)



LaserPLUS Handheld Programmer c/w Cable

The LaserPLUS Handheld Programmer including a lead for temporary connection of a programmer to a network via a VESDAnet socket.

(VHH-100)



19" Rack c/w 4 Blanks

To compliment the VESDA range of detectors, displays and programmers in a 19 inch subrack enclosure is available.

(VSR-0000)

28 total products.



19 Inch Racks



19" Rack c/w 4 Blanks

To compliment the VESDA range of detectors, displays and programmers in a 19 inch subrack enclosure is available.

(VSR-0000)

1 total products.



Miscellaneous Items



VSM4 VESDAnet Network Connection

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VESDAnet network connection software.

(VSW-346)



VSM4 VESDAnet Detector Connection

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VESDAnet detector connection per detector.

(VSW-356)



VSM4 Secondary Site Licence

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VSM4 Central Site License - Primary PC

(VSW-216)



VSM4 Remote Notification Email / SMS support Per PC

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VSM4 Remote Notification Email / SMS Support per PC

(VSW-600)



VSM4 Primary Site Licence

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VSM4 Central Site License - Primary PC

(VSW-206)



VSM4 and PSM4 Connection Token (21-100) per token

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VSM4 and PSM4 Connection Token (21-100) per token

(VSW-427-002)



VSM4 and PSM4 Connection Token (1-20) per token

Xtralis VSM4 provides full and comprehensive integration of your ASD system, including the VSM4 and PSM4 Connection Token (1-20) per token

(VSW-427-001)



VESDAnet Simplex High Level Interface, Sliding Window

The VESDA ModBus High Level Interface (HLI) links your VESDAnet1 with PC software monitoring tools, Building Management Systems (BMSs) or Fire Alarm Control Panels (FACPs), otherwise known as 'host', that support the ModBus protocol.

(VHX-0400)



VESDAnet PC Link High Level Interface, Sliding Window

The VESDA Sliding Windows High Level Interface (HLI) links your VESDAnet* with PC software monitoring and configuring tools such as Xtralis VSM4 and Xtralis VSC.

(VHX-0200)



VESDAnet PC Link High Level Interface, Open Protocol

The VESDA Open Protocol High Level Interface (HLI) links you VESDAnet with PC software monitoring tools, Building Management Systems (BMSs) and Fire Alarm Control Panels (FACPs), otherwise known as 'host'.

(VHX-0310)



VESDA Test Transformer

Xtralis Test Transformer VTT-10000 (previously known as the Hot Wire Test - Power Supply Unit (PSU)) is a tool used to test very early warning aspirated smoke detection equipment.

(VTT-1000)



LaserPLUS Handheld Programmer c/w Cable

The LaserPLUS Handheld Programmer including a lead for temporary connection of a programmer to a network via a VESDAnet socket.

(VHH-100)

12 total products.



Remote Boxes



Remote Box with VESDAnet Socket

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-300)



Remote Box with VESDA VLI Display, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-Q00)



Remote Box with VESDA VLI Display, No Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-T00)



Remote Box with VESDA LaserFOCUS, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-V00)



Remote Box with Surround Only (No Termination Card)

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-000)



Remote Box with Scanner Display, No Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-700)



Remote Box with Scanner Display, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-400)



Remote Box with Scanner Display, 12 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-800)



Remote Box with Programmer

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-100)



Remote Box with LaserCompact Display, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-J00)



Remote Box with Displays, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-200)



Remote Box with Display, No Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-600)



Remote Box with Blank Plate, DRP, 7 Relays

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-E00)



Remote Box with Blank Plate, 7 Relays, Driver

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-500)



Remote Box with Blank Plate, 12 Relay Card, Driver

VESDA Remote Display modules provide real-time indication of the status of a VESDA detector.

(VRT-900)

15 total products.



LaserPLUS Detectors



LaserPlus c/w Fire & OK LEDs, 2 Blanks

The VESDA LaserPLUS by Xtralis is the flagship of the VESDA aspirating smoke detector product line.

(VLP-400)



LaserPlus c/w Blank, Blank, Blank, Programmer

The VESDA LaserPLUS by Xtralis is the flagship of the VESDA aspirating smoke detector product line.

(VLP-001)



LaserPlus c/w Blank, Blank, 1 Display

The VESDA LaserPLUS by Xtralis is the flagship of the VESDA aspirating smoke detector product line.

(VLP-002)



LaserPlus c/w Blank, 2 Display

The VESDA LaserPLUS by Xtralis is the flagship of the VESDA aspirating smoke detector product line.

(VLP-022)



LaserPlus c/w Blank, 1 Display, Programmer

The VESDA LaserPLUS by Xtralis is the flagship of the VESDA aspirating smoke detector product line.

(VLP-012)

5 total products.



Scanners



FD7 LaserPlus Scanner c/w 3 Blanks, Fire 1 & OK LEDs, 7 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-600)



FD7 LaserPlus Scanner c/w 3 Blanks, 7 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-200)



FD7 LaserPlus Scanner c/w 2 Blanks, 1 Programmer, 7 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-210)



FD7 LaserPlus Scanner c/w 2 Blanks, 1 Display, 7 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-204)



FD7 LaserPlus Scanner c/w 1 Blank, 1 Display, 1 Programmer, 7 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-214)



FD12 LaserPlus Scanner c/w 3 Blanks, Fire 1 & OK Leds, 12 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-700)



FD12 LaserPlus Scanner c/w 2 Blanks, 1 Display, 12 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-304)



FD12 LaserPlus Scanner c/w 1 Blank, 1 Display, 1 Programmer, 12 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-314)

8 total products.



With 12 Relays



FD12 LaserPlus Scanner c/w 3 Blanks, Fire 1 & OK Leds, 12 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-700)



FD12 LaserPlus Scanner c/w 2 Blanks, 1 Display, 12 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-304)



FD12 LaserPlus Scanner c/w 1 Blank, 1 Display, 1 Programmer, 12 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-314)

3 total products.



With 7 Relays



FD7 LaserPlus Scanner c/w 3 Blanks, Fire 1 & OK LEDs, 7 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-600)



FD7 LaserPlus Scanner c/w 3 Blanks, 7 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-200)



FD7 LaserPlus Scanner c/w 2 Blanks, 1 Programmer, 7 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-210)



FD7 LaserPlus Scanner c/w 2 Blanks, 1 Display, 7 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-204)



FD7 LaserPlus Scanner c/w 1 Blank, 1 Display, 1 Programmer, 7 Relays

The VESDA LaserPlus Scanner is a four air inlet aspirating smoke detector apparatus used to detect most level during the early stages of fire from 4 sectors within fire zone.

(VLS-214)

5 total products.



Spare Parts/Ancillary Items

ELD REPLACEABLE MC



VLI Secondary Foam Filter Spare Part

The VESDA VLI filtration system effectively reduces the level of pollution in the air sample before it enters the detection chamber.

(VSP-031)

ELD REPLACEABLE MC



VLI Intelligent Filter Spare Part

The VESDA VLI Intelligent Filter effectively reduces the level of pollution in the air sample before it enters the detection chamber.

(VSP-030)

ELD REPLACEABLE MC



VLI Chamber Assembly Spare Part

The VESDA VLI Chamber Assembly is a field-replaceable component of the VESDA VLI detector.

(VSP-033)

ELD REPLACEABLE MC



VLI Aspirator Spare Part

The VESDA VLI Aspirator is a field-replaceable component of the VESDA VLI detector.

(VSP-032)



VESDA Inline Filter c/w Filters

The VESDA In-Line Filter is an in-line filtration solution suitable for all VESDA Xtralis Asirating Smoke Detectors.

(VSP-850-G)



VESDA Inline Filter 4 Pack Elements Only

The VESDA In-Line Filter (4 Pack) is an in-line filtration solution suitable for all VESDA Xtralis Asirating Smoke Detectors.

(VSP-855-4)



VESDA Inline Filter 20 Pack Elements Only

The VESDA In-Line Filter (20 Pack) is an in-line filtration solution suitable for all VESDA Xtralis Asirating Smoke Detectors.

(VSP-855-20)



Spare Part VESDA LaserFOCUS (Equivalent to new)

The VESDA LaserFOCUS detector is a very early warning smoke detector designed to protect small, business-critical environments of less than 250 m².

(VLF-250-02ETN)



Spare Part VESDA LaserCOMPACT VESDAnet Version (Equivalent to new)

The VESDA LaserCOMPACT (VESDAnet Version) is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including a very early warning, for small areas.

(VLC-505ETN)



Spare Part VESDA LaserCOMPACT RO Version (Equivalent to new)

The VESDA LaserCOMPACT (Relay Only) is an aspirating smoke detector that provides all the benefits of aspirating smoke detection, including a very early warning, for small areas.

(VLC-500ETN)



Spare Part VESDA Compact VESDAnet Version Head Termination Card

The VESDA COMPACT VESDAnet Version Head Termination Card is a field-replaceable component for the VESDA VLC detector.

(VSP-515)



Spare Part Scanner Chassis & Manifold Assembly (Equivalent to new)

Spare Part Scanner Chassis & Manifold Assembly (Equivalent to new)

(VSP-009ETN)



Spare Part Scanner Chassis & Manifold Assembly

Spare Part Scanner Chassis & Manifold Assembly

(VSP-009)



Spare Part Remote Termination Card without Relays

Spare Part Remote Termination Card without Relays

(VSP-007)



Spare Part Remote Termination Card with Relays

Spare Part Remote Termination Card with Relays

(VSP-008)



Spare Part Remote Compact Display

The VESDA LaserCOMPACT Remote Display is a field-replaceable component for the VESDA VLC detector.

(VSP-502)



Spare Part Remote Box Mounting Kit

The VESDA Remote Mounting Kit option is normally exercised where there is a need to monitor and/or stand alone detector, or one connected to VESDAnet, from a remote location.

(VSP-012)



Spare Part LaserPLUS Recess Mounting Kit

The LaserPLUS Recess Mounting Kit is used to house a detector inside a wall cavity.


(VSP-011)



Spare Part Filter Assembly Pack 20

The VESDA replacement filter cartridge is used to replace filter cartridges.

(VSP-025)



Spare Part Filter Assembly

The VESDA replacement filter cartridge is used to replace filter cartridges.

(VSP-005)



**Spare Part Chassis Assembly
(Equivalent to new)**
Spare Part Chassis Assembly (Equivalent to new)
(VSP-006ETN)



Spare Part Chassis Assembly
Spare Part Chassis Assembly
(VSP-006)



**LaserCOMPACT Replacement
Aspirator**
The VESDA VLC Aspirator is a field-replaceable component of the VESDA LaserCOMPACT detector.
(VSP-501)



Filter Cover
The VESDA Filter Cover, spare parts.
(VSP-019)



**Blank Plate non-EMC with Fire 1 & OK
LEDs**
The VESDA Blank Plate non-EMC Protecting Processor Card is a replaceable component for VESDA LaserPLUS detectors.
(VSP-100)



**9 Pin M/F Lead for VESDA HLI VHX-
0200**
The VESDA 9-Pin Serial Lead is a cable for direct programming of the VESDA LaserFOCUS and VESDA LaserCOMPACT detectors.
(VSP-509)



VLQ



VESDA VLQ-100 Demo Kit (inc Pipes, PSU, Carry Case)
VESDA VLQ-100 Demo Kit (inc Pipes, PSU, Carry Case)
(VKT-100)



VESDA VLQ Surface Mount Kit
The Surface Mount Kit is for the VESDA VLQ detector.
(VSP-890)



VESDA VLQ Replacement Filter Pack 20
VESDA VLQ Replacement Filter Pack 20
(VSP-892-20)



VESDA VLQ Replacement Filter
VESDA VLQ Replacement Filter
(VSP-892)



VESDA VLQ Flush Mount Kit
The Flush Mount Kit is for the VESDA VLQ detector.
(VSP-891)



VESDA VLQ 2 Pipe Stubs and End Caps
VESDA VLQ 2 Pipe Stubs and End Caps
(VSP-893)

6 total products.



Xtralis OSID (beam detector)



OSID Wire Guard

Open-area Smoke Imaging Detection Wire Guard
A steel cage to protect Open-area Smoke Imaging Detection Imagers and Emitters from vandalism and accidental damage.

(OSID-WG)



OSID Install Kit - Laser Tool, Test Filter, PC Cable, Cleaning Cloth, Manual

Open-area Smoke Imaging Detection Installation Kit includes Laser Alignment Tool, Test Filter, PC Cable, Reflectors, and Manual

(OSID-INST)



OSID Imager Environmental

Imager Environmental Housing
Custom designed IP 66, NEMA 4-4X protective and environmental housings protect OSID Imagers from dust and water ingress in industrial environments.

(OSID-EHI)



OSID Emitter Environmental

Emitter Environmental Housing
Custom designed IP 66, NEMA 4-4X protective and environmental housings protect OSID Emitters from dust and water ingress in industrial environments.

(OSID-EHE)



OSID Demo Kit - 2 x OSE-SPW (with alkaline batteries), 1 x OSI-90, 1 x OSID-INST, in Carry Case with Mounting Plates.

Open-area Smoke Imaging Detection Demo Kit consists of 2 X OSE-SP-01, 1 X OSI-90, 1 X OSID-INST and Mounting Plates, fitted in a rugged carry case.

(VKT-301)



OSID Anti Condensation Film for Emitter Pack 10

Anti-condensation film for OSID Emitters
An easy applicable film that provides a long time resistance to condensation on the acrylic Emitter lens.

(OSE-ACF)



Laser Alignment Tool

Laser Alignment Tool
A unique alignment tool for fast alignment. Aligns and locks the eyeball, and is able to activate Emitters with locked.

(OSP-002)



Imager - 80° Coverage, 24V DC

Open-area Smoke Imaging Detection (OSID) Imager 80° FOV

(OSI-90)



Imager - 7° Coverage, 24V DC

Open-area Smoke Imaging Detection (OSID) Imager 7° FOV

(OSI-10)



Imager - 38°

Open-area Smoke Imaging Detection (OSID) Imager 38° FOV

(OSI-45)



FTDI Cable 1.5M

FTDI Cable 1.5 Metres
Allows to connect to a PC and hence OSID Diagnostic SW to the Imager. The FTDI cable can be extended with another 20m using a cable with an active USB amplifier.

(OSP-001)



Emitter - Standard Power Wired at 24V DC

Open-area Smoke Imaging Detection Wire Powered 24VDC Emitter

(OSE-SPW)



Emitter - Standard Power Battery Version

Open-area Smoke Imaging Detection Battery Powered (Alkaline Battery) Emitter

(OSE-SP)



Emitter - High

Open-area Smoke Imaging Detection Wire High Powered 24VDC Emitter. Allows to double the detection ranges of the Imager 80° (OSI-90)

(OSE-HPW)



Vigilant



Wire Guard for Detectors (195 Dia. x 120 High)

W500 Series detector cages are available in a range of sizes to cater for most of the detectors that are available through Tyco Fire Protection Products.


(W502)



Wire Guard for Detectors (130 Dia. x 105 High)

W500 Series detector cages are available in a range of sizes to cater for most of the detectors that are available through Tyco Fire Protection Products.

(W504)



Wire Guard for Detectors (115 Dia. x 80 High)

W500 Series detector cages are available in a range of sizes to cater for most of the detectors that are available through Tyco Fire Protection Products.

(W500)



VIO800 VESDA Interface Module c/w Bracket (can use on 4100ESi)

The VIO800 is an arrangement of the MIO800 Addressable Multi-I/O Module supplied ready to be fitted on to a VESDA LaserPLUS™ or Laser SCANNER

(516.018.014)



VESDA Power Supply in Cabinet 24VDC 2A to match VESDA LaserPlus

This Series 1948 Power Supply is designed match the VESDA LaserPLUS and LaserSCANNER detectors in size and colour.

(FP0852)



Ventilax Smoke Emitter Pack of 5 (4 Minute Burn Time)

Ventilax Smoke Cartridge, 5 60g cartridges, dia 18x62mm, 17m3 smoke vol, 180-240s burn time

(X62)



Tyco 614TD Type D Heat Detector
(4098-9640EA)



Tyco 614TC Type C Heat Detector
(4098-9639EA)



Tyco 614TB Type B Heat Detector
(4098-9638EA)



Tyco 614TA Type A Heat Detector
(4098-9637EA)



TYCO 614P Conventional Photo Optical Detector

The 614P is capable of detecting the visible smoke produced by materials which smoulder or burn slowly, i.e. soft furnishings, plastic foam etc. or 'smoke' produced by overheated but unburnt PVC.

(516.600.301)



TYCO 614CH Conventional Carbon Monoxide Detector

The 614CH fire detector provides very early warning of slow smouldering fires. The CO fire detector is well suited to many applications where heat detection is insufficient but smoke detection causes unwanted alarms. As CO travels more freely than smoke, the positioning of CO fire detectors is more flexible

(516.600.304)



Transparent Hinged Cover Suits KAC Manual Call Points

Transparent Hinged Cover Suits KAC Manual Call Points

(SU0615)



Thorn S330 Smoke Detector Tester

SOLO330 Aerosol dispenser for use with all detector ranges. Connects directly to S100/S101 poles

(517.001.255)



Thorn S200 Universal Detector Removal Tool - Requires X100/X101

SOLO200 Universal detector changer for use with various manufacturers detectors - not suitable for M600/900 series low profile. Connects directly to SOLO100/101 poles

(517.001.240)



Thorn S100 Telescopic Pole 1.26m - 4.5m Fibreglass

SOLO100 Telescopic pole 1.26m to 4.5m

(517.001.230)



T54B Type E Probe Heat Detector

Constructed from stainless steel, the T54B is an extremely rugged heat detector that can be used to detect fires in the harshest of environments.

(T4E60Xx)



T210 Test Source for S200 Series Detectors (Need X704 & X100/X101)

T210+ Test Source for use with SOLO 704 Adaptor Tube B and SOLO100/101 poles

(592.001.016)



T210 Adaptor for use with S200 Series Detectors

T210+ Adaptor for S200 Detectors

(592.001.014)



T-GEN / QE90 Microphone Flat 4-way plug (ECP9702 only)

The hand held dynamic microphone is fitted with a press-to-talk button. It is suitable for plugging into T-GEN 50 and QE90 to provide emergency PA and recording of digitised speech message.

(ME0290)



System Sensor 885WP-B Heat Fixed Weatherproof

The 885WP-B is a 2 wire fixed temperature Type B heat detector. This detector is designed to provide open area protection in areas subject to moisture

(885WP-B)



Strobe Light Multi-Candela Synchronised White Wall Mount

The 4906-910x Multi-Candela strobe is a high output xenon strobe capable of signalling evacuation using the ISO 8201 "T3" temporal pattern, as required by AS1670.4-2004 and AS1670.1-2004.

(4906-9103)



Strobe Lamp - Red TK86HP24 (3.15 joules, 320mA, 90FPM, IP55)

Strobe Lamp - Red TK86HP24

(EA0306)



Strobe Lamp - Red Ax35 (0.6 joules, 100mA, 130FPM, IP54)

Strobe Lamp - Red Ax35

(EA0302)



Strobe Lamp - Amber TK86HP24 (3.15 joules, 320mA, 90FPM, IP55)

Strobe Lamp - Amber TK86HP24

(EA0305)



Strobe Lamp - Amber Ax35 (0.6 joules, 100mA, 130FPM, IP54)

Strobe Lamp - Amber Ax35

(EA0301)



Stainless Steel Detector Cover - Flush Mounted

The STI-8200-SS Series detector cages are available in flush mount or surface mount configuration.

(STI-8200-SS)



Splintex Smoke Match Pack 25 Burn Time 25 Seconds

Splintex Smoke Matches, 25 1g matches, 0.7m3 smoke vol, 25s burn time

(X65-25)



Speech Intelligibility Meter & Talkbox

The STI-CIS Analyser measures the speech intelligibility of a fire alarm evacuation signal. The TALKBox is used to send the STI-PA test tone into the fire alarm warning system. It interfaces with the system through its microphone input.

(STI-CIS)



Spare Glass - Pack 10, Tyco Logo

Spare glass Tyco logo (pkt 10) white text on black background

(SU0603)



Spare Glass - Pack 10, Simplex Logo

Spare glass Black pictogram on which back ground

(SU0609)



Solo Test Smoke - Aerosol Can

Solo Test Smoke 250ml can

(517.001.279)



Smoke Detector Test Kit Includes X100, X200, X330 and X600

SOLO811 Smoke detector test kit including SOLO330 aerosol dispenser, SOLO200 detector removal tool, SOLO100 pole, SOLO101 extension tube and SOLO610 equipment bag. 800RT and SOLO704 may be ordered separately.

(X811)



SIO800 Relay Output Module

The RIM800 Relay Interface Module provides one volt-free changeover contact which is not supervised. The relay is controlled by a command sent from the CIE via the addressable loop and may be used to signal a state to other systems (security systems, for example) or to energise loads such as Door Holders

(RIM800)



Single Input / Output Module

(555.800.063)



Sealed Lead Acid Battery 1 x 12volt x 75A/H

These rechargeable batteries are lead-lead dioxide systems. The dilute sulphuric acid electrolyte is suspended and thus immobilised.

(PS12750)



Sealed Lead Acid Battery 1 x 12volt x 7.0A/H

These rechargeable batteries are lead-lead dioxide systems. The dilute sulphuric acid electrolyte is suspended and thus immobilised.

(PS1270)



Sealed Lead Acid Battery 1 x 12volt x 40A/H

These rechargeable batteries are lead-lead dioxide systems. The dilute sulphuric acid electrolyte is suspended and thus immobilised.

(PS12400)



Sealed Lead Acid Battery 1 x 12volt x 33A/H

These rechargeable batteries are lead-lead dioxide systems. The dilute sulphuric acid electrolyte is suspended and thus immobilised.

(PS12330)



Sealed Lead Acid Battery 1 x 12volt x 24A/H

These rechargeable batteries are lead-lead dioxide systems. The dilute sulphuric acid electrolyte is suspended and thus immobilised.

(PS12260)

**Sealed Lead Acid Battery 1 x 12volt x 12.0A/H**

These rechargeable batteries are lead-lead dioxide systems. The dilute sulphuric acid electrolyte is suspended and thus immobilised.

(PS12120)

**SAM800 Sounder Driver Module**


The Sounder Addressing Beacon SAB801 and Sounder Addressable Module, SAM800 are designed to control an MX loop powered sounder base or relay base for use with compatible MX CIE

(516.800.954)

**SAB801 Sounder Address LED Beacon**

The Sounder Addressing Beacon SAB801 and Sounder Addressable Module, SAM800 are designed to control an MX loop powered sounder base or relay base for use with compatible MX CIE

(516.800.956)

**S100/S200 Bracket Assembly Stainless Steel for use with S100/S200 Flame Detectors**

Stainless Steel bracket assy for with all S100/200 Series detectors

(517.001.184)

**Round Remote Indicator 75mm Dia - FIRE IN LIFT SHAFT**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E527)

**Round Remote Indicator 75mm Dia - FIRE ALARM IN ROOM**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E523)

**Round Remote Indicator 75mm Dia - FIRE ALARM IN ROOF**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E526)

**Round Remote Indicator 75mm Dia - FIRE ALARM IN DUCT**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E525)

**Round Remote Indicator 75mm Dia - FIRE ALARM IN CUPBOARD**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E529)

**Round Remote Indicator 75mm Dia - FIRE ALARM IN CONCEALED SPACE**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E521)

**Round Remote Indicator 75mm Dia - FIRE ALARM ABOVE**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E524)

**Round Remote Indicator 75mm Dia - FIRE ALARM**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E502)

**Red Surface Mount Strobe with Backbox c/w "FIRE" Lettering 25mm 24VDC**

The 40020B is designed to be mounted on a flat external wall. It is weather resistant and made of fire resistant ABS. Screws, caps and a back box is supplied.

(40020B)

**QRM850 Quad Relay Module**

The MX Quad Ancillary Modules form a versatile new range of multiple input and output modules for use with MX TECHNOLOGY systems*.

(555.800.073)

**QMO850 Quad Monitored Output**

The MX Quad Ancillary Modules form a versatile new range of multiple input and output modules for use with MX TECHNOLOGY systems*.

(555.800.070)

**QIO850 Quad I/O Module**

The MX Quad Ancillary Modules form a versatile new range of multiple input and output modules for use with MX TECHNOLOGY systems*.

(555.800.071)

**PSU 24VDC 12A (PSU2412F) Mounted in 8U x 180 Battery Box**

FP0803 comprises an ME0343 (PSU2412F 2U rack mounted) power supply for AS 1603.4 & AS 4428 MX4428/F4000 mounted within the FP0576 8U 19" rack battery box.

(FP0803)

**Power Supply 1948 Series 24VDC 2A**

Series 1948 Power Supplies are designed specifically for use in fire alarm systems. They provide a compact, self-contained 24 volts dc mains power supply.

(FP0766)

**NDU AS4428 Network Display, 4U 19" Rack Module**

The Network Display Unit (NDU) is a fire alarm repeater panel compatible with the Panel-Link Network and the associated range of networked fire alarm systems (eg. MX4428, F3200). It provides alphanumeric display of alarms on a 2 line by 40 character LCD and keypad. The NDU is able to display alarms and status, and control all fire alarm panels connected to the network.

(FP0794)

**MXR Responder in Box**

MXR Responder in Box

(FP0824)



MX4428 PSU, 240VAC 24V 2.5A Mains Socket Fitted (replaces FP0874)

The 5A ME0476 Power Supply is a direct replacement for older 2.5A FP0874/FP0825 supplies

(ME0476)



MX4428 ADR-M 4mA Detector Current 1901-116

The FP0755 version of ADR supports the 15V MCP, the 614 series of detectors and all the other detectors from earlier versions of ADR, along with some new programmable circuit types.

(FP0755)



MX1 Single Loop 8U Panel 3U Blank (fit brigade kit separately)

The simple and cost effective solution for small to medium installations

The VIGILANT MX1 is an innovative, networkable, multi-loop analogue addressable fire indicator panel incorporating the latest technology and complying with the ISO-based AS 7240.2-2004 standard and including an integrated Fire Brigade Panel to AS 4428.3-2004.

(FP1040)



MX1 Single Loop 15U Panel 3U Blank

The Vigilant MX1 is an innovative single loop analogue addressable fire indicator panel incorporating the latest technology. It complies with AS 4428.3.2004, AS 7240.4.2004. Its support for Tyco MX technology, fuzzy logic detection algorithms and powerful control functions make it suitable for a wide range of fire protection applications for small to medium size systems and those in hazardous areas.

(FP0948)



MX1 Loop Card Kit

The MX Digital Loop Card provides MX loop communications for the Simplex 4100ESi fire alarm panel via a single electrically isolated MX Digital loop. It supports up to 250 MX devices - detectors and modules - and provides up to 500mA of loop power.

(FP0950)



MX Sounder Module

The SNM800 Sounder Notification Module can be used to switch an external power source to sounders, extinguishing devices or other auxiliary equipment.

(SNM800)



MX Programmable Relay Base

The 814RB Addressable Relay Base provides two sets of changeover volt-free relay contacts capable of switching 1A (resistive) @30Vdc.

(814RB)



MX Module Back Box

MX Module Back Box

(517.035.010)



MX Mk2 Loop Powered Sounder Base

The 802SB/901SB Addressable Sounder Bases provide a sounder function on MX addressable systems. Designed for indoor use, they require an associated detector in order to operate, as each base is controlled by its detector.

(802SB)



MX Loop Filter Board

The MXP Loop Filter board is available for fitting to an MXP in order to further improve common-mode interference suppression that may occur as a result of the MXP detector loop not being adequately separated from power wiring, lift motors etc.

(PA1038)



MX CP840Ex Intrinsically Safe(I.S) Manual Callpoint

The CP840Ex Intrinsically Safe Waterproof Break Glass Manual Call Point is designed to monitor and signal the condition of the switch contact associated with the call point. The callpoint is designed to comply with EN 50 014 and EN 50 020 for intrinsically safe apparatus.

(514.800.513)



MX Addressable IP67 Weatherproof MCP CP830

MCP and Backbox

(514.800.604.Y)



MX Addressable Indoor Call Point (no back box)

The CP820 Indoor Addressable Manual Call Point has a plastic coated frangible element to ensure safe and reliable operation, producing no dangerous glass shards. It is operated by simply pressing on the centre of the frangible element until it snaps.

(CP820)



MX 801PHEX Intrinsically Safe (I.S) Photoelectric & Heat Detector

The 801PHEX Intrinsically Safe Optical Smoke & Heat Detector plugs into a 5BEx base. The detector is designed to transmit to a remote MX fire controller, digital signals which represent the status of the optical smoke and heat elements of the detector.

(516.800.530)



MX 801HEX Intrinsically Safe (I.S) Heat Detector

The 801HEX Intrinsically Safe Heat Detector forms part of the 800Ex Intrinsically Safe Series of MX Addressable Fire Detectors. The detector plugs into a 5BEx base

(516.800.532)



MX 801CHEX Intrinsically Safe (I.S) Carbon Monoxide & Heat Detector

The 801CHEX Intrinsically Safe Carbon Monoxide plus Heat Detector forms part of the 800Ex Intrinsically Safe Series of MX Addressable Fire Detectors. The detector plugs into a 5BEx base.

(516.800.531)



MR601TEX High Performance Optical Intrinsically Safe

The MR601TEX has been developed to overcome the slower response of the optical detectors to hot burning fires, by increasing the sensitivity of the optical detector when it is associated with a rapid change in temperature.


(516.054.011.y)



MIO800 Multi Input Output Module (can use on 4100ESi)

The MIO800 Multi-Input Output Module allows multiple input and output connections to be made between external equipment and the MX DIGITAL loop. Three inputs and two outputs are provided.

(555.800.065)



MIO800 DIN Rail Mounting Kit

DIN Rail Mounting Kit

(557.201.303)



Mini Input Module

The MIM800 Mini Input Module monitors a voltage-free contact and transmits its state to the c.i.e. It can be programmed to monitor either Normally Open (default) or Normally Closed contacts.

(MIM800)

**MIMIMAX Smoke Emmitter Pack 10 Burn Time 40 Seconds, Grey Smoke**

Miniax Smoke Cartridge, 10 3g cartridges, dia 14x32mm, 2.5m3 smoke vol, 40s burn time

(X66)

**MDU601EX Enhanced Heat and Carbon Monoxide Detector**

The MDU601EX detector combines the features of both the MU601EX detector and the MD601EX detector to provide a combined CO and Rate of Rise Heat Detector where the sensitivity of the CO detector is enhanced in response to a fast rate of change of temperature.

(516.061.001)

**MD611EX Fixed Temperature Heat Detector**

Where environmental conditions rule out the use of smoke detectors, MD601Ex/MD611Ex heat detectors may provide an acceptable, though less sensitive, alternative.

(516.052.041)

**MD601EX Rate of Rise Heat Detector**

Where environmental conditions rule out the use of smoke detectors, MD601Ex/MD611Ex heat detectors may provide an acceptable, though less sensitive, alternative.

(516.052.051)

**MCP830 MX IP67 Addressable MCP with Isolator No Backbox**

(514.800.612)

**MCP820 MX Addressable MCP with Isolator No Backbox**

(514.800.611)

**Magnetic Door Holder Wall Mounted 25kg**

The FP0101 Electromagnetic Door Holder is designed to hold fire and smoke doors open under normal conditions, but automatically close under their own spring return mechanism when a fire or smoke alarm system is activated.

(FP0101)

**Magnetic Door Holder Release Switch**

The EA0405 Electromagnetic Door Holder Release is designed to allow fire and smoke doors to be opened manually. A standard switch plate mounting is used. A momentary action switch de-energises the door holder allowing the door to open.

(EA0405)

**Magnetic Door Holder Floor Mounted 40kg**

The EA0409 Floor Mount Door Holder comprises of a Box and Door Holder that will retain a load of 25kg. The Box provides a convenient attractive cover protecting the door holder from accidental damage.

(EA0409)

**Magnetic Door Holder 300mm Straight**

The EA0408 Electromagnetic Door Holder is designed to hold fire and smoke doors open under normal conditions, but automatically close under their own spring return mechanism when a fire or smoke alarm system is activated.

(EA0408)

**Magnetic Door Holder 150mm Straight**

The EA0407 Electromagnetic Door Holder is designed to hold fire and smoke doors open under normal conditions, but automatically close under their own spring return mechanism when a fire or smoke alarm system is activated.

(EA0407)

**M520 Ancillary Cover for MX Devices**

MX Module Cover incl PCB cover and screws

(517.035.007)

**LPSY865R - Addressable Loop Powered Sounder**

MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.962)

**LPSY800W - Addressable Loop Powered Sounder**

MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.961)

**LPSY800R - Addressable Loop Powered Sounder**

MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.960)

**LPAV865 Addressable Sounder Beacon Outdoor IP65**

MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.965)

**LPAV800W - Addressable Loop Powered Sounder Beacon**

MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.964)

**LPAV800R - Addressable Loop Powered Sounder Beacon**


MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.963)

**Local Gas Control Station Auto c/w Isolate Switch**

Local Gas Control Stations (LGCS) are used in gaseous fire extinguishing systems to provide local area manual control of a release. The automatic version includes a Gas Inhibit switch, buzzer and LED, whereas the manual version (FP0572) does not.

(FP0570)

**LIM800 Line Isolator Module**

The LIM800 Line Isolator Module is designed to be used on the MX addressable controller loop circuits

(545.800.004)



KAC RED Manual Call Point (back box only)

Red Backbox

(SU0632)



KAC RED Manual Call Point

The SU0631 Manual Call Point is supplied with one normally open and one normally closed contact.

(SU0631)



KAC Manual Call Point Test Key (Pack of 10)

Packet of ten Test keys for Tyco MCPs

(SC070)



KAC Manual Call Point Plastic Insert Element

Flexible plastic element

(515.001.127)



KAC Manual Call Point - IP67 Weatherproof/Special Environment Unbranded

This surface mounting Manual Call Point has an Ingress Protection rating of IP67, making it suitable for wet area applications. The callpoint is operated by simply pressing on the centre of the frangible element until it snaps, which releases a microswitch, signaling an alarm at the CIE.

(SU0634)



Isolation Amplifier, 100V, 50W

The FP0875 Isolation Amplifier connects to an existing 100V speaker line and reproduces this signal at up to 50W load on a separate supervised 100V line. It is suitable for use with speech and music as well as with warning tones.

(FP0875)



ISO 8201 Strobe Driver Board PCB Assy 1922-77

The ISO 8201 Strobe Driver generates an ISO 8201 compliant "T3" pattern for the Multi-Candela strobe 4906-9104.

(PA1043)



Gentex GX93 Mini Horn Temporal 3 or Continuous Tone

The GX93 is ideal for applications where a dependable alarm signal is required in hotels, dormitories, apartments, and other installations

(GX93R)



Gentex GX93 Mini Horn (White) Temporal 3 or Continuous Tone

The GX93 is ideal for applications where a dependable alarm signal is required in hotels, dormitories, apartments, and other installations

(GX93W)



F4000 Responder Relay Module (RRM) PCB Assembly 1901-15

The Responder Relay Module (RRM) is an optional add-on board to an ADR. When added the responder the combination is referred to as an Advanced Relay Responder (ARR). The RRM provides four relay outputs, which may be individually configured as supervised or not.

(PA0453)



F4000 Multi-Protocol Resp (MPR) 1901-141

MPR Responder in Box (PA0713 PCB only)

(FP0575)



F4000 Multi Prot Resp (MPR) PCB Assy 1901-141

Multi Protocol Responder (MPR)

(PA0713)



F4000 Loop Booster Unit 1901-36

The MX4428/F4000 Loop Booster overcomes problems such as Responder loop voltage drop and excessive loop length that would otherwise necessitate a restriction in responders or the use of thicker loop cable

(FP0487)



F4000 ADR-M 4mA Detector Current 1901-116

The F4000 version of ADR supports the 15V MCP, the 614 series of detectors and all the other detectors from earlier versions of ADR, along with some new programmable circuit types.

(FP0755)



F3200 FIP 8 Zones Fitted Small Cabinet 3A MAF/PSU

The 8 zone F3200 will suit small installations requiring a system up to 8 detection circuits.

(FP0784)



F3200 FIP 8 Zone Fitted 64 Max c/w Cardframe 3A PSU

The F3200 is a self-contained, modular, microprocessor based FIP which performs the functions of the CIE as specified by AS 4428.

(FP0781)



F3200 FIP 8 Zone Fitted 24 Max No Cardframe 6A PSU

The F3200 is a self-contained, modular, microprocessor based FIP which performs the functions of the CIE as specified by AS 4428.

(FP0782)



F3200 FIP 8 Zone Fitted 24 Max No Cardframe 3A PSU

The F3200 is a self-contained, modular, microprocessor based FIP which performs the functions of the CIE as specified by AS 4428.

(FP0780)



F3200 Empty Cabinet with Window 750H x 211D x 550Dmm

MX4428/F3200 15U Cabinet only

(FP0556)



F3200 Cardframe Upgrade Kit

A KT0072 Cardframe upgrade kit can be fitted to a 15U F3200 to allow it to take more than three 8 way modules

(KT0072)



F3200 AS4428 FIP STD CAB 6AMP 1U Gas Control Pre-Programmed

The F3200 Single Zone (single risk) Gas Control Panel is designed to meet the CIE requirements of AS 4214-2002, "Gaseous Fire Extinguishing Systems".

(FP0877)



F3200 AS4428 FIP 8U CAB 3AMP 1U Gas Control Pre-Programmed

The F3200 Single Zone (single risk) Gas Control Panel is designed to meet the CIE requirements of AS 4214-2002, "Gaseous Fire Extinguishing Systems".

(FP0876)



F3200 8 Zone Input Expansion Kit

F3200 8 Zone Input Expansion. This module features 8 op to isolated digital inputs.

(FP0553)



F3200 8 Relay Expansion Kit

This F3200 relay Board designed for industrial applications requiring isolation between the computer and the external signals it is monitoring and controlling. This module features 8 optoisolated digital inputs and 8 relay outputs.

(FP0554)



Dual Detector Module DDM800 (can use on 4100ESi)

The DDM800 may be used to connect two circuits of conventional 20V detectors and interface them with an MX addressable fire alarm system.

(577.800.006)



Display Extender Kit Additional to FZ3031

Display Extender Kit includes PA0454 16Z display PCB, LM0046 standoffs, power leads, diffuser, zone name label master.

(FP0475)



Detector Input Module

The DIM800 Detector Input Module interfaces two collective detector circuits onto the MX addressable loop. Each circuit can support 3mA of detector quiescent current and requires a 4k7 Ohm End Of Line resistor

(DIM800)



D800 Ancillary Housing - IP65 Enclosure for MX Modules

The D800 Ancillary Housing provides an IP55 rated enclosure for all MX modules. It incorporates a window to view the module LED.

(557.201.401)



D51 Duct Housing with Base to Suit MX Detectors

The D51MX consists of a D51 duct sampling housing fitted with a 5B base wired to suit an MX analogue addressable 814P or 814PH photoelectric smoke detector

(D51MX)



CTA Complete Kit - Back Box, Bezel and Clamp

The Ceiling Tile Adaptor (CTA) is used to prepare a ceiling tile to be able to accept a complete base and detector assembly. It comprises a Bezel (1), Clamp (2) and Back Box (3).

(517.050.060)



CTA Bezel and Clamp Ceiling Tile Adaptor

Ceiling Tile Adaptor Bezel and Clamp

(517.050.057)



CTA Back Box alone Ceiling Tile Adaptor

Ceiling Tile Adaptor Back Box

(517.050.056)



Contact Input Module

The CIM800 Addressable Contact Input Module monitors and supervises two circuits of voltage-free contacts such as outputs from extinguishing systems, ventilation controls, fire door controls, sprinkler flow switches, non-indicating hard contact detectors, etc.

(CIM800)



Carbon Monoxide(CO) Test Gas Can

CO Detector Test Gas, 120g can

(517.001.262)



Brandax VS Smoke Emitter Pack of 5 (3-4 Minute Burn Time)

Brandax VS Smoke Cartridge, 5 60g cartridges, dia 32x62mm, 55m3 smoke vol, 180-240s burn time

(X61)



Bell 24VDC Red 200mm dia.

Fire Bell red in colour 24VDC 200MM

(BELL01)



Back Box for BELL01

Surface mounting of bell box designed for use with the 150mm and 200mm Bell.

(BELL002)



AVI MK2 Kit Red Double Sided Expansion, not for IP65 AVI

Adds 2nd cover and base with 2 LED boards for ceiling mounted double sided 2 line red signs

(KT0293)




AVI MK2 Face Plate "Warning - Fire Door Closing"

Faceplate "Warning - Fire Door Closing"

3-line Red UV stable

(FA2710)



AVI MK2 Face Plate "Fire Alarm - Evacuate Area"

Faceplate "Fire Alarm - Evacuate Area"

2-line Red UV stable

(FA2700)




AVI MK2 Face Plate "Fire Alarm - Do Not Enter"

Faceplate "Fire Alarm - Do Not Enter"

2-line Red UV stable

(FA2701)




AVI MK2 Face Plate "Extinguishing System Inoperative"

Faceplate "Extinguishing System Inoperative"

3-line Yellow UV stable

(FA2776)



AVI MK2 Face Plate "Do Not Enter - Inergen Gas Discharged"

Faceplate "Do Not Enter - INERGEN Gas Discharged"

3-line Red UV stable

(FA2704)




AVI MK2 Face Plate "Do Not Enter - FM200 Gas Discharged"

Faceplate "Do Not Enter - FM200 Gas Discharged"

3-line Red UV stable

(FA2703)



AVI MK2 Face Plate "Do Not Enter - CO2 Gas Discharged"

Faceplate "Do Not Enter - CO2 Gas Discharged"

3-line Red UV stable

(FA2702)



AVI MK2 3 Line Yellow LED Display

The AVI MK2 is an illuminated warning sign that produces distinct audible and visual indication of an emergency. It is designed for use with fire alarm or gaseous fire extinguishing systems, or other applications where clear audio-visual warning is required. On activation, the AVI's internal LEDs illuminate the lettering on the 2 or 3 line sign faceplate/s and the internal loudspeaker produces either ISO 8201 or AS 2220 audible warning signals.

(FP0854)



AVI MK2 2 to 3 Line Conversion Kit for FP0853

Adds a 3rd LED board to make 3-line red sign

(KT0292)



AVI MK2 2 Line Red LED Display

The AVI MK2 is an illuminated warning sign that produces distinct audible and visual indication of an emergency. It is designed for use with fire alarm or gaseous fire extinguishing systems, or other applications where clear audio-visual warning is required. On activation, the AVI's internal LEDs illuminate the lettering on the 2 or 3 line sign faceplate/s and the internal loudspeaker produces either ISO 8201 or AS 2220 audible warning signals.

(FP0853)



AVI IP65 MK2 3 Line Yellow LED Display

The AVI MK2 is an illuminated warning sign that produces distinct audible and visual indication of an emergency. It is designed for use with fire alarm or gaseous fire extinguishing systems, or other applications where clear audio-visual warning is required. On activation, the AVI's internal LEDs illuminate the lettering on the 2 or 3 line sign faceplate/s and the internal loudspeaker produces either ISO 8201 or AS 2220 audible warning signals.


(FP1038)



AVI IP65 MK2 2 Line Red LED Display

The AVI MK2 is an illuminated warning sign that produces distinct audible and visual indication of an emergency. It is designed for use with fire alarm or gaseous fire extinguishing systems, or other applications where clear audio-visual warning is required. On activation, the AVI's internal LEDs illuminate the lettering on the 2 or 3 line sign faceplate/s and the internal loudspeaker produces either ISO 8201 or AS 2220 audible warning signals.

(FP1037)



AS4428 Single Loop 15U c/w TGEN AUI / PPU

The VIGILANT MX4428 Single Loop panel is a competitively-priced fire detection and alarm system that targets small to medium sized applications

(FP0872)



AS4428 Remote Display Unit Wall Mount

The AS4428.1 Remote LCD Display Unit (RDU) is a fire alarm repeater panel compatible with the MX4428 and F3200 range of fire alarm systems. It provides an alphanumeric display of alarms on a 2 line by 40 character LCD and keypad.

(FP0787)



AS4428 Remote Display Unit Flush Mount

The AS4428.1 Remote LCD Display Unit (RDU) is a fire alarm repeater panel compatible with the MX4428 and F3200 range of fire alarm systems. It provides an alphanumeric display of alarms on a 2 line by 40 character LCD and keypad.

(FP0788)



AS4428 4 Zone Gas Control 7U Door

Gas Control Modules provide indication and control of 1-4 zones of gas extinguishing on F3200 and MX4428 CIE. They are pre-wired modules (requiring appropriate input/output modules).

(ME0441)



AS4428 1 Zone Gas Control 1U Bracket

Gas Control modules provide indication and control of 1-4 zones of gas extinguishing F3200 and MX4428

(ME0442)



ADR-M 2.5mA 3K3 EOL PCB 1901-200

The PA0844 version of ADR-M is used as a retrofit where existing detector circuits use a resistor ELD in the range of 1k5 to 3k3 ohms (restrictions apply), and Intrinsically Safe applications - since the intrinsically safe Active ELDs (EOL002ZEx) are no longer available for the standard ADR-M and the replacement units (EOL002B) are not intrinsically safe approved.

(PA0844)

**Addressable Loop Powered Sounder**

MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.)

**Adapter between S100 and XM69 Changer**

SOLO704 Adaptor tube B - adapts SOLO100/101 pole sets for TYCO detector changers and testers

(517.001.224)

**AAM4 Alarm Acknowledgement Module**

The FP0842 Alarm Acknowledge Module provides a facility to locally annunciate a smoke/CO detector alarm, and for the occupant to acknowledge and clear a false fire alarm without the fire brigade being called.

(FP0842)

**AAM2 Cver, "Pres to Ack' Fire Alarm Cancelled"**

The AAM2 can be used with the FA2317 face plate for general alarm indication, annunciation and acknowledgment, e.g., a Nurses Station.

(FA2317)

**AAM2 Cover, "Pres to Ack' Alarm Cancelled"**

The AAM2 can be used with the FA2318 face plate to make an Alarm Acknowledgment Module, as FA2318 contains the additional text information and space for the investigation time to be filled in on-site.

(FA2318)

**AAM2 Alarm Acknowledgement Module**

AAM2 Alarm Acknowledge Module (no sounder) is the basis for the AAM2.

(ME0420)

**901SB Sounder Base (Externally Powered)**

The 901SB Addressable Sounder Bases provide a sounder function on MX addressable systems. Designed for indoor use, they require an associated detector in order to operate, as each base is controlled by its detector.

(516.800.911)

**8U Battery Box 550 x 440 x 211mm**

8U Battery Box - Empty

(FP0576)

**850PH MX Addr Photo Heat Detector c/w Isolator**

With its ability to detect a wide range of fires from flaming to smouldering types, the 850PH combined smoke and heat multi-sensor detector is the preferred choice for a range of applications including industrial, retail and office environments.

(516.850.051.E)

**850P MX Addr Photo Detector c/w Isolator**

The 850P is a state-of-the-art smoke detector using a photoelectric sensor which, in conjunction with the MX fire alarm panel, suits most fire detection applications. The 850P incorporates a unique "mousehole" design optical chamber with superior signal to noise ratio providing high resilience to dust and dirt which means reduced service costs

(516.850.052.E)

**850H MX Addr Heat Detector c/w Isolator**

The 850H is a flexible cost-effective addressable heat detector with most of the features of MX VIRTUAL detectors. The 850H reports the temperature to the MX fire alarm panel which allows various detection modes

(516.850.053.E)

**850EMT Engineer Manager Tool (complete Kit)**

The 850EMT is used to program the address into MX addressable devices. When used with VIGILANT MX1 systems, the 850EMT can also remotely interrogate, address and test 850 Series detectors via a two-way infrared link.

(850EMTK)

**814PH MX Photo & Heat Multi Detector c/w coating Thermistor (UK)**

The 814P is a state-of-the-art smoke detector using a photoelectric sensor which, in conjunction with the MX fire indicator panel (CIE), suits most fire detection applications including smoke management systems. The smoke sensors incorporate a unique

(516.800.510)

**814P MX Photo Optical Smoke Detector**

The 814P is a state-of-the-art smoke detector using a photoelectric sensor which, in conjunction with the MX fire indicator panel (CIE), suits most fire detection applications including smoke management systems. The smoke sensors incorporate a unique

(516.800.517)

**814I Ionisation Smoke Detector**

Tyco 814I detectors are offered for old specifications which still call for ionisation smoke detectors. The 814CH and 814PH detectors offer improved performance and lower false alarms for most smoke detection applications.

(516.800.512)

**814CH MX Carbon Monoxide/Heat Detector c/w coating Thermistor (UK)**

The 814CH is a state-of-the-art combined CO and heat detector that allows a full set of detection modes to be implemented in the MX fire alarm panels to suit most fire detection applications. The 814CH is particularly well suited to areas and applications where smoke detector positioning is difficult or where smoke detectors are prone to false alarm.

(516.800.511)

**800RT MX Detector Removal Tool**

800RT M600/M800 Detector removal tool. Requires Adaptor B and SOLO 100 pole

(516.800.917)

**601FEX Conventional Flame Detector Intrinsically Safe**

The 601FEX point type flame detectors are part of the 600 series of non-addressable detectors. The 601FEX is a full featured flame detector for indoor use.

(516.600.066)

**5B 5" Universal Mounting Base**

The 5B Universal Base is compatible with both the 614 collective series and the MX analogue addressable series of detectors and functional bases.

(517.050.017)

**5B 5" Universal Isolator Mounting Base**

5B 5" Universal Isolator Mounting Base

(517.050.018)



50W 8U T-GEN Building OWS 1986-2 BOWS

The VIGILANT Building Occupant Warning System (BOWS) is a self-contained AS 2220 or ISO 8201 Alert and Evacuate tone generator, with integral power supply, digitised speech messages, and PA microphone. It has been designed to connect directly to a fire alarm panel, but can also be used as a stand-alone unit. Zone-based non-emergency paging options, IP remote audio connectivity and multiple audio connectivity make the VIGILANT BOWS a versatile unit ideally suited to a variety of building occupant warning applications.

(FP1021)



4B-I Isolator Base

The 4B-I Isolator Base serves as both a base for an 814 Series MX detector and a protection device against loop short circuits, monitoring the voltage on the MX addressable loop. When a short circuit is detected, the 4B-I isolates the affected section whilst allowing the rest of the addressable loop to function normally.

(517.050.043)



4B-EM 4" Euro Mount Back Box

The 4B Universal Base contains no electronics and is suitable for indoor applications of the 614 series conventional (non-addressable), 814 and 850 series analogue addressable detectors. It provides excellent space for cable access and terminations

(517.050.052)



4B-DHM 4" Deck-head Mount

The 4B Universal Base contains no electronics and is suitable for indoor applications of the 614 series conventional (non-addressable), 814 and 850 series analogue addressable detectors. It provides excellent space for cable access and terminations

(517.050.051)



4B-C Continuity Base

The 4B-C Continuity Base is used for most installations involving 850 Series detectors, as it allows the detector's in-built short circuit isolation function to be in-circuit when the detector is fitted and ensures continuity is maintained when the detector is removed.

(517.050.042)



4B Detector Base

The 4B Universal Base contains no electronics and is suitable for indoor applications of the 614 series conventional (non-addressable), 814 and 850 series analogue addressable detectors. It provides excellent space for cable access and terminations

(517.050.041)




100W 8U T-GEN OWS 1986-3 BOWS

The VIGILANT Building Occupant Warning System (BOWS) is a self-contained AS 2220 or ISO 8201 Alert and Evacuate tone generator, with integral power supply, digitised speech messages, and PA microphone. It has been designed to connect directly to a fire alarm panel, but can also be used as a stand-alone unit. Zone-based non-emergency paging options, IP remote audio connectivity and multiple audio connectivity make the VIGILANT BOWS a versatile unit ideally suited to a variety of building occupant warning applications.

(FP1022)



4100ESi



VIO800 VESDA Interface Module c/w Bracket (can use on 4100ESi)

The VIO800 is an arrangement of the MIO800 Addressable Multi-I/O Module supplied ready to be fitted on to a VESDA LaserPLUS™ or Laser SCANNER

(516.018.014)



SIO800 Relay Output Module

The RIM800 Relay Interface Module provides one volt-free changeover contact which is not supervised. The relay is controlled by a command sent from the CIE via the addressable loop and may be used to signal a state to other systems (security systems, for example) or to energise loads such as Door Holders

(RIM800)



Single Input / Output Module

(555.800.063)



QRM850 Quad Relay Module

The MX Quad Ancillary Modules form a versatile new range of multiple input and output modules for use with MX TECHNOLOGY systems*.

(555.800.073)



QMO850 Quad Monitored Output

The MX Quad Ancillary Modules form a versatile new range of multiple input and output modules for use with MX TECHNOLOGY systems*.

(555.800.070)



QIO850 Quad I/O Module

The MX Quad Ancillary Modules form a versatile new range of multiple input and output modules for use with MX TECHNOLOGY systems*.

(555.800.071)



MX Sounder Module

The SNM800 Sounder Notification Module can be used to switch an external power source to sounders, extinguishing devices or other auxiliary equipment.

(SNM800)



MX Module Back Box

MX Module Back Box

(517.035.010)



MIO800 Multi Input Output Module (can use on 4100ESi)

The MIO800 Multi-Input Output Module allows multiple input and output connections to be made between external equipment and the MX DIGITAL loop. Three inputs and two outputs are provided.

(555.800.065)



MIO800 DIN Rail Mounting Kit

DIN Rail Mounting Kit

(557.201.303)



Mini Input Module

The MIM800 Mini Input Module monitors a voltage-free contact and transmits its state to the c.i.e. It can be programmed to monitor either Normally Open (default) or Normally Closed contacts.

(MIM800)



M520 Ancillary Cover for MX Devices

MX Module Cover incl PCB cover and screws

(517.035.007)



LIM800 Line Isolator Module

The LIM800 Line Isolator Module is designed to be used on the MX addressable controller loop circuits

(545.800.004)



Dual Detector Module DDM800 (can use on 4100ESi)

The DDM800 may be used to connect two circuits of conventional 20V detectors and interface them with an MX addressable fire alarm system.

(577.800.006)



Detector Input Module

The DIM800 Detector Input Module interfaces two collective detector circuits onto the MX addressable loop. Each circuit can support 3mA of detector quiescent current and requires a 4k7 Ohm End Of Line resistor

(DIM800)



D800 Ancillary Housing - IP65 Enclosure for MX Modules

The D800 Ancillary Housing provides an IP55 rated enclosure for all MX modules. It incorporates a window to view the module LED.

(557.201.401)



Contact Input Module

The CIM800 Addressable Contact Input Module monitors and supervises two circuits of voltage-free contacts such as outputs from extinguishing systems, ventilation controls, fire door controls, sprinkler flow switches, non-indicating hard contact detectors, etc.

(CIM800)



Alarm Acknowledgement Modules



AAM4 Alarm Acknowledgement Module

The FP0842 Alarm Acknowledge Module provides a facility to locally annunciate a smoke/CO detector alarm, and for the occupant to acknowledge and clear a false fire alarm without the fire brigade being called.

(FP0842)



AAM2 Cver, "Pres to Ack' Fire Alarm Cancelled"

The AAM2 can be used with the FA2317 face plate for general alarm indication, annunciation and acknowledgment, e.g., a Nurses Station.

(FA2317)



AAM2 Cover, "Pres to Ack' Alarm Cancelled"

The AAM2 can be used with the FA2318 face plate to make an Alarm Acknowledgment Module, as FA2318 contains the additional text information and space for the investigation time to be filled in on-site.

(FA2318)



AAM2 Alarm Acknowledgement Module

AAM2 Alarm Acknowledge Module (no sounder) is the basis for the AAM2.

(ME0420)

4 total products.



AS4428 Network Displays



NDU AS4428 Network Display, 4U 19" Rack Module

The Network Display Unit (NDU) is a fire alarm repeater panel compatible with the Panel-Link Network and the associated range of networked fire alarm systems (eg. MX4428, F3200). It provides alphanumeric display of alarms on a 2 line by 40 character LCD and keypad. The NDU is able to display alarms and status, and control all fire alarm panels connected to the network.

(FP0794)

1 total products.



AS4428 Remote Display Unit



AS4428 Remote Display Unit Wall Mount

The AS4428.1 Remote LCD Display Unit (RDU) is a fire alarm repeater panel compatible with the MX4428 and F3200 range of fire alarm systems. It provides an alphanumeric display of alarms on a 2 line by 40 character LCD and keypad.

(FP0787)



AS4428 Remote Display Unit Flush Mount

The AS4428.1 Remote LCD Display Unit (RDU) is a fire alarm repeater panel compatible with the MX4428 and F3200 range of fire alarm systems. It provides an alphanumeric display of alarms on a 2 line by 40 character LCD and keypad.

(FP0788)

2 total products.



Audio Visual Indicators



Strobe Light Multi-Candela Synchronised White Wall Mount

The 4906-910x Multi-Candela strobe is a high output xenon strobe capable of signalling evacuation using the ISO 8201 "T3" temporal pattern, as required by AS1670.4-2004 and AS1670.1-2004.

(4906-9103)



Strobe Lamp - Red TK86HP24 (3.15 joules, 320mA, 90FPM, IP55)

Strobe Lamp - Red TK86HP24
(EA0306)



Strobe Lamp - Red Ax35 (0.6 joules, 100mA, 130FPM, IP54)

Strobe Lamp - Red Ax35
(EA0302)



Strobe Lamp - Amber TK86HP24 (3.15 joules, 320mA, 90FPM, IP55)

Strobe Lamp - Amber TK86HP24
(EA0305)



Strobe Lamp - Amber Ax35 (0.6 joules, 100mA, 130FPM, IP54)

Strobe Lamp - Amber Ax35
(EA0301)



Red Surface Mount Strobe with Backbox c/w "FIRE" Lettering 24VDC

The 40020B is designed to be mounted on a flat external wall. It is weather resistant and made of fire resistant ABS. Screws, caps and a back box is supplied.
(40020B)



ISO 8201 Strobe Driver Board PCB Assy 1922-77

The ISO 8201 Strobe Driver generates an ISO 8201 compliant "T3" pattern for the Multi-Candela strobe 4906-9104.
(PA1043)




AVI MK2 Kit Red Double Sided Expansion, not for IP65 AVI

Adds 2nd cover and base w/ht 2 LED boards for ceiling mounted double sided 2 line red signs
(KT0293)



AVI MK2 Face Plate "Warning - Fire Door Closing"

Faceplate "Warning - Fire Door Closing"
3-line Red UV stable
(FA2710)




AVI MK2 Face Plate "Fire Alarm - Evacuate Area"

Faceplate "Fire Alarm - Evacuate Area"
2-line Red UV stable
(FA2700)




AVI MK2 Face Plate "Fire Alarm - Do Not Enter"

Faceplate "Fire Alarm - Do Not Enter"
2-line Red UV stable
(FA2701)



AVI MK2 Face Plate "Extinguishing System Inoperative"

Faceplate "Extinguishing System Inoperative"
3-line Yellow UV stable
(FA2776)




AVI MK2 Face Plate "Do Not Enter - Inergen Gas Discharged"

Faceplate "Do Not Enter - INERGEN Gas Discharged"
3-line Red UV stable
(FA2704)



AVI MK2 Face Plate "Do Not Enter - FM200 Gas Discharged"

Faceplate "Do Not Enter - FM200 Gas Discharged"
3-line Red UV stable
(FA2703)



AVI MK2 Face Plate "Do Not Enter - CO2 Gas Discharged"

Faceplate "Do Not Enter - CO2Gas Discharged"
3-line Red UV stable
(FA2702)



AVI MK2 3 Line Yellow LED Display

The AVI Mk2 is an illuminated warning sign that produces distinct audible and visual indication of an emergency. It is designed for use with fire alarm or gaseous fire extinguishing systems, or other applications where clear audio-visual warning is required. On activation, the AVI's internal LEDs illuminate the lettering on the 2 or 3 line sign faceplate/s and the internal loudspeaker produces either ISO 8201 or AS 2220 audible warning signals.
(FP0854)



AVI MK2 2 to 3 Line Conversion Kit for FP0853

Adds a 3rd LED board to make 3-line red sign
(KT0292)



AVI MK2 2 Line Red LED Display

The AVI Mk2 is an illuminated warning sign that produces distinct audible and visual indication of an emergency. It is designed for use with fire alarm or gaseous fire extinguishing systems, or other applications where clear audio-visual warning is required. On activation, the AVI's internal LEDs illuminate the lettering on the 2 or 3 line sign faceplate/s and the internal loudspeaker produces either ISO 8201 or AS 2220 audible warning signals.
(FP0853)



AVI IP65 MK2 3 Line Yellow LED Display

The AVI Mk2 is an illuminated warning sign that produces distinct audible and visual indication of an emergency. It is designed for use with fire alarm or gaseous fire extinguishing systems, or other applications where clear audio-visual warning is required. On activation, the AVI's internal LEDs illuminate the lettering on the 2 or 3 line sign faceplate/s and the internal loudspeaker produces either ISO 8201 or AS 2220 audible warning signals.

(FP1038)



AVI IP65 MK2 2 Line Red LED Display

The AVI Mk2 is an illuminated warning sign that produces distinct audible and visual indication of an emergency. It is designed for use with fire alarm or gaseous fire extinguishing systems, or other applications where clear audio-visual warning is required. On activation, the AVI's internal LEDs illuminate the lettering on the 2 or 3 line sign faceplate/s and the internal loudspeaker produces either ISO 8201 or AS 2220 audible warning signals.

(FP1037)

20 total products.



Battery Boxes/Empty Cabinets



F3200 Empty Cabinet with Window
750H x 211D x 550Dmm

MX4428/F3200 15U Cabinet only

(FP0556)



8U Battery Box 550 x 440 x 211mm

8U Battery Box - Empty

(FP0576)

2 total products.



Bells / Tone Generators



Gentex GX93 Mini Horn Temporal 3 or Continuous Tone

The GX93 is ideal for applications where a dependable alarm signal is required in hotels, dormitories, apartments, and other installations

(GX93R)



Gentex GX93 Mini Horn (White) Temporal 3 or Continuous Tone

The GX93 is ideal for applications where a dependable alarm signal is required in hotels, dormitories, apartments, and other installations

(GX93W)



Bell 24VDC Red 200mm dia.

Fire Bell red in colour 24VDC 200MM

(BELL01)



Back Box for BELL01

Surface mounting of bell box designed for use with the 150mm and 200mm Bell.

(BELL002)

4 total products.



Detector Guards



Wire Guard for Detectors (195 Dia. x 120 High)

W500 Series detector cages are available in a range of sizes to cater for most of the detectors that are available through Tyco Fire Protection Products.

(W502)



Wire Guard for Detectors (130 Dia. x 105 High)

W500 Series detector cages are available in a range of sizes to cater for most of the detectors that are available through Tyco Fire Protection Products.

(W504)



Wire Guard for Detectors (115 Dia. x 80 High)

W500 Series detector cages are available in a range of sizes to cater for most of the detectors that are available through Tyco Fire Protection Products.

(W500)



Stainless Steel Detector Cover - Flush Mounted

The STI-8200-SS Series detector cages are available in flush mount or surface mount configuration.

(STI-8200-SS)

4 total products.



Detectors Ceiling Tile Adaptors



CTA Complete Kit - Back Box, Bezel and Clamp

The Ceiling Tile Adaptor (CTA) is used to prepare a ceiling tile to be able to accept a complete base and detector assembly. It comprises a Bezel (1), Clamp (2) and Back Box (3).

(517.050.060)



CTA Bezel and Clamp Ceiling Tile Adaptor

Ceiling Tile Adaptor Bezel and Clamp

(517.050.057)



CTA Back Box alone Ceiling Tile Adaptor

Ceiling Tile Adaptor Back Box

(517.050.056)

3 total products.



Detectors Conventional Bases



5B 5" Universal Mounting Base

The 5B Universal Base is compatible with both the 614 collective series and the MX analogue addressable series of detectors and functional bases.

(517.050.017)

1 total products.



Detectors Conventional Intrinsically Safe



MR601TEX High Performance Optical Intrinsically Safe

The MR601TEX has been developed to overcome the slower response of the optical detectors to hot burning fires, by increasing the sensitivity of the optical detector when it is associated with a rapid change in temperature.

(516.054.011.y)



MDU601EX Enhanced Heat and Carbon Monoxide Detector

The MDU601EX detector combines the features of both the MU601EX detector and the MD601EX detector to provide a combined CO and Rate of Rise Heat Detector where the sensitivity of the CO detector is enhanced in response to a fast rate of change of temperature.

(516.061.001)



MD611EX Fixed Temperature Heat Detector

Where environmental conditions rule out the use of smoke detectors, MD601Ex/MD611Ex heat detectors may provide an acceptable, though less sensitive, alternative.

(516.052.041)



MD601EX Rate of Rise Heat Detector

Where environmental conditions rule out the use of smoke detectors, MD601Ex/MD611Ex heat detectors may provide an acceptable, though less sensitive, alternative.

(516.052.051)

4 total products.



Detectors Conventional Smoke



TYCO 614P Conventional Photo Optical Detector

The 614P is capable of detecting the visible smoke produced by materials which smoulder or burn slowly, i.e. soft furnishings, plastic foam etc. or 'smoke' produced by overheated but unburnt PVC.

(516.600.301)



TYCO 614CH Conventional Carbon Monoxide Detector

The 614CH fire detector provides very early warning of slow smouldering fires. The CO fire detector is well suited to many applications where heat detection is insufficient but smoke detection causes unwanted alarms. As CO travels more freely than smoke, the positioning of CO fire detectors is more flexible

(516.600.304)

2 total products.



Detectors Convventional Heat



Tyco 614TD Type D Heat Detector
(4098-9640EA)



Tyco 614TC Type C Heat Detector
(4098-9639EA)



Tyco 614TB Type B Heat Detector
(4098-9638EA)



Tyco 614TA Type A Heat Detector
(4098-9637EA)



T54B Type E Probe Heat Detector
Constructed from stainless steel, the T54B is an extremely rugged heat detector that can be used to detect fires in the harshest of environments.
(T4E60Xx)



System Sensor 885WP-B Heat Fixed Weatherproof
The 885WP-B is a 2 wire fixed temperature Type B heat detector. This detector is designed to provide open area protection in areas subject to moisture
(885WP-B)

6 total products.



Detectors GEN6



850PH MX Addr Photo Heat Detector c/w Isolator

With its ability to detect a wide range of fires from flaming to smouldering types, the 850PH combined smoke and heat multi-sensor detector is the preferred choice for a range of applications including industrial, retail and office environments.

(516.850.051.E)

1 total products.



Detectors GEN6 Bases



4B-I Isolator Base

The 4B-I Isolator Base serves as both a base for an 814 Series MX detector and a protection device against loop short circuits, monitoring the voltage on the MX addressable loop. When a short circuit is detected, the 4B-I isolates the affected section whilst allowing the rest of the addressable loop to function normally.

(517.050.043)



4B-EM 4" Euro Mount Back Box

The 4B Universal Base contains no electronics and is suitable for indoor applications of the 614 series conventional (non-addressable), 814 and 850 series analogue addressable detectors. It provides excellent space for cable access and terminations

(517.050.052)



4B-DHM 4" Deck-head Mount

The 4B Universal Base contains no electronics and is suitable for indoor applications of the 614 series conventional (non-addressable), 814 and 850 series analogue addressable detectors. It provides excellent space for cable access and terminations

(517.050.051)



4B-C Continuity Base

The 4B-C Continuity Base is used for most installations involving 850 Series detectors, as it allows the detector's in-built short circuit isolation function to be in-circuit when the detector is fitted and ensures continuity is maintained when the detector is removed.

(517.050.042)



4B Detector Base

The 4B Universal Base contains no electronics and is suitable for indoor applications of the 614 series conventional (non-addressable), 814 and 850 series analogue addressable detectors. It provides excellent space for cable access and terminations

(517.050.041)

5 total products.



Detectors GEN7



850P MX Addr Photo Detector c/w Isolator

The 850P is a state-of-the-art smoke detector using a photoelectric sensor which, in conjunction with the MX fire alarm panel, suits most fire detection applications. The 850P incorporates a unique "mousehole" design optical chamber with superior signal to noise ratio providing high resilience to dust and dirt which means reduced service costs

(516.850.052.E)

1 total products.



Detectors GEN8



850H MX Addr Heat Detector c/w Isolator

The 850H is a flexible cost-effective addressable heat detector with most of the features of MX VIRTUAL detectors. The 850H reports the temperature to the MX fire alarm panel which allows various detection modes

(516.850.053.E)

1 total products.



Detectors MX



814PH MX Photo & Heat Multi Detector c/w coating Thermistor (UK)

The 814P is a state-of-the-art smoke detector using a photoelectric sensor which, in conjunction with the MX fire indicator panel (CIE), suits most fire detection applications including smoke management systems. The smoke sensors incorporate a unique

(516.800.510)



814P MX Photo Optical Smoke Detector

The 814P is a state-of-the-art smoke detector using a photoelectric sensor which, in conjunction with the MX fire indicator panel (CIE), suits most fire detection applications including smoke management systems. The smoke sensors incorporate a unique

(516.800.517)



814I Ionisation Smoke Detector

Tyco 814I detectors are offered for old specifications which still call for ionisation smoke detectors. The 814CH and 814PH detectors offer improved performance and lower false alarms for most smoke detection applications.

(516.800.512)



814CH MX Carbon Monoxide/Heat Detector c/w coating Thermistor (UK)

The 814CH is a state-of-the-art combined CO and heat detector that allows a full set of detection modes to be implemented in the MX fire alarm panels to suit most fire detection applications. The 814CH is particularly well suited to areas and applications where smoke detector positioning is difficult or where smoke detectors are prone to false alarm.

(516.800.511)

4 total products.



Detectors MX Bases



SAM800 Sounder Driver Module

The Sounder Addressing Beacon SAB801 and Sounder Addressable Module, SAM800 are designed to control an MX loop powered sounder base or relay base for use with compatible MX CIE

(516.800.954)



SAB801 Sounder Address LED Beacon

The Sounder Addressing Beacon SAB801 and Sounder Addressable Module, SAM800 are designed to control an MX loop powered sounder base or relay base for use with compatible MX CIE

(516.800.956)



MX Programmable Relay Base

The 814RB Addressable Relay Base provides two sets of changeover volt-free relay contacts capable of switching 1A (resistive) @30Vdc.

(814RB)



MX Mk2 Loop Powered Sounder Base

The 802SB/901SB Addressable Sounder Bases provide a sounder function on MX addressable systems. Designed for indoor use, they require an associated detector in order to operate, as each base is controlled by its detector.

(802SB)



901SB Sounder Base (Externally Powered)

The 901SB Addressable Sounder Bases provide a sounder function on MX addressable systems. Designed for indoor use, they require an associated detector in order to operate, as each base is controlled by its detector.

(516.800.911)



5B 5" Universal Isolator Mounting Base


5B 5" Universal Isolator Mounting Base

(517.050.018)

6 total products.



Devices MX4428



VIO800 VESDA Interface Module c/w Bracket (can use on 4100ESi)

The VIO800 is an arrangement of the MIO800 Addressable Multi-I/O Module supplied ready to be fitted on to a VESDA LaserPLUS™ or Laser SCANNER

(516.018.014)



SIO800 Relay Output Module

The RIM800 Relay Interface Module provides one volt-free changeover contact which is not supervised. The relay is controlled by a command sent from the CIE via the addressable loop and may be used to signal a state to other systems (security systems, for example) or to energise loads such as Door Holders

(RIM800)



Single Input / Output Module

(555.800.063)



QRM850 Quad Relay Module

The MX Quad Ancillary Modules form a versatile new range of multiple input and output modules for use with MX TECHNOLOGY systems*

(555.800.073)



QMO850 Quad Monitored Output

The MX Quad Ancillary Modules form a versatile new range of multiple input and output modules for use with MX TECHNOLOGY systems*


(555.800.070)



QIO850 Quad I/O Module

The MX Quad Ancillary Modules form a versatile new range of multiple input and output modules for use with MX TECHNOLOGY systems*

(555.800.071)



MX Sounder Module

The SNM800 Sounder Notification Module can be used to switch an external power source to sounders, extinguishing devices or other auxiliary equipment.

(SNM800)



MX Module Back Box

MX Module Back Box

(517.035.010)



MIO800 Multi Input Output Module (can use on 4100ESi)

The MIO800 Multi-Input Output Module allows multiple input and output connections to be made between external equipment and the MX DIGITAL loop. Three inputs and two outputs are provided.

(555.800.065)



MIO800 DIN Rail Mounting Kit

DIN Rail Mounting Kit

(557.201.303)



Mini Input Module

The MIM800 Mini Input Module monitors a voltage-free contact and transmits its state to the c.i.e. It can be programmed to monitor either Normally Open (default) or Normally Closed contacts.

(MIM800)



M520 Ancillary Cover for MX Devices

MX Module Cover incl PCB cover and screws

(517.035.007)



LIM800 Line Isolator Module

The LIM800 Line Isolator Module is designed to be used on the MX addressable controller loop circuits

(545.800.004)



Dual Detector Module DDM800 (can use on 4100ESi)

The DDM800 may be used to connect two circuits of conventional 20V detectors and interface them with an MX addressable fire alarm system.

(577.800.006)



Detector Input Module

The DIM800 Detector Input Module interfaces two collective detector circuits onto the MX addressable loop. Each circuit can support 3mA of detector quiescent current and requires a 4k7 Ohm End Of Line resistor

(DIM800)



D800 Ancillary Housing - IP65 Enclosure for MX Modules

The D800 Ancillary Housing provides an IP55 rated enclosure for all MX modules. It incorporates a window to view the module LED.

(557.201.401)



Contact Input Module

The CIM800 Addressable Contact Input Module monitors and supervises two circuits of voltage-free contacts such as outputs from extinguishing systems, ventilation controls, fire door controls, sprinkler flow switches, non-indicating hard contact detectors, etc.

(CIM800)



Door Holders



Magnetic Door Holder Wall Mounted 25kg

The FP0101 Electromagnetic Door Holder is designed to hold fire and smoke doors open under normal conditions, but automatically close under their own spring return mechanism when a fire or smoke alarm system is activated.

(FP0101)



Magnetic Door Holder Release Switch

The EA0405 Electromagnetic Door Holder Release is designed to allow fire and smoke doors to be opened manually. A standard switch plate mounting is used. A momentary action switch de-energises the door holder allowing the door to open.

(EA0405)



Magnetic Door Holder Floor Mounted 40kg

The EA0409 Floor Mount Door Holder comprises of a Box and Door Holder that will retain a load of 25kg. The Box provides a convenient attractive cover protecting the door holder from accidental damage.

(EA0409)



Magnetic Door Holder 300mm Straight

The EA0408 Electromagnetic Door Holder is designed to hold fire and smoke doors open under normal conditions, but automatically close under their own spring return mechanism when a fire or smoke alarm system is activated.

(EA0408)



Magnetic Door Holder 150mm Straight

The EA0407 Electromagnetic Door Holder is designed to hold fire and smoke doors open under normal conditions, but automatically close under their own spring return mechanism when a fire or smoke alarm system is activated.

(EA0407)

5 total products.



Duct Housings



D51 Duct Housing with Base to Suit MX Detectors

The D51MX consists of a D51 duct sampling housing fitted with a 5B base wired to suit an MX analogue addressable 814P or 814PH photoelectric smoke detector

(D51MX)

1 total products.



F3200 AS4428 Panels



F3200 FIP 8 Zones Fitted Small Cabinet 3A MAF/PSU

The 8 zone F3200 will suit small installations requiring a system up to 8 detection circuits.

(FP0784)



F3200 FIP 8 Zone Fitted 64 Max c/w Cardframe 3A PSU

The F3200 is a self-contained, modular, microprocessor based FIP which performs the functions of the CIE as specified by AS 4428.

(FP0781)



F3200 FIP 8 Zone Fitted 24 Max No Cardframe 6A PSU

The F3200 is a self-contained, modular, microprocessor based FIP which performs the functions of the CIE as specified by AS 4428.

(FP0782)



F3200 FIP 8 Zone Fitted 24 Max No Cardframe 3A PSU

The F3200 is a self-contained, modular, microprocessor based FIP which performs the functions of the CIE as specified by AS 4428.

(FP0780)



F3200 AS4428 FIP STD CAB 6AMP 1U Gas Control Pre-Programmed

The F3200 Single Zone (single risk) Gas Control Panel is designed to meet the CIE requirements of AS 4214-2002, "Gaseous Fire Extinguishing Systems".

(FP0877)



F3200 AS4428 FIP 8U CAB 3AMP 1U Gas Control Pre-Programmed

The F3200 Single Zone (single risk) Gas Control Panel is designed to meet the CIE requirements of AS 4214-2002, "Gaseous Fire Extinguishing Systems".

(FP0876)

6 total products.



F3200 Options



F3200 Cardframe Upgrade Kit

A KT0072 Cardframe upgrade kit can be fitted to a 15U F3200 to allow it to take more than three 8 way modules

(KT0072)



F3200 8 Zone Input Expansion Kit

F3200 8 Zone Input Expansion. This module features 8 op to isolated digital inputs.

(FP0553)



F3200 8 Relay Expansion Kit

This F3200 relay Board designed for industrial applications requiring isolation between the computer and the external signals it is monitoring and controlling. This module features 8 optoisolated digital inputs and 8 relay outputs.

(FP0554)



Display Extender Kit Additional to FZ3031

Display Extender Kit includes PA0454 16Z display PCB, LM0046 standoffs, power leads, diffuser, zone name label master.

(FP0475)

4 total products.



F4000 Responders



F4000 Responder Relay Module (RRM) PCB Assembly 1901-15

The Responder Relay Module (RRM) is an optional add-on board to an ADR. When added the responder the combination is referred to as an Advanced Relay Responder (ARR). The RRM provides four relay outputs, which may be individually configured as supervised or not.

(PA0453)



F4000 Multi-Protocol Resp (MPR) 1901-141

MPR Responder in Box (PA0713 PCB only)

(FP0575)



F4000 Multi Prot Resp (MPR) PCB Assy 1901-141

Multi Protocol Responder (MPR)

(PA0713)



F4000 Loop Booster Unit 1901-36

The MX4428/F4000 Loop Booster overcomes problems such as Responder loop voltage drop and excessive loop length that would otherwise necessitate a restriction in responders or the use of thicker loop cable

(FP0487)



F4000 ADR-M 4mA Detector Current 1901-116

The F4000 version of ADR supports the 15V MCP, the 614 series of detectors and all the other detectors from earlier versions of ADR, along with some new programmable circuit types.

(FP0755)



ADR-M 2.5mA 3K3 EOL PCB 1901-200

The PA0844 version of ADR-M is used as a retrofit where existing detector circuits use a resistor ELD in the range of 1k5 to 3k3 ohms (restrictions apply), and Intrinsically Safe applications – since the intrinsically safe Active ELDs (EOL0022Ex) are no longer available for the standard ADR-M and the replacement units (EOL002B) are not intrinsically safe approved.

(PA0844)

6 total products.



Flame Detector Test Equipment



T210 Test Source for S200 Series Detectors (Need X704 & X100/X101)

T210+ Test Source for use with SOLO 704 Adaptor Tube B and SOLO100/101 poles

(592.001.016)



T210 Adaptor for use with S200 Series Detectors


T210+ Adaptor for S200 Detectors

(592.001.014)

2 total products.



Flame Detectors & Accessories



S100/S200 Bracket Assembly
Stainless Steel for use with S100/S200
Flame Detectors

Stainless Steel bracket assy for with all S100/200 Series
detectors

(517.001.184)



601FEX Conventional Flame Detector
Intrinsically Safe

The 601FEx point type flame detectors are part of the 600
series of non-addressable detectors. The 601FEx is a full
featured flame detector for indoor use.

(516.600.066)

2 total products.



Gas Control Equipment



Local Gas Control Station Auto c/w Isolate Switch

Local Gas Control Stations (LGCS) are used in gaseous fire extinguishing systems to provide local area manual control of a release. The automatic version includes a Gas Inhibit switch, buzzer and LED, whereas the manual version (FP0572) does not.

(FP0570)



AS4428 4 Zone Gas Control 7U Door

Gas Control Modules provide indication and control of 1-4 zones of gas extinguishing on F3200 and MX4428 CIE. They are pre-wired modules (requiring appropriate input/output modules).

(ME0441)



AS4428 1 Zone Gas Control 1U Bracket

Gas Control modules provide indication and control of 1-4 zones of gas extinguishing F3200 and MX4428

(ME0442)

3 total products.



Loop Powered Sounders and Beacons



LPSY865R - Addressable Loop Powered Sounder

MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.962)



LPSY800W - Addressable Loop Powered Sounder

MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.961)



LPSY800R - Addressable Loop Powered Sounder

MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.960)



LPAV865 Addressable Sounder Beacon Outdoor IP65

MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.965)



LPAV800W - Addressable Loop Powered Sounder Beacon

MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.964)



LPAV800R - Addressable Loop Powered Sounder Beacon

MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.963)



Addressable Loop Powered Sounder

MX Loop Powered Sounders use MX TECHNOLOGY communications for control and power.

(516.800.)

7 total products.



Manual Call Points



Transparent Hinged Cover Suits KAC Manual Call Points

Transparent Hinged Cover Suits KAC Manual Call Points
(SU0615)



Spare Glass - Pack 10, Tyco Logo

Spare glass Tyco logo (pkt 10) white text on black background
(SU0603)



Spare Glass - Pack 10, Simplex Logo

Spare glass Black pictogram on which back ground
(SU0609)



MX Addressable IP67 Weatherproof MCP CP830

MCP and Backbox
(514.800.604.Y)



MX Addressable Indoor Call Point (no back box)

The CP820 Indoor Addressable Manual Call Point has a plastic coated frangible element to ensure safe and reliable operation, producing no dangerous glass shards. It is operated by simply pressing on the centre of the frangible element until it snaps.
(CP820)



MCP830 MX IP67 Addressable MCP with Isolator No Backbox

(514.800.612)



MCP820 MX Addressable MCP with Isolator No Backbox

(514.800.611)



KAC RED Manual Call Point (back box only)

Red Backbox
(SU0632)



KAC RED Manual Call Point

The SU0631 Manual Call Point is supplied with one normally open and one normally closed contact.
(SU0631)



KAC Manual Call Point Test Key (Pack of 10)

Packet of ten Test keys for Tyco MCPs
(SC070)



KAC Manual Call Point Plastic Insert Element

Flexible plastic element
(515.001.127)



KAC Manual Call Point - IP67 Weatherproof/Special Environment Unbranded

This surface mounting Manual Call Point has an Ingress Protection rating of IP67, making it suitable for wet area applications. The callpoint is operated by simply pressing on the centre of the frangible element until it snaps, which releases a microswitch, signaling an alarm at the CIE.
(SU0634)

12 total products.



MX AS4428 Options



MX4428 PSU,240VAC 24V 2.5A Mains Socket Fitted (replaces FP0874)

The 5A ME0476 Power Supply is a direct replacement for older 2.5A FP0874/FP0825 supplies

(ME0476)

1 total products.



MX Hazardous Detectors/Devices



MX CP840Ex Intrinsically Safe(I.S) Manual Callpoint

The CP840Ex Intrinsically Safe Waterproof Break Glass Manual Call Point is designed to monitor and signal the condition of the switch contact associated with the call point. The callpoint is designed to comply with EN 50 014 and EN 50 020 for intrinsically safe apparatus.

(514.800.513)



MX 801PHEX Intrinsically Safe (I.S) Photoelectric & Heat Detector

The 801PHEX Intrinsically Safe Optical Smoke & Heat Detector plugs into a 5BEx base. The detector is designed to transmit to a remote MX fire controller, digital signals which represent the status of the optical smoke and heat elements of the detector.

(516.800.530)



MX 801HEX Intrinsically Safe (I.S) Heat Detector

The 801HEX Intrinsically Safe Heat Detector forms part of the 800Ex Intrinsically Safe Series of MX Addressable Fire Detectors. The detector plugs into a 5BEx base

(516.800.532)



MX 801CHEX Intrinsically Safe (I.S) Carbon Monoxide & Heat Detector


The 801CHEX Intrinsically Safe Carbon Monoxide plus Heat Detector forms part of the 800Ex Intrinsically Safe Series of MX Addressable Fire Detectors. The detector plugs into a 5BEx base.

(516.800.531)

4 total products.



MX1



VIO800 VESDA Interface Module c/w Bracket (can use on 4100ESi)

The VIO800 is an arrangement of the MIO800 Addressable Multi-I/O Module supplied ready to be fitted on to a VESDA LaserPLUS™ or Laser SCANNER

(516.018.014)



SIO800 Relay Output Module

The RIM800 Relay Interface Module provides one volt-free changeover contact which is not supervised. The relay is controlled by a command sent from the CIE via the addressable loop and may be used to signal a state to other systems (security systems, for example) or to energise loads such as Door Holders

(RIM800)



Single Input / Output Module

(555.800.063)



QRM850 Quad Relay Module

The MX Quad Ancillary Modules form a versatile new range of multiple input and output modules for use with MX TECHNOLOGY systems*

(555.800.073)



QMO850 Quad Monitored Output

The MX Quad Ancillary Modules form a versatile new range of multiple input and output modules for use with MX TECHNOLOGY systems*

(555.800.070)



QIO850 Quad I/O Module

The MX Quad Ancillary Modules form a versatile new range of multiple input and output modules for use with MX TECHNOLOGY systems*

(555.800.071)



MX Sounder Module

The SNM800 Sounder Notification Module can be used to switch an external power source to sounders, extinguishing devices or other auxiliary equipment.

(SNM800)



MX Module Back Box

MX Module Back Box

(517.035.010)



MIO800 Multi Input Output Module (can use on 4100ESi)

The MIO800 Multi-Input Output Module allows multiple input and output connections to be made between external equipment and the MX DIGITAL loop. Three inputs and two outputs are provided.

(555.800.065)



MIO800 DIN Rail Mounting Kit

DIN Rail Mounting Kit

(557.201.303)



Mini Input Module

The MIM800 Mini Input Module monitors a voltage-free contact and transmits its state to the c.i.e. It can be programmed to monitor either Normally Open (default) or Normally Closed contacts.

(MIM800)



M520 Ancillary Cover for MX Devices

MX Module Cover incl PCB cover and screws

(517.035.007)



LIM800 Line Isolator Module

The LIM800 Line Isolator Module is designed to be used on the MX addressable controller loop circuits

(545.800.004)



Dual Detector Module DDM800 (can use on 4100ESi)

The DDM800 may be used to connect two circuits of conventional 20V detectors and interface them with an MX addressable fire alarm system.

(577.800.006)



Detector Input Module

The DIM800 Detector Input Module interfaces two collective detector circuits onto the MX addressable loop. Each circuit can support 3mA of detector quiescent current and requires a 4k7 Ohm End Of Line resistor

(DIM800)



D800 Ancillary Housing - IP65 Enclosure for MX Modules

The D800 Ancillary Housing provides an IP55 rated enclosure for all MX modules. It incorporates a window to view the module LED.

(557.201.401)




Contact Input Module

The CIM800 Addressable Contact Input Module monitors and supervises two circuits of voltage-free contacts such as outputs from extinguishing systems, ventilation controls, fire door controls, sprinkler flow switches, non-indicating hard contact detectors, etc.

(CIM800)



MX1 AS4428 Panels



AS4428 Single Loop 15U c/w TGEN AUI / PPU

The VIGILANT MX4428 Single Loop panel is a competitively-priced fire detection and alarm system that targets small to medium sized applications

(FP0872)

1 total products.



MX1 AS7240 Panels



MX1 Single Loop 8U Panel 3U Blank (fit brigade kit separately)

The simple and cost effective solution for small to medium installations

The VIGILANT MX1 is an innovative, networkable, multi-loop analogue addressable fire indicator panel incorporating the latest technology and complying with the ISO-based AS 7240.2:2004 standard and including an integrated Fire Brigade Panel to AS 4428.3:2004.

(FP1040)



MX1 Single Loop 15U Panel 3U Blank

The Vigilant MX1 is an innovative single loop analogue addressable fire indicator panel incorporating the latest technology. It complies with AS 4428.3:2004, AS 7240.4:2004. Its support for Tyco MX technology, fuzzy logic detection algorithms and powerful control functions make it suitable for a wide range of fire protection applications for small to medium size systems and those in hazardous areas.

(FP0948)

2 total products.



MX1 Options



MX1 Loop Card Kit

The MX Digital Loop Card provides MX loop communications for the Simplex 4100ESi fire alarm panel via a single electrically isolated MX Digital loop. It supports up to 250 MX devices - detectors and modules - and provides up to 500mA of loop power.

(FP0950)

1 total products.



MX1 Responders



MXR Responder in Box
MXR Responder in Box
(FP0824)



MX4428 ADR-M 4mA Detector Current 1901-116
The FP0755 version of ADR supports the 15V MCP, the 614 series of detectors and all the other detectors from earlier versions of ADR, along with some new programmable circuit types.
(FP0755)



MX Loop Filter Board
The MXP Loop Filter board is available for fitting to an MXP in order to further improve common-mode interference suppression that may occur as a result of the MXP detector loop not being adequately separated from power wiring, lift motors etc.
(PA1038)

3 total products.



MX1 Tools



850EMT Engineer Manager Tool (complete Kit)

The 850EMT is used to program the address into MX addressable devices. When used with VIGILANT MX1 systems, the 850EMT can also remotely interrogate, address and test 850 Series detectors via a two-way infrared link.

(850EMTK)

1 total products.



MX4428 and MX1 Panels



T-GEN / QE90 Microphone Flat 4-way plug (ECP9702 only)

The hand held dynamic microphone is fitted with a press-to-talk button. It is suitable for plugging into T-GEN 50 and QE90 to provide emergency PA and recording of digitised speech message.

(ME0290)



Isolation Amplifier, 100V, 50W

The FP0875 Isolation Amplifier connects to an existing 100V speaker line and reproduces this signal at up to 50W load on a separate supervised 100V line. It is suitable for use with speech and music as well as with warning tones.

(FP0875)

2 total products.



Power Supplies In Cabinets



**VESDA Power Supply in Cabinet
24VDC 2A to match VESDA LaserPlus**

This Series 1948 Power Supply is designed match the VESDA LaserPLUS and LaserSCANNER detectors in size and colour.

(FP0852)



**PSU 24VDC 12A (PSU2412F)
Mounted in 8U x 180 Battery Box**

FP0803 comprises an ME0343 (PSU2412F 2U rack mounted) power supply for AS 1603.4 & AS 4428 MX4428/F4000 mounted within the FP0576 8U 19" rack battery box.

(FP0803)



Power Supply 1948 Series 24VDC 2A

Series 1948 Power Supplies are designed specifically for use in fire alarm systems. They provide a compact, self-contained 24 volts dc mains power supply.

(FP0766)

3 total products.



Remote Indicators



**Round Remote Indicator 75mm Dia -
FIRE IN LIFT SHAFT**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E527)



**Round Remote Indicator 75mm Dia -
FIRE ALARM IN ROOM**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E523)



**Round Remote Indicator 75mm Dia -
FIRE ALARM IN ROOF**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E526)



**Round Remote Indicator 75mm Dia -
FIRE ALARM IN DUCT**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E525)



**Round Remote Indicator 75mm Dia -
FIRE ALARM IN CUPBOARD**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E529)



**Round Remote Indicator 75mm Dia -
FIRE ALARM IN CONCEALED
SPACE**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E521)



**Round Remote Indicator 75mm Dia -
FIRE ALARM ABOVE**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E524)



**Round Remote Indicator 75mm Dia -
FIRE ALARM**

The E500 Mk2 range of remote indicators provide remote indication of an alarm condition on a fire detector

(E502)

8 total products.



Solo Test Equipment



Thorn S330 Smoke Detector Tester
SOLO330 Aerosol dispenser for use with all detector ranges.
Connects directly to S100/S101 poles
(517.001.255)



Smoke Detector Test Kit Includes X100, X200, X330 and X600
SOLO811 Smoke detector test kit including SOLO330 aerosol dispenser, SOLO200 detector removal tool, SOLO100 pole, SOLO101 extension tube and SOLO610 equipment bag.
800RT and SOLO704 may be ordered separately.
(X811)

2 total products.



Solo Test Equipment Accessories



Thorn S200 Universal Detector Removal Tool - Requires X100/X101

SOLO200 Universal detector changer for use with various manufacturers detectors - not suitable for M600/900 series low profile. Connects directly to SOLO100/101 poles

(517.001.240)



Thorn S100 Telescopic Pole 1.26 - 4.5m Fibreglass

SOLO100 Telescopic pole 1.26m to 4.5m

(517.001.230)



Adapter between S100 and XM69 Changer

SOLO704 Adaptor tube B - adapts SOLO100/101 pole sets for TYCO detector changers and testers

(517.001.224)



800RT MX Detector Removal Tool

800RT M600/M800 Detector removal tool. Requires Adaptor B and SOLO 100 pole

(516.800.917)

4 total products.



Tone Generators BOWS



50W 8U T-GEN Building OWS 1986-2 BOWS

The VIGILANT Building Occupant Warning System (BOWS) is a self-contained AS 2220 or ISO 8201 Alert and Evacuate tone generator, with integral power supply, digitised speech messages, and PA microphone. It has been designed to connect directly to a fire alarm panel, but can also be used as a stand-alone unit. Zone-based non-emergency paging options, IP remote audio connectivity and multiple audio connectivity make the VIGILANT BOWS a versatile unit ideally suited to a variety of building occupant warning applications.

(FP1021)



100W 8U T-GEN OWS 1986-3 BOWS

The VIGILANT Building Occupant Warning System (BOWS) is a self-contained AS 2220 or ISO 8201 Alert and Evacuate tone generator, with integral power supply, digitised speech messages, and PA microphone. It has been designed to connect directly to a fire alarm panel, but can also be used as a stand-alone unit. Zone-based non-emergency paging options, IP remote audio connectivity and multiple audio connectivity make the VIGILANT BOWS a versatile unit ideally suited to a variety of building occupant warning applications.

(FP1022)

2 total products.



Tone Generators Suit F3200



T-GEN / QE90 Microphone Flat 4-way plug (ECP9702 only)

The hand held dynamic microphone is fitted with a press-to-talk button. It is suitable for plugging into T-GEN 50 and QE90 to provide emergency PA and recording of digitised speech message.

(ME0290)



Isolation Amplifier, 100V, 50W

The FP0875 Isolation Amplifier connects to an existing 100V speaker line and reproduces this signal at up to 50W load on a separate supervised 100V line. It is suitable for use with speech and music as well as with warning tones.

(FP0875)

2 total products.



Tools - Testing



Ventilax Smoke Emitter Pack of 5 (4 Minute Burn Time)

Ventilax Smoke Cartridge, 5 60g cartridges, dia 18x62mm, 17m3 smoke vol, 180-240s burn time

(X62)



Splintex Smoke Match Pack 25 Burn Time 25 Seconds

Splintex Smoke Matches, 25 1g matches, 0.7m3 smoke vol, 25s burn time

(X65-25)



Speech Intelligibility Meter & Talkbox

The STI-CIS Analyser measures the speech intelligibility of a fire alarm evacuation signal. The TALKBox is used to send the STI-PA test tone into the fire alarm warning system. It interfaces with the system through its microphone input.

(STI-CIS)



Solo Test Smoke - Aerosol Can

Solo Test Smoke 250ml can

(517.001.279)



MIMIMAX Smoke Emmitter Pack 10 Burn Time 40 Seconds, Grey Smoke

Miniax Smoke Cartridge, 10 3g cartridges, dia 14x32mm, 2.5m3 smoke vol, 40s burn time

(X66)



Carbon Monoxide(CO) Test Gas Can

CO Detector Test Gas, 120g can

(517.001.262)



Brandax VS Smoke Emitter Pack of 5 (3-4 Minute Burn Time)

Brandax VS Smoke Cartridge, 5 60g cartridges, dia 32x62mm, 55m3 smoke vol, 180-240s burn time

(X61)

7 total products.



Fire Extinguishers



Wet Chemical ID Sign

This fire extinguisher identification sign allows fast and easy identification of an wet chemical type fire extinguisher.

(213005)



Water ID Sign

This fire extinguisher identification sign allows fast and easy identification of an air / water type fire extinguisher.

(213003)



Vehicle Bracket Over Centre Style to Suit 9.0kg DCP Fire Extinguisher

Vehicle Bracket Over Centre Style to Suit 9.0kg DCP Fire Extinguisher

(212005)



Vehicle Bracket Over Centre Style to Suit 4.5kg DCP Fire Extinguisher

Vehicle Bracket Over Centre Style to Suit 4.5kg DCP Fire Extinguisher

(212004)



Available in various colours

Tamperproof Seals Yellow Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214012)



Available in various colours

Tamperproof Seals White Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214011)



Available in various colours

Tamperproof Seals Red Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214010)



Available in various colours

Tamperproof Seals Purple Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214009)



Available in various colours

Tamperproof Seals Pink Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214008)



Available in various colours

Tamperproof Seals Orange Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214007)



Available in various colours

Tamperproof Seals Grey Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214006)



Available in various colours

Tamperproof Seals Green Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214005)



Available in various colours

Tamperproof Seals Blue Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214004)



Available in various colours

Tamperproof Seals Black Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214003)



Plastic Bag 9.0kg DCP Fire Extinguisher

These plastic bags are designed to protect your fire extinguishers in dusty / harsh environments such as manufacturing facilities or paint workshops. Manufactured from UV stable material they are also suitable for protecting fire extinguishers from the elements when used in an outdoor location.

(214002)



Plastic Bag 4.5kg DCP Fire Extinguisher

These plastic bags are designed to protect your fire extinguishers in dusty / harsh environments such as manufacturing facilities or paint workshops. Manufactured from UV stable material they are also suitable for protecting fire extinguishers from the elements when used in an outdoor location.

(214001)



Metal Split Ring for Date Tag Pack 100

This maintenance tag ring is used to attach maintenance service tags to items of fire equipment. The maintenance tag ring is of a split ring type and is made from steel.

(214013)



Metal Cabinet fits 9.0kg DCP Fire Extinguisher 003 Lock and Break Glass

Protect your fire extinguishers from the environment and reduce the opportunity for intentional misuse and theft.

(211001)



Metal Cabinet fits 4.5kg DCP Fire Extinguisher 003 Lock and Break Glass

Protect your fire extinguishers from the environment and reduce the opportunity for intentional misuse and theft.

(211002)



Maintenance Date Tag Punch

This maintenance service tag punch is used to punch maintenance service tags in accordance with AS1851:2012. It is used to define the date that the fire equipment first came into service and also what month the services have been carried out in.

(214015)



Maintenance Date Tag Aluminium Pack 100

Maintenance tags are a requirement of AS1851:2012 and are used to define the date that the fire equipment first came into service and also what month the services have been carried out in

(214014)



Heavy Duty Vehicle Bracket to Suit 9.0kg DCP Fire Extinguisher

Heavy Duty Vehicle Bracket to Suit 9.0kg DCP Fire Extinguisher

(212003)



Heavy Duty Vehicle Bracket to Suit 4.5kg DCP Fire Extinguisher

Heavy Duty Vehicle Bracket to Suit 4.5kg DCP Fire Extinguisher

(212002)



Heavy Duty Vehicle Bracket to Suit 2.5kg DCP Fire Extinguisher

Heavy Duty Vehicle Bracket to Suit 2.5kg DCP Fire Extinguisher

(212001)



Foam ID Sign

This fire extinguisher identification sign allows fast and easy identification of an AFFF air/foam type fire extinguisher

(213004)



Fire Extinguisher Service Scales 50kg

These high quality digital scales are ideal for weighing fire extinguishers as required by AS1851:2012.

(1000-8000)



Fire Extinguisher Location Sign 150mm x 225mm Right Angle

Fire extinguisher location signs are a requirement of AS2444:2001 and are required to identify the location of any fire extinguisher. This sign has an angled section that can be fixed to a wall and allows easy location of a fire extinguisher in an area such as a corridor where the fire extinguisher has been placed in a recess and is not immediately obvious

(213021)



Fire Extinguisher Location Sign 150mm x 225mm

This fire extinguisher location sign is a requirement of AS2444:2001 and is required to identify the location of any fire extinguisher

(213020)



Fire Blanket Location Sign 150mm x 225mm Right Angle

Fire blanket location signs are a requirement of AS2444:2001 and are required to identify the location of any fire blanket. This sign has an angled section that can be fixed to a wall and allows easy location of a fire blanket in an area such as a kitchen where the fire blanket has been placed in a recess and is not immediately obvious.

(213023)



Fire Blanket Location Sign 150mm x 225mm

This fire blanket location sign is a requirement of AS2444:2001 and is required to identify the location of any fire blanket.

(213022)



Fire Blanket 1.8m x 1.8m

This high quality 1.8m x 1.8m fire blanket is the largest size available. It is ideal for commercial kitchen and workshop use. The fire blanket is fixed using 2 simple fixings such as hooks or screws.

(215004)



Fire Blanket 1.2m x 1.8m

This high quality 1.2m x 1.8m fire blanket is ideal for commercial kitchen and workshop use. The fire blanket is fixed using 2 simple fixings such as hooks or screws.

(215003)



Fire Blanket 1.2m x 1.2m

This high quality 1.2m x 1.2m fire blanket is ideal for home or small kitchen use. The fire blanket is fixed using 2 simple fixings such as hooks or screws.

(215002)



Fire Blanket 1.0m x 1.0m

This high quality 1m x 1m fire blanket is ideal for home or small kitchen use. The fire blanket is fixed using a simple single fixing such as a hook or screw.

(215001)



Fibreglass Cabinet fits 9.0kg DCP Fire Extinguisher 003 Lock & Break Glass

This high quality fibreglass fire extinguisher cabinet is designed to protect your fire extinguishers from the environment and reduce the opportunity for intentional misuse and theft.

(211004)



Fibreglass Cabinet fits 9.0kg DCP Fire Extinguisher

This quality fibreglass fire extinguisher cabinet is designed to protect your fire extinguishers from the environment and reduce the opportunity for intentional misuse.

(211003)



CO2 ID Sign

This fire extinguisher identification sign allows fast and easy identification of an CO2 type fire extinguisher.

(213002)



Cannon Style Vehicle Bracket to Suit 9.0kg DCP Fire Extinguisher

Cannon Style Vehicle Bracket to Suit 9.0kg DCP Fire Extinguisher

(212007)



Cannon Style Vehicle Bracket to Suit 4.5kg DCP Fire Extinguisher

Cannon Style Vehicle Bracket to Suit 4.5kg DCP Fire Extinguisher

(212006)



ABE Powder ID Sign

This fire extinguisher identification sign allows fast and easy identification of an ABE type fire extinguisher.

(213001)



9.0L Water Fire Extinguisher

Air Water fire extinguisher is suitable for the following Applications:

- A Class Fires (paper, wood, textiles)
- The Air Water Extinguisher should not be used on B or E class fires

(204001)



9.0L Foam Fire Extinguisher

Foam fire extinguisher is suitable for the following Applications:

- A Class Fires (paper, wood, textiles)
- B Class Fires (flammable liquid fires such as oils, paints and solvents)
- Do not use on E Class fires

(203001)



9.0kg ABE Powder Fire Extinguisher

ABE fire extinguisher is suitable for the following applications:

- A Class Fires (paper, wood, textiles)
- B Class Fires (flammable liquid fires such as oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(201008)



7.0L Wet Chemical Fire Extinguisher

Foam fire extinguisher is suitable for the following Applications:

- A Class Fires (paper, wood, textiles)
- F Class Fires including cooking oils & fats

(205002)



5.0kg CO2 Fire Extinguisher

CO2 fire extinguisher is suitable for the following Applications:

- B Class Fires (flammable liquid fires such as Oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(202003)



4.5kg ABE Powder Fire Extinguisher - HP

ABE fire extinguisher is suitable for the following applications:

- A Class Fires (paper, wood, textiles)
- B Class Fires (flammable liquid fires such as oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(201007)



4.5kg ABE Powder Fire Extinguisher

ABE fire extinguisher is suitable for the following applications:

- A Class Fires (paper, wood, textiles)
- B Class Fires (flammable liquid fires such as oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(201006)



3.5kg CO2 Fire Extinguisher

CO2 fire extinguisher is suitable for the following Applications:

- B Class Fires (flammable liquid fires such as Oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(202002)



2.5L Wet Chemical Fire Extinguisher

Foam fire extinguisher is suitable for the following Applications:

- A Class Fires (paper, wood, textiles)
- F Class Fires including cooking oils & fats

(205001)



2.5kg ABE Powder Fire Extinguisher

ABE fire extinguisher is suitable for the following applications:

- A Class Fires (paper, wood, textiles)
- B Class Fires (flammable liquid fires such as oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(201005)



2.0kg CO2 Fire Extinguisher

CO2 fire extinguisher is suitable for the following Applications:

- B Class Fires (flammable liquid fires such as Oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(202001)



1.0kg ABE Powder Fire Extinguisher

ABE fire extinguisher is suitable for the following applications:

- A Class Fires (paper, wood, textiles)
- B Class Fires (flammable liquid fires such as oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(201001)

52 total products.



Accessories



Wet Chemical ID Sign

This fire extinguisher identification sign allows fast and easy identification of a wet chemical type fire extinguisher.

(213005)



Water ID Sign

This fire extinguisher identification sign allows fast and easy identification of an air / water type fire extinguisher.

(213003)



Vehicle Bracket Over Centre Style to Suit 9.0kg DCP Fire Extinguisher

Vehicle Bracket Over Centre Style to Suit 9.0kg DCP Fire Extinguisher

(212005)



Vehicle Bracket Over Centre Style to Suit 4.5kg DCP Fire Extinguisher

Vehicle Bracket Over Centre Style to Suit 4.5kg DCP Fire Extinguisher

(212004)



Available in various colours

Tamperproof Seals Yellow Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214012)



Available in various colours

Tamperproof Seals White Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214011)



Available in various colours

Tamperproof Seals Red Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214010)



Available in various colours

Tamperproof Seals Purple Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214009)



Available in various colours

Tamperproof Seals Pink Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214008)



Available in various colours

Tamperproof Seals Orange Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214007)



Available in various colours

Tamperproof Seals Grey Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214006)



Available in various colours

Tamperproof Seals Green Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214005)



Available in various colours

Tamperproof Seals Blue Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214004)



Available in various colours

Tamperproof Seals Black Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214003)



Plastic Bag 9.0kg DCP Fire Extinguisher

These plastic bags are designed to protect your fire extinguishers in dusty / harsh environments such as manufacturing facilities or paint workshops. Manufactured from UV stable material they are also suitable for protecting fire extinguishers from the elements when used in an outdoor location.

(214002)



Plastic Bag 4.5kg DCP Fire Extinguisher

These plastic bags are designed to protect your fire extinguishers in dusty / harsh environments such as manufacturing facilities or paint workshops. Manufactured from UV stable material they are also suitable for protecting fire extinguishers from the elements when used in an outdoor location.

(214001)



Metal Split Ring for Date Tag Pack 100

This maintenance tag ring is used to attach maintenance service tags to items of fire equipment. The maintenance tag ring is of a split ring type and is made from steel.

(214013)



Metal Cabinet fits 9.0kg DCP Fire Extinguisher 003 Lock and Break Glass

Protect your fire extinguishers from the environment and reduce the opportunity for intentional misuse and theft.

(211001)



Metal Cabinet fits 4.5kg DCP Fire Extinguisher 003 Lock and Break Glass

Protect your fire extinguishers from the environment and reduce the opportunity for intentional misuse and theft.

(211002)



Maintenance Date Tag Punch

This maintenance service tag punch is used to punch maintenance service tags in accordance with AS1851:2012. It is used to define the date that the fire equipment first came into service and also what month the services have been carried out in.

(214015)



Maintenance Date Tag Aluminium Pack 100

Maintenance tags are a requirement of AS1851:2012 and are used to define the date that the fire equipment first came into service and also what month the services have been carried out in

(214014)



Hose Reel OTK Clamp Crimping Tool



Heavy Duty Vehicle Bracket to Suit 9.0kg DCP Fire Extinguisher

Heavy Duty Vehicle Bracket to Suit 9.0kg DCP Fire Extinguisher

(212003)



Heavy Duty Vehicle Bracket to Suit 4.5kg DCP Fire Extinguisher

Heavy Duty Vehicle Bracket to Suit 4.5kg DCP Fire Extinguisher

(212002)



Heavy Duty Vehicle Bracket to Suit 2.5kg DCP Fire Extinguisher

Heavy Duty Vehicle Bracket to Suit 2.5kg DCP Fire Extinguisher

(212001)



Foam ID Sign

This fire extinguisher identification sign allows fast and easy identification of an AFFF air/foam type fire extinguisher

(213004)



Fire Extinguisher Service Scales 50kg

These high quality digital scales are ideal for weighing fire extinguishers as required by AS1851:2012.

(1000-8000)



Fire Extinguisher Location Sign 150mm x 225mm Right Angle

Fire extinguisher location signs are a requirement of AS2444:2001 and are required to identify the location of any fire extinguisher. This sign has an angled section that can be fixed to a wall and allows easy location of a fire extinguisher in an area such as a corridor where the fire extinguisher has been placed in a recess and is not immediately obvious

(213021)



Fire Extinguisher Location Sign 150mm x 225mm

This fire extinguisher location sign is a requirement of AS2444:2001 and is required to identify the location of any fire extinguisher

(213020)



Fire Blanket Location Sign 150mm x 225mm Right Angle

Fire blanket location signs are a requirement of AS2444:2001 and are required to identify the location of any fire blanket. This sign has an angled section that can be fixed to a wall and allows easy location of a fire blanket in an area such as a kitchen where the fire blanket has been placed in a recess and is not immediately obvious.

(213023)



Fire Blanket Location Sign 150mm x 225mm

This fire blanket location sign is a requirement of AS2444:2001 and is required to identify the location of any fire blanket.

(213022)



Fibreglass Cabinet fits 9.0kg DCP Fire Extinguisher 003 Lock & Break Glass

This high quality fibreglass fire extinguisher cabinet is designed to protect your fire extinguishers from the environment and reduce the opportunity for intentional misuse and theft.

(211004)



Fibreglass Cabinet fits 9.0kg DCP Fire Extinguisher

This quality fibreglass fire extinguisher cabinet is designed to protect your fire extinguishers from the environment and reduce the opportunity for intentional misuse.

(211003)



CO2 ID Sign

This fire extinguisher identification sign allows fast and easy identification of an CO2 type fire extinguisher.

(213002)



Clamp For Hose Reels



Cannon Style Vehicle Bracket to Suit 9.0kg DCP Fire Extinguisher

Cannon Style Vehicle Bracket to Suit 9.0kg DCP Fire Extinguisher

(212007)



Cannon Style Vehicle Bracket to Suit 4.5kg DCP Fire Extinguisher

Cannon Style Vehicle Bracket to Suit 4.5kg DCP Fire Extinguisher

(212006)



ABE Powder ID Sign

This fire extinguisher identification sign allows fast and easy identification of an ABE type fire extinguisher.

(213001)



Cabinets



Metal Cabinet fits 9.0kg DCP Fire Extinguisher 003 Lock and Break Glass

Protect your fire extinguishers from the environment and reduce the opportunity for intentional misuse and theft.

(211001)



Metal Cabinet fits 4.5kg DCP Fire Extinguisher 003 Lock and Break Glass

Protect your fire extinguishers from the environment and reduce the opportunity for intentional misuse and theft.

(211002)



Fibreglass Cabinet fits 9.0kg DCP Fire Extinguisher 003 Lock & Break Glass

This high quality fibreglass fire extinguisher cabinet is designed to protect your fire extinguishers from the environment and reduce the opportunity for intentional misuse and theft.

(211004)



Fibreglass Cabinet fits 9.0kg DCP Fire Extinguisher

This quality fibreglass fire extinguisher cabinet is designed to protect your fire extinguishers from the environment and reduce the opportunity for intentional misuse.

(211003)

4 total products.



Signage



Wet Chemical ID Sign

This fire extinguisher identification sign allows fast and easy identification of an wet chemical type fire extinguisher.

(213005)



Water ID Sign

This fire extinguisher identification sign allows fast and easy identification of an air / water type fire extinguisher.

(213003)



Foam ID Sign

This fire extinguisher identification sign allows fast and easy identification of an AFFF air/foam type fire extinguisher

(213004)



Fire Extinguisher Location Sign 150mm x 225mm Right Angle

Fire extinguisher location signs are a requirement of AS2444:2001 and are required to identify the location of any fire extinguisher. This sign has an angled section that can be fixed to a wall and allows easy location of a fire extinguisher in an area such as a corridor where the fire extinguisher has been placed in a recess and is not immediately obvious

(213021)



Fire Extinguisher Location Sign 150mm x 225mm

This fire extinguisher location sign is a requirement of AS2444:2001 and is required to identify the location of any fire extinguisher

(213020)



Fire Blanket Location Sign 150mm x 225mm Right Angle

Fire blanket location signs are a requirement of AS2444:2001 and are required to identify the location of any fire blanket. This sign has an angled section that can be fixed to a wall and allows easy location of a fire blanket in an area such as a kitchen where the fire blanket has been placed in a recess and is not immediately obvious.

(213023)



Fire Blanket Location Sign 150mm x 225mm

This fire blanket location sign is a requirement of AS2444:2001 and is required to identify the location of any fire blanket.

(213022)



CO2 ID Sign

This fire extinguisher identification sign allows fast and easy identification of an CO2 type fire extinguisher.

(213002)



ABE Powder ID Sign

This fire extinguisher identification sign allows fast and easy identification of an ABE type fire extinguisher.

(213001)



Identification



Wet Chemical ID Sign

This fire extinguisher identification sign allows fast and easy identification of an wet chemical type fire extinguisher.

(213005)



Water ID Sign

This fire extinguisher identification sign allows fast and easy identification of an air / water type fire extinguisher.

(213003)



Foam ID Sign

This fire extinguisher identification sign allows fast and easy identification of an AFFF air/foam type fire extinguisher

(213004)



CO2 ID Sign

This fire extinguisher identification sign allows fast and easy identification of an CO2 type fire extinguisher.

(213002)



ABE Powder ID Sign

This fire extinguisher identification sign allows fast and easy identification of an ABE type fire extinguisher.

(213001)

5 total products.



Location



Fire Extinguisher Location Sign
150mm x 225mm Right Angle

Fire extinguisher location signs are a requirement of AS2444:2001 and are required to identify the location of any fire extinguisher. This sign has an angled section that can be fixed to a wall and allows easy location of a fire extinguisher in an area such as a corridor where the fire extinguisher has been placed in a recess and is not immediately obvious

(213021)



Fire Extinguisher Location Sign
150mm x 225mm

This fire extinguisher location sign is a requirement of AS2444:2001 and is required to identify the location of any fire extinguisher

(213020)



Fire Blanket Location Sign 150mm x
225mm Right Angle

Fire blanket location signs are a requirement of AS2444:2001 and are required to identify the location of any fire blanket. This sign has an angled section that can be fixed to a wall and allows easy location of a fire blanket in an area such as a kitchen where the fire blanket has been placed in a recess and is not immediately obvious.

(213023)



Fire Blanket Location Sign 150mm x
225mm

This fire blanket location sign is a requirement of AS2444:2001 and is required to identify the location of any fire blanket.

(213022)

4 total products.



Spare Parts



Tamperproof Seals Yellow Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214012)



Tamperproof Seals White Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214011)



Tamperproof Seals Red Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214010)



Tamperproof Seals Purple Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214009)



Tamperproof Seals Pink Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214008)



Tamperproof Seals Orange Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214007)



Tamperproof Seals Grey Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214006)



Tamperproof Seals Green Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214005)



Tamperproof Seals Blue Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214004)



Tamperproof Seals Black Pack 96

The anti tamper seal or security tie is most commonly used to secure the safety pin to a fire extinguisher and easily identifies use / misuse.

Security ties can also be used to secure hose reel nozzles and also secure any other item of fire equipment that may be used or misused.

(214003)



Plastic Bag 9.0kg DCP Fire Extinguisher

These plastic bags are designed to protect your fire extinguishers in dusty / harsh environments such as manufacturing facilities or paint workshops. Manufactured from UV stable material they are also suitable for protecting fire extinguishers from the elements when used in an outdoor location.

(214002)



Plastic Bag 4.5kg DCP Fire Extinguisher

These plastic bags are designed to protect your fire extinguishers in dusty / harsh environments such as manufacturing facilities or paint workshops. Manufactured from UV stable material they are also suitable for protecting fire extinguishers from the elements when used in an outdoor location.

(214001)



Metal Split Ring for Date Tag Pack 100

This maintenance tag ring is used to attach maintenance service tags to items of fire equipment. The maintenance tag ring is of a split ring type and is made from steel.

(214013)



Maintenance Date Tag Punch

This maintenance service tag punch is used to punch maintenance service tags in accordance with AS1851:2012. It is used to define the date that the fire equipment first came into service and also what month the services have been carried out in.

(214015)



Maintenance Date Tag Aluminium Pack 100

Maintenance tags are a requirement of AS1851:2012 and are used to define the date that the fire equipment first came into service and also what month the services have been carried out in

(214014)



Vehicle Brackets



Vehicle Bracket Over Centre Style to Suit 9.0kg DCP Fire Extinguisher

Vehicle Bracket Over Centre Style to Suit 9.0kg DCP Fire Extinguisher

(212005)



Vehicle Bracket Over Centre Style to Suit 4.5kg DCP Fire Extinguisher

Vehicle Bracket Over Centre Style to Suit 4.5kg DCP Fire Extinguisher

(212004)



Heavy Duty Vehicle Bracket to Suit 9.0kg DCP Fire Extinguisher

Heavy Duty Vehicle Bracket to Suit 9.0kg DCP Fire Extinguisher

(212003)



Heavy Duty Vehicle Bracket to Suit 4.5kg DCP Fire Extinguisher

Heavy Duty Vehicle Bracket to Suit 4.5kg DCP Fire Extinguisher

(212002)



Heavy Duty Vehicle Bracket to Suit 2.5kg DCP Fire Extinguisher

Heavy Duty Vehicle Bracket to Suit 2.5kg DCP Fire Extinguisher

(212001)



Cannon Style Vehicle Bracket to Suit 9.0kg DCP Fire Extinguisher

Cannon Style Vehicle Bracket to Suit 9.0kg DCP Fire Extinguisher

(212007)



Cannon Style Vehicle Bracket to Suit 4.5kg DCP Fire Extinguisher

Cannon Style Vehicle Bracket to Suit 4.5kg DCP Fire Extinguisher

(212006)

7 total products.



Fire Blankets



Fire Blanket 1.8m x 1.8m

This high quality 1.8m x 1.8m fire blanket is the largest size available. It is ideal for commercial kitchen and workshop use. The fire blanket is fixed using 2 simple fixings such as hooks or screws.

(215004)



Fire Blanket 1.2m x 1.8m

This high quality 1.2m x 1.8m fire blanket is ideal for commercial kitchen and workshop use. The fire blanket is fixed using 2 simple fixings such as hooks or screws.

(215003)



Fire Blanket 1.2m x 1.2m

This high quality 1.2m x 1.2m fire blanket is ideal for home or small kitchen use. The fire blanket is fixed using 2 simple fixings such as hooks or screws.

(215002)



Fire Blanket 1.0m x 1.0m

This high quality 1m x 1m fire blanket is ideal for home or small kitchen use. The fire blanket is fixed using a simple single fixing such as a hook or screw.

(215001)

4 total products.



Portable



9.0L Water Fire Extinguisher

Air Water fire extinguisher is suitable for the following Applications:
- A Class Fires (paper, wood, textiles)
- The Air Water Extinguisher should not be used on B or E class fires

(204001)



9.0L Foam Fire Extinguisher

Foam fire extinguisher is suitable for the following Applications:
- A Class Fires (paper, wood, textiles)
- B Class Fires (flammable liquid fires such as oils, paints and solvents)
- Do not use on E Class fires

(203001)



9.0kg ABE Powder Fire Extinguisher

ABE fire extinguisher is suitable for the following applications:
- A Class Fires (paper, wood, textiles)
- B Class Fires (flammable liquid fires such as oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(201008)



7.0L Wet Chemical Fire Extinguisher

Foam fire extinguisher is suitable for the following Applications:
- A Class Fires (paper, wood, textiles)
- F Class Fires including cooking oils & fats

(205002)



5.0kg CO2 Fire Extinguisher

CO2 fire extinguisher is suitable for the following Applications:
- B Class Fires (flammable liquid fires such as Oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(202003)



4.5kg ABE Powder Fire Extinguisher - HP

ABE fire extinguisher is suitable for the following applications:
- A Class Fires (paper, wood, textiles)
- B Class Fires (flammable liquid fires such as oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(201007)



4.5kg ABE Powder Fire Extinguisher

ABE fire extinguisher is suitable for the following applications:
- A Class Fires (paper, wood, textiles)
- B Class Fires (flammable liquid fires such as oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(201006)



3.5kg CO2 Fire Extinguisher

CO2 fire extinguisher is suitable for the following Applications:
- B Class Fires (flammable liquid fires such as Oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(202002)



2.5L Wet Chemical Fire Extinguisher

Foam fire extinguisher is suitable for the following Applications:
- A Class Fires (paper, wood, textiles)
- F Class Fires including cooking oils & fats

(205001)



2.5kg ABE Powder Fire Extinguisher

ABE fire extinguisher is suitable for the following applications:
- A Class Fires (paper, wood, textiles)
- B Class Fires (flammable liquid fires such as oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(201005)



2.0kg CO2 Fire Extinguisher

CO2 fire extinguisher is suitable for the following Applications:
- B Class Fires (flammable liquid fires such as Oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(202001)



1.0kg ABE Powder Fire Extinguisher

ABE fire extinguisher is suitable for the following applications:
- A Class Fires (paper, wood, textiles)
- B Class Fires (flammable liquid fires such as oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(201001)

12 total products.



ABE Powder



9.0kg ABE Powder Fire Extinguisher

ABE fire extinguisher is suitable for the following applications:

- A Class Fires (paper, wood, textiles)
- B Class Fires (flammable liquid fires such as oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(201008)



4.5kg ABE Powder Fire Extinguisher - HP

ABE fire extinguisher is suitable for the following applications:

- A Class Fires (paper, wood, textiles)
- B Class Fires (flammable liquid fires such as oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(201007)



4.5kg ABE Powder Fire Extinguisher

ABE fire extinguisher is suitable for the following applications:

- A Class Fires (paper, wood, textiles)
- B Class Fires (flammable liquid fires such as oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(201006)



2.5kg ABE Powder Fire Extinguisher

ABE fire extinguisher is suitable for the following applications:

- A Class Fires (paper, wood, textiles)
- B Class Fires (flammable liquid fires such as oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(201005)



1.0kg ABE Powder Fire Extinguisher

ABE fire extinguisher is suitable for the following applications:

- A Class Fires (paper, wood, textiles)
- B Class Fires (flammable liquid fires such as oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(201001)

5 total products.



CO2



5.0kg CO2 Fire Extinguisher

CO2 fire extinguisher is suitable for the following Applications:
- B Class Fires (flammable liquid fires such as Oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(202003)



3.5kg CO2 Fire Extinguisher

CO2 fire extinguisher is suitable for the following Applications:
- B Class Fires (flammable liquid fires such as Oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(202002)



2.0kg CO2 Fire Extinguisher

CO2 fire extinguisher is suitable for the following Applications:
- B Class Fires (flammable liquid fires such as Oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

(202001)

3 total products.



Foam



9.0L Foam Fire Extinguisher

Foam fire extinguisher is suitable for the following Applications:

- A Class Fires (paper, wood, textiles)
- B Class Fires (flammable liquid fires such as oils, paints and solvents)
- Do not use on E Class fires

(203001)

1 total products.



Water



9.0L Water Fire Extinguisher

Air Water fire extinguisher is suitable for the following

Applications:

- A Class Fires (paper, wood, textiles)
- The Air Water Extinguisher should not be used on B or E class fires

(204001)

1 total products.



Wet Chemical



7.0L Wet Chemical Fire Extinguisher

Foam fire extinguisher is suitable for the following Applications:

- A Class Fires (paper, wood, textiles)
- F Class Fires including cooking oils & fats

(205002)



2.5L Wet Chemical Fire Extinguisher

Foam fire extinguisher is suitable for the following Applications:

- A Class Fires (paper, wood, textiles)
- F Class Fires including cooking oils & fats

(205001)

2 total products.



Firefighting Agents



Silvex Plus Class A Bushfire Foam 20 L Drum

Class A foam agents are specifically designed to combat fires involving ordinary combustible materials, like wood, paper, coal, rubber, and plastic by making water more effective.

(434463)



Silvex Plus Class A Bushfire Foam 1000 L Tote

Class A foam agents are specifically designed to combat fires involving ordinary combustible materials, like wood, paper, coal, rubber, and plastic by making water more effective.

(436651)



Purple-K Extinguisher Powder

Purple-K agent is one of the most effective of the ANSUL dry chemicals against Class B fires.

(009335)



Metl-X Extinguisher Powder

Ansul Metl-X may be used on sodium, potassium, sodium-potassium alloy, and magnesium fires.

(009328)



Lith-X Extinguisher Powder

Ansul Lith-X was developed for use on lithium fires, and will also extinguish magnesium, sodium, and potassium fires.

(009334)



Foray Extinguisher Powder

FORAY dry chemical agent is the only one of the ANSUL dry chemical agents that provides Class A fire suppression.

(053080)



Foam Pump 240V

The ANSUL® Foam Concentrate Transfer Pump is useful for transferring foam concentrates from pails, drums, totes, or bulk shipments into ANSUL bladder tanks or atmospheric tanks.

(427585)



Foam Proportioning Testing

A fire test, the only true measure of foam concentrate performance, is the cornerstone of the ANSUL® Foam Testing Service. It has been designed to ensure that the quality and performance of foam concentrates in the field remain within acceptable specifications.

(FOTESP)



Foam Concentrate Testing

A fire test, the only true measure of foam concentrate performance, is the cornerstone of the ANSUL® Foam Testing Service. It has been designed to ensure that the quality and performance of foam concentrates in the field remain within acceptable specifications.

(FOTEST)



Ansulite AR-AFFF F601A 1X3 200 L Drum

ANSULITE 1x3 F-601A AR-AFFF is formulated from special fluorochemical and hydrocarbon surfactants, a high molecular weight polymer, and solvents.

(437188)



Ansulite 6% Icao-B 200 L Drum

ANSULITE AFC6IB2 6% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide effective fire and vapor suppression for Class B hydrocarbon fuel fires.

(430043)



Ansulite 6% Icao-B 20 L Pail

ANSULITE AFC6IB2 6% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide effective fire and vapor suppression for Class B hydrocarbon fuel fires.

(430042)



Ansulite 6% Icao-B 1000 L Tote

ANSULITE AFC6IB2 6% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide effective fire and vapor suppression for Class B hydrocarbon fuel fires.


(430044)



Ansulite 6% AFFF 200 L Drum

ANSULITE AFC6IB2 6% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide effective fire and vapor suppression for Class B hydrocarbon fuel fires.

(426926)



Ansulite 6% AFFF 20 L Pail

ANSULITE AFC6IB2 6% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide effective fire and vapor suppression for Class B hydrocarbon fuel fires.

(426924)



Ansulite 6% AFFF 1000 L Tote

ANSULITE AFC6IB2 6% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide effective fire and vapor suppression for Class B hydrocarbon fuel fires.

(427654)



Ansulite 3X6 ARC 200 L Drum

ANSULITE® ARC (Alcohol-Resistant Concentrate) 3% or 6% FreezeProtected AR-AFFF (Alcohol-Resistant – Aqueous Film-Forming Foam) Concentrate is formulated from special fluorochemical and hydrocarbon surfactants, a high molecular weight polymer, and solvents.

(426938)



Ansulite 3X6 ARC 20 L Pail

ANSULITE® ARC (Alcohol-Resistant Concentrate) 3% or 6% FreezeProtected AR-AFFF (Alcohol-Resistant – Aqueous Film-Forming Foam) Concentrate is formulated from special fluorochemical and hydrocarbon surfactants, a high molecular weight polymer, and solvents.

(426936)



Ansulite 3X3 LV ARC 200 L Drum

ANSULITE® 3x3 Low-Viscosity AR-AFFF (Alcohol-Resistant Aqueous Film-Forming Foam) Concentrate is formulated using a newly patented and proprietary technology. The foam concentrate has a dramatically reduced viscosity as compared to other listed polar-solvent type AR-AFFF concentrates on the market. This reduced viscosity enhances performance in all types of foam proportioning equipment including inline eductors, balanced pressure systems, and built-in systems aboard CFR vehicles.

(431781)



Ansulite 3X3 LV ARC 20 L Pail

ANSULITE® 3x3 Low-Viscosity AR-AFFF (Alcohol-Resistant Aqueous Film-Forming Foam) Concentrate is formulated using a newly patented and proprietary technology. The foam concentrate has a dramatically reduced viscosity as compared to other listed polar-solvent type AR-AFFF concentrates on the market. This reduced viscosity enhances performance in all types of foam proportioning equipment including inline eductors, balanced pressure systems, and built-in systems aboard CFR vehicles.

(431780)



Ansolite 3X3 LV ARC 1000 L Tote

ANSULITE® 3x3 Low-Viscosity AR-AFFF (Alcohol-Resistant Aqueous Film-Forming Foam) Concentrate is formulated using a newly patented and proprietary technology. The foam concentrate has a dramatically reduced viscosity as compared to other listed polar-solvent type AR-AFFF concentrates on the market. This reduced viscosity enhances performance in all types of foam proportioning equipment including inline

eductors, balanced pressure systems, and built-in systems aboard CFR vehicles.

(431782)



Ansolite 3% Icao-B 200 L Drum

ANSULITE AFC3IB1 3% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide superior fire and vapor suppression for Class B hydrocarbon fuel fires.

(430047)



Ansolite 3% Icao-B 20 L Pail

ANSULITE AFC3IB1 3% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide superior fire and vapor suppression for Class B hydrocarbon fuel fires.


(430046)



Ansolite 3% AFFF 20 L Pail

ANSULITE AFC3B 3% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide superior fire and vapor suppression for Class B hydrocarbon fuel fires.


(426919)



Ansolite 3% AFFF 1000 L Tote

ANSULITE AFC3B 3% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide superior fire and vapor suppression for Class B hydrocarbon fuel fires.

(427655)



Ansolite 3% AFFF (AFC-3A) 265 Gal Tote

ANSULITE 3% (AFC-3A) AFFF (Aqueous Film-Forming Foam) Concentrate is formulated from specially fluorochemical and hydrocarbon type surfactants along with solvents.

(431499)



Ansolite 3% AFFF 200 L Drum

ANSULITE AFC3B 3% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide superior fire and vapor suppression for Class B hydrocarbon fuel fires.

(426921)



Ansolite 1% AFFF 200 L Drum

ANSULITE 1% AFFF (Aqueous Film-Forming Foam) Concentrate is formulated from specially fluorochemical and hydrocarbon surfactants along with solvents.

(433476)



Ansolite 1% AFFF 20 L Pail

ANSULITE 1% AFFF (Aqueous Film-Forming Foam) Concentrate is formulated from specially fluorochemical and hydrocarbon surfactants along with solvents.

(433475)



Ansolite 1% AFFF 20 L Drum

ANSULITE 1% AFFF (Aqueous Film-Forming Foam) Concentrate is formulated from specially fluorochemical and hydrocarbon surfactants along with solvents.

(55804)



Ansolite 1% AFFF 1000 L Tote

ANSULITE 1% AFFF (Aqueous Film-Forming Foam) Concentrate is formulated from specially fluorochemical and hydrocarbon surfactants along with solvents.

(433477)



Ansulex Low Ph Wet Chemical Agent 11 L

ANSULEX Low pH Liquid Fire Suppressant is designed for use only in ANSUL® R-102 restaurant fire suppression systems.

(079372)



Ansol Jet-X 2.75% High Expansion Foam 55 Gal Drum

JET-X 2 3/4% High-Expansion Foam Concentrate is a syntheticbased formulation comprised of hydrocarbon surfactants, solvents, and stabilizers for use with medium- and high-expansion foam generators.

(420009)



Ansol Jet-X 2.75% High Expansion Foam 256 Gal Tote

JET-X 2 3/4% High-Expansion Foam Concentrate is a syntheticbased formulation comprised of hydrocarbon surfactants, solvents, and stabilizers for use with medium- and high-expansion foam generators.

(431175)



Ansol Jet-X 2.75% High Expansion Foam 20 L Pail

JET-X 2 3/4% High-Expansion Foam Concentrate is a syntheticbased formulation comprised of hydrocarbon surfactants, solvents, and stabilizers for use with medium- and high-expansion foam generators.

(420008)



1X3 AR-AFFF Formula F-601A 200 L Drum

ANSULITE 1x3 F-601A AR-AFFF is formulated from special fluorochemical and hydrocarbon surfactants, a high molecular weight polymer, and solvents.

(437977)



Foam



Silvex Plus Class A Bushfire Foam 20 L Drum

Class A foam agents are specifically designed to combat fires involving ordinary combustible materials, like wood, paper, coal, rubber, and plastic by making water more effective.

(434463)



Silvex Plus Class A Bushfire Foam 1000 L Tote

Class A foam agents are specifically designed to combat fires involving ordinary combustible materials, like wood, paper, coal, rubber, and plastic by making water more effective.

(436651)



Foam Pump 240V

The ANSUL® Foam Concentrate Transfer Pump is useful for transferring foam concentrates from pails, drums, totes, or bulk shipments into ANSUL bladder tanks or atmospheric tanks.

(427585)



Foam Proportioning Testing

A fire test, the only true measure of foam concentrate performance, is the cornerstone of the ANSUL® Foam Testing Service. It has been designed to ensure that the quality and performance of foam concentrates in the field remain within acceptable specifications.

(FOTESP)



Foam Concentrate Testing

A fire test, the only true measure of foam concentrate performance, is the cornerstone of the ANSUL® Foam Testing Service. It has been designed to ensure that the quality and performance of foam concentrates in the field remain within acceptable specifications.

(FOTEST)



Ansulite AR-AFFF F601A 1X3 200 L Drum

ANSULITE 1x3 F-601A AR-AFFF is formulated from special fluorochemical and hydrocarbon surfactants, a high molecular weight polymer, and solvents.

(437188)



Ansulite 6% Icao-B 200 L Drum

ANSULITE AFC6IB2 6% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide effective fire and vapor suppression for Class B hydrocarbon fuel fires.

(430043)



Ansulite 6% Icao-B 20 L Pail

ANSULITE AFC6IB2 6% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide effective fire and vapor suppression for Class B hydrocarbon fuel fires.

(430042)



Ansulite 6% Icao-B 1000 L Tote

ANSULITE AFC6IB2 6% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide effective fire and vapor suppression for Class B hydrocarbon fuel fires.

(430044)



Ansulite 6% AFFF 200 L Drum

ANSULITE AFC6IB2 6% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide effective fire and vapor suppression for Class B hydrocarbon fuel fires.

(426926)



Ansulite 6% AFFF 20 L Pail

ANSULITE AFC6IB2 6% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide effective fire and vapor suppression for Class B hydrocarbon fuel fires.

(426924)



Ansulite 6% AFFF 1000 L Tote

ANSULITE AFC6IB2 6% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide effective fire and vapor suppression for Class B hydrocarbon fuel fires.

(427654)



Ansulite 3X6 ARC 200 L Drum

ANSULITE® ARC (Alcohol-Resistant Concentrate) 3% or 6% FreezeProtected AR-AFFF (Alcohol-Resistant – Aqueous Film-Forming Foam) Concentrate is formulated from special fluorochemical and hydrocarbon surfactants, a high molecular weight polymer, and solvents.

(426938)



Ansulite 3X6 ARC 20 L Pail

ANSULITE® ARC (Alcohol-Resistant Concentrate) 3% or 6% FreezeProtected AR-AFFF (Alcohol-Resistant – Aqueous Film-Forming Foam) Concentrate is formulated from special fluorochemical and hydrocarbon surfactants, a high molecular weight polymer, and solvents.

(426936)



Ansulite 3X3 LV ARC 200 L Drum

ANSULITE® 3x3 Low-Viscosity AR-AFFF (Alcohol-Resistant Aqueous Film-Forming Foam) Concentrate is formulated using a newly patented and proprietary technology. The foam concentrate has a dramatically reduced viscosity as compared to other listed polar-solvent type AR-AFFF concentrates on the market. This reduced viscosity enhances performance in all types of foam proportioning equipment including inline eductors, balanced pressure systems, and built-in systems aboard CFR vehicles.

(431781)



Ansulite 3X3 LV ARC 20 L Pail

ANSULITE® 3x3 Low-Viscosity AR-AFFF (Alcohol-Resistant Aqueous Film-Forming Foam) Concentrate is formulated using a newly patented and proprietary technology. The foam concentrate has a dramatically reduced viscosity as compared to other listed polar-solvent type AR-AFFF concentrates on the market. This reduced viscosity enhances performance in all types of foam proportioning equipment including inline eductors, balanced pressure systems, and built-in systems aboard CFR vehicles.

(431780)



Ansolite 3X3 LV ARC 1000 L Tote

ANSULITE® 3x3 Low-Viscosity AR-AFFF (Alcohol-Resistant Aqueous Film-Forming Foam) Concentrate is formulated using a newly patented and proprietary technology. The foam concentrate has a dramatically reduced viscosity as compared to other listed polar-solvent type AR-AFFF concentrates on the market. This reduced viscosity enhances performance in all types of foam proportioning equipment including inline

eductors, balanced pressure systems, and built-in systems aboard CFR vehicles.

(431782)



Ansolite 3% Icao-B 200 L Drum

ANSULITE AFC3IB1 3% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide superior fire and vapor suppression for Class B hydrocarbon fuel fires.

(430047)



Ansolite 3% Icao-B 20 L Pail

ANSULITE AFC3IB1 3% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide superior fire and vapor suppression for Class B hydrocarbon fuel fires.


(430046)



Ansolite 3% AFFF 20 L Pail

ANSULITE AFC3B 3% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide superior fire and vapor suppression for Class B hydrocarbon fuel fires.

(426919)



Ansolite 3% AFFF 1000 L Tote

ANSULITE AFC3B 3% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide superior fire and vapor suppression for Class B hydrocarbon fuel fires.

(427655)



Ansolite 3% AFFF (AFC-3A) 265 Gal Tote

ANSULITE 3% (AFC-3A) AFFF (Aqueous Film-Forming Foam) Concentrate is formulated from specially fluorochemical and hydrocarbon type surfactants along with solvents.

(431499)



Ansolite 3% AFFF 200 L Drum

ANSULITE AFC3B 3% AFFF (Aqueous Film-Forming Foam) Concentrate combines fluoro- and hydrocarbon-surfactant technologies to provide superior fire and vapor suppression for Class B hydrocarbon fuel fires.

(426921)



Ansolite 1% AFFF 200 L Drum

ANSULITE 1% AFFF (Aqueous Film-Forming Foam) Concentrate is formulated from specially fluorochemical and hydrocarbon surfactants along with solvents.

(433476)



Ansolite 1% AFFF 20 L Pail

ANSULITE 1% AFFF (Aqueous Film-Forming Foam) Concentrate is formulated from specially fluorochemical and hydrocarbon surfactants along with solvents.

(433475)



Ansolite 1% AFFF 20 L Drum

ANSULITE 1% AFFF (Aqueous Film-Forming Foam) Concentrate is formulated from specially fluorochemical and hydrocarbon surfactants along with solvents.

(55804)



Ansolite 1% AFFF 1000 L Tote

ANSULITE 1% AFFF (Aqueous Film-Forming Foam) Concentrate is formulated from specially fluorochemical and hydrocarbon surfactants along with solvents.

(433477)



Ansol Jet-X 2.75% High Expansion Foam 55 Gal Drum

JET-X 2 3/4% High-Expansion Foam Concentrate is a syntheticbased formulation comprised of hydrocarbon surfactants, solvents, and stabilizers for use with medium- and high-expansion foam generators.

(420009)



Ansol Jet-X 2.75% High Expansion Foam 256 Gal Tote

JET-X 2 3/4% High-Expansion Foam Concentrate is a syntheticbased formulation comprised of hydrocarbon surfactants, solvents, and stabilizers for use with medium- and high-expansion foam generators.

(431175)



Ansol Jet-X 2.75% High Expansion Foam 20 L Pail

JET-X 2 3/4% High-Expansion Foam Concentrate is a syntheticbased formulation comprised of hydrocarbon surfactants, solvents, and stabilizers for use with medium- and high-expansion foam generators.

(420008)



1X3 AR-AFFF Formula F-601A 200 L Drum

ANSULITE 1x3 F-601A AR-AFFF is formulated from special fluorochemical and hydrocarbon surfactants, a high molecular weight polymer, and solvents.

(437977)



Powder



Purple-K Extinguisher Powder

Purple-K agent is one of the most effective of the ANSUL dry chemicals against Class B fires.

(009335)



Meti-X Extinguisher Powder

Ansul Meti-X may be used on sodium, potassium, sodium-potassium alloy, and magnesium fires.

(009328)



Lith-X Extinguisher Powder

Ansul Lith-X was developed for use on lithium fires, and will also extinguish magnesium, sodium, and potassium fires.

(009334)



Foray Extinguisher Powder

FORAY dry chemical agent is the only one of the ANSUL dry chemical agents that provides Class A fire suppression.

(053080)

4 total products.



Wet Chemical



Ansulex Low Ph Wet Chemical Agent 11 L

ANSULEX Low pH Liquid Fire Suppressant is designed for use only in ANSUL® R-102 restaurant fire suppression systems.

(079372)

1 total products.



Firefighting Equipment

**Tip Protek 366 1.5"**

Tip Protek 366 1.5"

(150-366-TIP)

**Stream Shaper Akron 485 2.5" NH**Inlet: 1.5" (38mm)
Outlet: 2.5" (65mm)
Length: 4" (100mm)
Weight: 3 lbs 12 oz (1.7kg)

(485)

**Storz Washer 75mm White**

Storz Washer for Suction & Delivery Service (White)

(F9100208905)

**Storz Spanner Wrench 4 Set**

The wrenches are both functional and reliable. Most of the handles have a straight ridge knurled pattern.

(KS34)

**Storz 75mm x 75mm BSP Male**

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.

(STO-AL-B7575)

**Storz 65mm x 65mm BSP Male**

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.

(702014)

**Storz 65mm x 65mm BSP Female**

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.

(702013)

**Storz 65mm x 38mm Storz Swivel**

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.

(702012)

**Storz 50mm x 50mm Female BSP**

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.

(702011)

**Storz 5" x 5" Hose Shank and Collar**

5" Storz x 5" Hose Shank and Collar

(SRC5507)

**Storz 5" x 4" ANSI Flange**


Carbon Steel 4" Raised Faced ANSI 150 Flange x 5" Storz.

(FGS54)

**Storz 4" x 4" ANSI 150 Carbon Steel**

Carbon Steel 4" Raised Faced ANSI 150 Flange x 4" Storz.

(FGS44)

**Storz 4" Cap**


Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.

(STO-AL-CAP-0100)

**Storz 38mm x 38mm BSP Male**

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.

(702010)

**Storz 38mm Hose Tail**

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.

(702009)

**Storz 25mm x 25mm Hose Tail**

Storz 25mm x 25mm Hose Tail

(702008)

**Storz 25mm x 25mm BSP Male**

Storz Adpt 25mm x 25mm BSP Male Forged Alloy

(702007)

**Storz 25mm x 25mm BSP Female**

Storz Adaptor 25mm x 25mm BSP Female Forged Alloy

(702006)

**Storz 25mm x 19mm Hose Tail**

Storz 25mm x 19mm Hose Tail

(702005)

**Storz 25mm x 19mm BSP Male**

Storz Adaptor 25mm x 19mm BSP Male Forged Alloy

(702004)

**Storz 25mm x 19mm BSP Female**

Storz Adaptor 25mm x 19mm BSP Female Forged Alloy

(702003)

**Storz 25mm Washer**

Storz Adaptor 25mm x 19mm BSP Female Forged Alloy

(702002)

**Storz 25mm Cap**

Forestry couplings and adaptors which have all met the material, dimensional and testing requirements.

(702001)

**Storz 125mm x 125mm Hose Coupling**

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.

(SZH125)



Standpipe Washer Neoprene
Hydrant Base Neoprene
(FR1262)



Standpipe Single Outlet BIC Red
Standpipe Single Outlet BIC Red
(FS3024)



Severe Duty Monitor Akron 3524 3" Flange x 2.5" NH 4800 Lpm
The Omega SD Severe Duty brass monitors utilize a unique ball bearing free joint design ideal for high usage applications.
(35240001)



Severe Duty Monitor Akron 3491 3" Flange x 2.5" NH 2900 Lpm
The Severe-Duty, multi-purpose monitor is designed to withstand continuous operation while mounted on heavy-duty equipment like off-road fire, construction, mining, or landfill vehicles.
(34911002)



Service Kit Akron Turbojet 1720
Nozzle service kits are designed to repair nozzles using replacement parts. Kits come with a variety of parts, all in different sizes
(9180)



Repair Kit Viper 1560 Nozzle
Repair Kit Viper 1560 Nozzle
(RK1560)



Powered Hose Reel Self Guiding
Quik Reel self-guiding reels have been produced to take the hard work out of rewinding long lengths of hose by providing a powerful and consistent retraction that greatly assists in hose retrieval.
(RFR-3)




Powered Hose Reel Remote Control
Quik Reel self-guiding remote control retractable hose reels offer the ultimate in features and performance.
(RFR-4)



Powered Hose Reel c/w Manual Winder
Quik Reel powered reels have been produced to take the hard work out of rewinding long and heavy lengths of hose by providing a powerful and consistent retraction that greatly assists in hose retrieval.
(RFRB-2-24V)



Oscillating Monitor Blitzfire XXC-33 2000 Lpm
The Blitzfire Portable Monitor is manufactured from lightweight high strength aluminum alloy that has been hard coat anodized and powder coated for ultimate corrosion protection.
(TFTXXC33BIC)



Oscillating Monitor Ansul Wom-3
For use with water or foam, the WOM-3 (formerly WOM-1) is a master stream device for fixed locations.
(400000)



Oscillating Monitor Akron Ozzie 911 1325 Lpm
The Akron Ozzie 911 Oscillating Monitor has a powerful sweeping water stream through its water driven motor which moves the outlet back in a wave like motion.
(911)



Oscillating Foam Monitor Ansul FJM-80 WTO 3785 Lpm
The FJM-80 series of monitors is designed to deliver approximately 1000 gpm (3785 Lpm); however, actual flow rate is dependent on nozzle setting and inlet pressure.
(433806)



Nozzle Tips VB1560 Viper Pistol Grip 1" with 25mm Blackout Twist
Nozzle Tips VB1560 Viper Pistol Grip 1" with 25mm Blackout Twist
(VB1560SAFD25)



Nozzle Tips SG9520 Viper Pistol Grip 1.5"
Nozzle Tips SG9520 Viper Pistol Grip 1.5"
(SG9520)



Nozzle Tips SG3012 Viper Pistol Grip 1.5"
Nozzle Tips SG3012 Viper Pistol Grip 1.5"
(sg3012)



Nozzle Tips SG1560 Viper Pistol Grip 1"
Nozzle Tips SG1560 Viper Pistol Grip 1"
(SG1560)



Nozzle Tips 1560 Blue Devil Pistol Grip 1"
Nozzle Tips 1560 Blue Devil Pistol Grip 1"
(BD1560)



Nozzle Protek 367 Pistol Grip 1.5" BSP
Nozzle Protek 367 Pistol Grip 1.5" BSP
(150-367AP)



Nozzle Protek 366 Pistol Grip BIC
Nozzle Protek 366 Pistol Grip BIC
(150-366BI)



Nozzle Protek 366 Pistol Grip 1.5\"/>

Nozzle Protek 366 Pistol Grip 1.5\"/>

(150-366AP)



Nozzle Protek 361 Pistol Grip 1\"/>

Nozzle Protek 361 Pistol Grip 1\"/>

(150-361NH)



Nozzle Protek 361 Pistol Grip 1\"/>

Nozzle Protek 361 Pistol Grip 1\"/>

(150-361AP)



Nozzle Protek 360 Pistol Grip 1\"/>

Nozzle Protek 360 Pistol Grip 1\"/>

(150-360NH)



Nozzle Protek 360 Pistol Grip 1\"/>

Nozzle Protek 360 Pistol Grip 1\"/>

(150-360AP)



Nozzle Akron ProVenger Pistol Grip 1.5\"/>

The 1 1/2\"/>

(16160010)



Nozzle Akron 4461 Rampage 2.5\"/>

A fixed gallonage master stream nozzle with built-in stream shaper designed for flows up to 1250 gpm. Ideal for heavy-duty use on fixed monitors.

(44610001)



Nozzle Akron 4452 Aquastream 2.5\"/>

A fixed gallonage master stream nozzle designed for heavy-duty use on fixed monitors.

(44520001)



Nozzle Akron 4447 Mercury 2.5\"/>

The Mercury nozzles have excellent straight stream performance and a wide, dense, fully adjustable fog pattern.

(44470001)



Nozzle Akron 4445 Master Stream 2.5\"/>

The Mercury nozzles have excellent straight stream performance and a wide, dense, fully adjustable fog pattern.

(44450001)



Nozzle Akron 1720 Turbojet Pistol Grip 1.5\"/>

The Turbojet is a constant gallonage nozzle (flow remains the same in all patterns) with multiple flow settings for operator flow control.

(1720)



Nozzle Akron 1702 Turbojet Pistol Grip 1\"/>


The Akron® adjustable gallonage TurboJet® nozzle is unmatched in today's fire service for its flexibility and flow control.

(1702)

Nozzle Akron 1520 SaberJet Pistol Grip 1.5\"/>

Akron Brass SaberJet 1520 Nozzle features a 38mm Swivel Inlet with pistol grip and Dual Shutoff (DSO).


(1520)



Monitor Ansul MM-1000-4 SS 3785 Lpm

The MM-1000 is designed to deliver approximately 1,000 GPM (3785 LPM), however, actual flow rate is dependant on nozzle choice.

(402826)



Monitor Ansul MM-1000-3 3785 Lpm

The MM-1000 is designed to deliver approximately 1,000 GPM (3785 LPM), however, actual flow rate is dependant on nozzle choice.

(400276)



Monitor Akron Omega 3528 3\"/>

The Omega XP brass monitor offers maximum travel for optimal coverage in a compact, economical package for industrial and marine environments.

(35284001)



Monitor Akron Mercury 3443 1900 Lpm

This 500 gpm portable monitor is a lightweight, compact size, quick attack monitor. Featuring a 2 1/2\"/>

(3443)



Mini Fomax c/w Net & 30M Foam Tube

Although smaller than conventional high expansion foam generators, the new light weight version of the Mini Fomax offers similar expansion and foam output to its bigger brother.

(21948)



MF140 Mobile Foam Cart, LX50 Foam Branch, IND50 Foam Inductor & 2 Hoses BI Couplings

Rugged and professional, a unit designed for fast, one-man operation – ideal for the protection of oil storage and loading terminals, paint and solvent stores, boiler rooms, ships' engine rooms, helpads, oil rigs and similar high risk locations.

(17917)



LINEN ESSENTIALS GEAR BAG



Hydraulic Motor Suit Severe Duty Monitor

The Severe-Duty, multi-purpose monitor is designed to withstand continuous operation while mounted on heavy-duty equipment like off-road fire, construction, mining, or landfill vehicles.

(34920201)

□

Hydrant Valve 65mm BIC x 65mm BSP Male

Landing Valve 64mm BIC Available in BSP, Roll Grooved and Flanged Connections.

(FS00232)

□

Hydrant Valve 65mm BIC R/G Multi Post

(FS00922)

□

Hydrant Bar And Key

Hydrant Bar And Key

(spooky)

Hydrant and Fire Hose Reel Flow Tester



□

Hose Reel Cover PVC

Hose Reel Cover PVC

(2000-2001)



Goodyear Horizon Hose 300PSI 25mm - per metre

An economical air and water hose, Horizon is for a wide range of industrial, construction and agricultural applications. Available in 200, 250, and 300 PSI working pressures.

(HORIZON-25MM)



Goodyear Horizon Hose 200PSI 19mm - per metre

An economical air and water hose, Horizon is for a wide range of industrial, construction and agricultural applications. Available in 200, 250, and 300 PSI working pressures.

(HORIZON-20MM)



Forestry Coupling Washer

Forestry couplings and adaptors which have all met the material, dimensional and testing requirements.

(FORWASHR)



Forestry Adaptor 38mm BSP Male

Forestry couplings and adaptors which have all met the material, dimensional and testing requirements.

(FORAD38M)



Forestry Adaptor 38mm BSP Female

Forestry couplings and adaptors which have all met the material, dimensional and testing requirements.

(FORAD38F)



Forestry Adaptor 25mm BSP Female

Forestry couplings and adaptors which have all met the material, dimensional and testing requirements.

(FORAD25F)



Fomax 7 High Expansion Generator c/w Net & 30M Foam Ducting

Fomax 7 is powered by a water turbine. All that is required for operation is a supply of synthetic foam compound, such as Towalex MB or Pirex high expansion foams, and a pressurised water supply (4 bar minimum).

(22324)



Foam Tube Akron 0770 Suit 25mm Turbojet

The Akron Brass Quick Attack Foam Tubes are designed to easily and quickly clamp on to various Akron® foam nozzles.

(0790)



Foam Tube 212 Suit Protek 236

Attaches to Protek nozzle bumpers of Style #366, #372, #366B and #372B.

(150-212)



Foam Nozzle Viper 3012 Pistol Grip 230 Lpm

60 GPM Low Expansion Foam Nozzle, 10:1 Expansion. Viper Foam Equipment is constructed of E-lite aluminum that is Hard anodized for durability. Viper Foam Eductors and foam nozzles work on the Venturi Principle to mix foam concentrate and air into the water to make finished foam.

(PVB3012)



Foam Nozzle Self Educting TFT ZMF32A 2000 Lpm

The Task Force Tips' MASTER FOAM nozzle is a simple and rugged self-educing foam nozzle with superior stream quality and reach.

(ZMF32A)



Foam Nozzle Self Educting TFT ZMF23A 2800 Lpm

The Task Force Tips' MASTER FOAM nozzle is a simple and rugged self-educing foam nozzle with superior stream quality and reach.

(ZMF23A)



Foam Nozzle Ansul 427463 1325 Lpm

The ANSUL® Master Foam Nozzle is an accurate and durable self-educing foam nozzle with superior stream quality and reach.

(427463)



Foam Nozzle Akrofoam 4470 2.5" NH c/w Pick Up Tube 1900 Lpm

The AkroFoam foam nozzles are self-educing master stream nozzles designed for educting foam at flow rates up to 4800 lpm.

(44700005)



Foam Inductor Macron Z4 BSP 400 Lpm

Product Features

- Proportioning ratio from 0 to 6%
- Constant proportioning rate
- Works with back pressure up to 2 bar
- Available in 200 and 400 l/min construction

(101825039)



Foam Inductor Macron Z2 BSP 200 Lpm

Product Features

- Proportioning ratio from 0 to 6%
- Constant proportioning rate
- Works with back pressure up to 2 bar
- Available in 200 and 400 l/min construction

(101825013)



Foam Eductor Akron Pyrolite In-Line 95 Gpm

AKRON Municipal Eductors feature a large, easy to read, and removable metering dial with settings between 0% and 6%.

(3095)



Foam Branch Medium Expansion Macron MX50 200 Lpm

Capable of producing large quantities of foam in situations requiring rapid foam cover with low water usage, they are fully compatible with Macron's Variable Inline Foam Inductors and are available with an optional on/off ball valve on all models.

(5168)



Foam Branch Medium Expansion Macron MX100 400 Lpm

Capable of producing large quantities of foam in situations requiring rapid foam cover with low water usage, they are fully compatible with Macron's Variable Inline Foam Inductors and are available with an optional on/off ball valve on all models.

(5164)



Foam Branch Low Expansion Macron LX50 200 Lpm

Designed to produce long coherent throws of low expansion foam using all types of foam concentrate, they are fully compatible with Macron's Variable Inline Foam Inductors and are available with on/off ball valve as standard on all models.

(19278+11232)



Foam Branch Low Expansion Macron LX100 400 Lpm

Designed to produce long coherent throws of low expansion foam using all types of foam concentrate, they are fully compatible with Macron's Variable Inline Foam Inductors and are available with on/off ball valve as standard on all models.

(19279+11232)



Fire Hose Snaptite Duralight 64mm x 30M

Dura-Light LD — Is a premium quality, lightweight fire hose designed for fire attack applications and which fully meets the requirements of BS6391: 1983 for Type 3 hose.

(LD64)



Fire Hose Snaptite Duralight 45mm x 30M

Dura-Light LD — Is a premium quality, lightweight fire hose designed for fire attack applications and which fully meets the requirements of BS6391: 1983 for Type 3 hose.

(LD45)



Fire Hose Snaptite Duralight 38mm x 30M Yellow

Dura-Light LD — Is a premium quality, lightweight fire hose designed for fire attack applications and which fully meets the requirements of BS6391: 1983 for Type 3 hose.

(LD38Y)



Fire Hose Snaptite Duralight 38mm x 30M

Dura-Light LD — Is a premium quality, lightweight fire hose designed for fire attack applications and which fully meets the requirements of BS6391: 1983 for Type 3 hose.

(LD38)



Fire Hose Snaptite Duralight 25mm x 30M

Dura-Light LD — Is a premium quality, lightweight fire hose designed for fire attack applications and which fully meets the requirements of BS6391: 1983 for Type 3 hose.

(LD25)



Fire Hose Snaptite 5" HFX Hose 100ft

Fire Hose Snaptite 5" HFX Hose 100ft

(HFX50X100Y)



Fire Hose Snaptite Duralight 64mm x 30M Yellow

Fire Hose Snaptite Duralight 64mm x 30M Yellow

(LD64Y)



Fire Hose Fireline 38mm x 30M

Fire Hose Fireline 38mm x 30M

(38X30FIRELINE)



Fire Hose c/w Storz 64mm x 30M

Fire Hose c/w Storz 64mm x 30M

(FH64X30STZ65)



Fire Hose c/w Storz 50Ft Yellow

Fire Hose c/w Storz 50Ft Yellow

(HFX50X50Y)



Fire Hose c/w Storz 38mm x 30M

Fire Hose c/w Storz 38mm x 30M

(FH38X30STZ65)



Fire Hose c/w Storz 25mm x 30M

Fire Hose c/w Storz 25mm x 30M

(FH25X30STZ)



Fire Hose c/w Storz 25mm x 20M

Fire Hose c/w Storz 25mm x 20M

(FH25X20STZ)



Fire Hose c/w Storz 25mm x 10M
Fire Hose c/w Storz 25mm x 10M
(FH25X10STZ)



Fire Hose c/w BIC 64mm x 5M
Fire Hose c/w BIC 64mm x 5M
(FH64X5B)



Fire Hose c/w BIC 64mm x 30M Yellow
Fire Hose c/w BIC 64mm x 30M Yellow
(FH64X30BY)



Fire Hose c/w BIC 64mm x 30M
Fire Hose c/w BIC 64mm x 30M
(FH64X30B)



Fire Hose c/w BIC 64mm x 15M
Fire Hose c/w BIC 64mm x 15M
(FH64X15B)



Fire Hose c/w BIC 64mm x 10M Yellow
Fire Hose c/w BIC 64mm x 10M Yellow
(FH64X10YB)



Fire Hose c/w BIC 64mm x 10M
Fire Hose c/w BIC 64mm x 10M
(FH64X10B)



Fire Hose c/w BIC 45mm x 30M
Fire Hose c/w BIC 45mm x 30M
(FH45X30B)



Fire Hose c/w BIC 38mm x 3M Yellow
Fire Hose c/w BIC 38mm x 3M Yellow
(FH38X3YB)



Fire Hose c/w BIC 38mm x 30M Brass
Fire Hose c/w BIC 38mm x 30M Brass
(FH38X30BB)



Fire Hose c/w BIC 38mm x 30M
Fire Hose c/w BIC 38mm x 30M
(FH38X30B)



Fire Hose c/w BIC 38mm x 20M
Fire Hose c/w BIC 38mm x 20M
(FH38X20B)



Fire Hose c/w BIC 38mm x 15M
Fire Hose c/w BIC 38mm x 15M
(FH38X15B)



Fire Hose c/w BIC 38mm x 10M
Fire Hose c/w BIC 38mm x 10M
(FH38X10B)



Cribbing Block Bag
Cribbing block bag Blue



Controlled Dividing Breech BIC Brass
(FS6041)



Camlock 4" Male Hose Shank
4" Camlock Male X 4" Hose Shank
(ALE40)



Camlock 4" Female Hose Shank
4" Camlock Female X 4" Hose Shank
(ALC40)



BIC Washer Rubber
Coupling washers are used in fire hose couplings to seal the connection so that the flow of water doesn't leak and maintains pressure.
(701005)



BIC Male x 65mm BSP Male
FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.
(701206)



BIC Male x 65mm BSP Female
FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.
(701205)



BIC Male x 50mm BSP Male
FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.
(701204)



BIC Male x 50mm BSP Female
Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.
(701203)



BIC Male x 38mm BSP Male
FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.
(701202)



BIC Male Coupling 65mm Hose Tail

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(25408)



BIC Male Coupling 45mm

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(1896)



BIC Male Coupling 38mm Hose Tail

Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(6356)



BIC Male Blank Plug c/w Chain

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701201)



BIC Female x 65mm BSP Male

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701105)



BIC Female x 65mm BSP Female

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701104)



BIC Female x 50mm BSP Male

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701103)



BIC Female x 50mm BSP Female

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701102)



BIC Female Ship to Shore Brass

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(C55S65B)



BIC Female Coupling 65mm Hose Tail

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(25399)



BIC Female Coupling 38mm Hose Tail

Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(6355)



BIC Female Blank Cap c/w Chain

Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(22424)



BIC Coupling Set 65mm Tail DFES Type

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701101)



BIC Coupling Set 65mm Tail

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701004)



BIC Coupling Set 50mm Tail

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701003)



BIC Coupling Set 45mm Tail

Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701002)



BIC Coupling Set 38mm Tail DFES Type

Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(BIC2.538COUPLS)



BIC Coupling Set 38mm Tail

Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701001)



Bandit Clamp 76.2mm x 12.7mm

DESCRIPTION

- High quality 201 stainless steel
- Vibration resistant
- Gap free internal design to prevent leaks especially on thinner hoses

(JS234)



Bandit Clamp 50.8mm x 9.53mm

Band-It 50.8mm x 9.53mm Band-It SS Pre-Formed Clamp

(JS245)



Bandit Clamp 34.9mm x 9.53mm

DESCRIPTION

- High quality 201 stainless steel
- Vibration resistant
- Gap free internal design to prevent leaks especially on thinner hoses

(JS202)



Bandit Clamp 19mm x 152mm Box 25

DESCRIPTION

- High quality 201 stainless steel
- Vibration resistant
- Gap free internal design to prevent leaks especially on thinner hoses

(JS216)



Ball Valve Viper VB1560 1"

1" Swivel F. X 1" M. Ball Shutoff W/ 1" Waterway and Pistol Grip

(VB1560)



Ball Valve Valve μBore 1.5"

- High Quality Aluminium
- Hard Anodised - 45μ
- Stainless Steel Ball
- Double Seat Valve
- Self-Lubricating Seats
- Double Drag Shaft
- 1-1/2" BSP Swivel
- 1-1/2" BSP Outlet

(I218252)



Akron Flow Test Kit

The Flow Test Kit Features:

- Durable Pyrolite Construction
- UL Classified
- Designed for easy operation providing highly accurate results
- 3 1/2" (89mm) liquid filled 0-160psi (0-1100kpa) gauge with large easy to read increments
- Large heavy duty carrying case (FK-230) Dimensions 18 3/8" (467 mm) W x 14 1/4" (362 mm) D x 8" (203 mm) H

(AFTK)



660 Series Spring Rewind Hose Reel

Designed to hold 15m of 1" (25mm) hose

(R6602019H)



65mm PVC Suction Hose - per metre

General purpose PVC Suction hose, for the transfer of waste materials, water, slurries, some chemicals, granules, gravel and sand.

(02-000-063-020)



65mm BIC Washer

65mm BIC Coupling Washer

(HW65BIC)



19mm x 36 Metre Wall Mounted Fire Hose

(HF3626-540)



19mm x 36 Metre Fire Hose

Replacement Hose for Fire Hose Reel - 19mm x 30M

(19mmfh)



Adaptors & Fittings



Storz Washer 75mm White

Storz Washer for Suction & Delivery Service (White)
(F9100208905)



Storz Spanner Wrench 4 Set

The wrenches are both functional and reliable. Most of the handles have a straight ridge knurled pattern.
(KS34)



Storz 75mm x 75mm BSP Male

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.
(STO-AL-B7575)



Storz 65mm x 65mm BSP Male

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.
(702014)



Storz 65mm x 65mm BSP Female

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.
(702013)



Storz 65mm x 38mm Storz Swivel

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.
(702012)



Storz 50mm x 50mm Female BSP

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.
(702011)



Storz 5" x 5" Hose Shank and Collar

5" Storz x 5" Hose Shank and Collar
(SRC5507)




Storz 5" x 4" ANSI Flange

Carbon Steel 4" Raised Faced ANSI 150 Flange x 5" Storz.
(FGS54)



Storz 4" x 4" ANSI 150 Carbon Steel

Carbon Steel 4" Raised Faced ANSI 150 Flange x 4" Storz.
(FGS44)




Storz 4" Cap

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.
(STO-AL-CAP-0100)



Storz 38mm x 38mm BSP Male

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.
(702010)



Storz 38mm Hose Tail

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.
(702009)



Storz 25mm x 25mm Hose Tail

Storz 25mm x 25mm Hose Tail
(702008)



Storz 25mm x 25mm BSP Male

Storz Adpt 25mm x 25mm BSP Male Forged Alloy
(702007)



Storz 25mm x 25mm BSP Female

Storz Adaptor 25mm x 25mm BSP Female Forged Alloy
(702006)



Storz 25mm x 19mm Hose Tail

Storz 25mm x 19mm Hose Tail
(702005)



Storz 25mm x 19mm BSP Male

Storz Adaptor 25mm x 19mm BSP Male Forged Alloy
(702004)



Storz 25mm x 19mm BSP Female

Storz Adaptor 25mm x 19mm BSP Female Forged Alloy
(702003)



Storz 25mm Washer

Storz Adaptor 25mm x 19mm BSP Female Forged Alloy
(702002)



Storz 25mm Cap

Forestry couplings and adaptors which have all met the material, dimensional and testing requirements.
(702001)



Storz 125mm x 125mm Hose Coupling

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.
(SZH125)



Forestry Coupling Washer

Forestry couplings and adaptors which have all met the material, dimensional and testing requirements.
(FORWASHR)



Forestry Adaptor 38mm BSP Male

Forestry couplings and adaptors which have all met the material, dimensional and testing requirements.
(FORAD38M)



Forestry Adaptor 38mm BSP Female

Forestry couplings and adaptors which have all met the material, dimensional and testing requirements.

(FORAD38F)



Forestry Adaptor 25mm BSP Female

Forestry couplings and adaptors which have all met the material, dimensional and testing requirements.

(FORAD25F)



Camlock 4" Male Hose Shank

4" Camlock Male X 4" Hose Shank

(ALE40)



Camlock 4" Female Hose Shank

4" Camlock Female X 4" Hose Shank

(ALC40)



BIC Washer Rubber

Coupling washers are used in fire hose couplings to seal the connection so that the flow of water doesn't leak and maintains pressure.

(701005)



BIC Male x 65mm BSP Male

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701206)



BIC Male x 65mm BSP Female

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701205)



BIC Male x 50mm BSP Male

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701204)



BIC Male x 50mm BSP Female

Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701203)



BIC Male x 38mm BSP Male

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701202)



BIC Male Coupling 65mm Hose Tail

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(25408)



BIC Male Coupling 45mm

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(1896)



BIC Male Coupling 38mm Hose Tail

Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(6356)



BIC Male Blank Plug c/w Chain

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701201)



BIC Female x 65mm BSP Male

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701105)



BIC Female x 65mm BSP Female

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701104)



BIC Female x 50mm BSP Male

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701103)



BIC Female x 50mm BSP Female

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701102)



BIC Female Ship to Shore Brass

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(CSSS65B)



BIC Female Coupling 65mm Hose Tail

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(25399)



BIC Female Coupling 38mm Hose Tail

Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(6355)



BIC Female Blank Cap c/w Chain

Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(22424)



BIC Coupling Set 65mm Tail DFES Type

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701101)



BIC Coupling Set 65mm Tail

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701004)



BIC Coupling Set 50mm Tail

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701003)



BIC Coupling Set 45mm Tail

Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701002)



BIC Coupling Set 38mm Tail DFES Type

Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(BIC2.538COUPLS)



BIC Coupling Set 38mm Tail

Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701001)

52 total products.



BIC Adaptors & Fittings



BIC Washer Rubber

Coupling washers are used in fire hose couplings to seal the connection so that the flow of water doesn't leak and maintains pressure.

(701005)



BIC Male x 65mm BSP Male

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701206)



BIC Male x 65mm BSP Female

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701205)



BIC Male x 50mm BSP Male

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701204)



BIC Male x 50mm BSP Female

Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701203)



BIC Male x 38mm BSP Male

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701202)



BIC Male Coupling 65mm Hose Tail

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(25408)



BIC Male Coupling 45mm

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(1896)



BIC Male Coupling 38mm Hose Tail

Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(6356)



BIC Male Blank Plug c/w Chain

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701201)



BIC Female x 65mm BSP Male

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701105)



BIC Female x 65mm BSP Female

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701104)



BIC Female x 50mm BSP Male

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701103)



BIC Female x 50mm BSP Female

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701102)



BIC Female Ship to Shore Brass

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(CSSS65B)



BIC Female Coupling 65mm Hose Tail

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(25399)



BIC Female Coupling 38mm Hose Tail

Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(6355)



BIC Female Blank Cap c/w Chain

Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(22424)



BIC Coupling Set 65mm Tail DFES Type

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701101)



BIC Coupling Set 65mm Tail

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701004)



BIC Coupling Set 50mm Tail

FirstRESPONSE fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant and also allow other firefighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701003)



BIC Coupling Set 45mm Tail

Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701002)



BIC Coupling Set 38mm Tail DFES Type

Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(BIC2.538COUPLSL)



BIC Coupling Set 38mm Tail

Fire hose couplings are fitted onto the ends fire hose to enable the fire hose to be connected to a fire hydrant & also allow other fire fighting equipment, such as nozzles, to be attached for the purpose of fighting a fire.

(701001)

24 total products.



Camlock



Camlock 4" Male Hose Shank

4" Camlock Male X 4" Hose Shank
(ALE40)



Camlock 4" Female Hose Shank

4" Camlock Female X 4" Hose Shank
(ALC40)

2 total products.



Forestry



Forestry Coupling Washer

Forestry couplings and adaptors which have all met the material, dimensional and testing requirements.

(FORWASHR)



Forestry Adaptor 38mm BSP Male

Forestry couplings and adaptors which have all met the material, dimensional and testing requirements.

(FORAD38M)



Forestry Adaptor 38mm BSP Female

Forestry couplings and adaptors which have all met the material, dimensional and testing requirements.

(FORAD38F)



Forestry Adaptor 25mm BSP Female

Forestry couplings and adaptors which have all met the material, dimensional and testing requirements.

(FORAD25F)

4 total products.



Storz



Storz Washer 75mm White

Storz Washer for Suction & Delivery Service (White)
(F9100208905)



Storz Spanner Wrench 4 Set

The wrenches are both functional and reliable. Most of the handles have a straight ridge knurled pattern.
(KS34)



Storz 75mm x 75mm BSP Male

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.
(STO-AL-B7575)



Storz 65mm x 65mm BSP Male

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.
(702014)



Storz 65mm x 65mm BSP Female

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.
(702013)



Storz 65mm x 38mm Storz Swivel

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.
(702012)



Storz 50mm x 50mm Female BSP

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.
(702011)



Storz 5" x 5" Hose Shank and Collar

5" Storz x 5" Hose Shank and Collar
(SRC5507)




Storz 5" x 4" ANSI Flange

Carbon Steel 4" Raised Faced ANSI 150 Flange x 5" Storz.
(FGS54)



Storz 4" x 4" ANSI 150 Carbon Steel

Carbon Steel 4" Raised Faced ANSI 150 Flange x 4" Storz.
(FGS44)




Storz 4" Cap

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.
(STO-AL-CAP-0100)



Storz 38mm x 38mm BSP Male

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.
(702010)



Storz 38mm Hose Tail

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.
(702009)



Storz 25mm x 25mm Hose Tail

Storz 25mm x 25mm Hose Tail
(702008)



Storz 25mm x 25mm BSP Male

Storz Adpt 25mm x 25mm BSP Male Forged Alloy
(702007)



Storz 25mm x 25mm BSP Female

Storz Adaptor 25mm x 25mm BSP Female Forged Alloy
(702006)



Storz 25mm x 19mm Hose Tail

Storz 25mm x 19mm Hose Tail
(702005)



Storz 25mm x 19mm BSP Male

Storz Adaptor 25mm x 19mm BSP Male Forged Alloy
(702004)



Storz 25mm x 19mm BSP Female

Storz Adaptor 25mm x 19mm BSP Female Forged Alloy
(702003)



Storz 25mm Washer

Storz Adaptor 25mm x 19mm BSP Female Forged Alloy
(702002)



Storz 25mm Cap

Forestry couplings and adaptors which have all met the material, dimensional and testing requirements.
(702001)



Storz 125mm x 125mm Hose Coupling

Storz couplings are a quick connect coupling which requires only one third of a turn for full connection.
(SZH125)



22 total products.



Foam Delivery



Mini Fomax c/w Net & 30M Foam Tube

Although smaller than conventional high expansion foam generators, the new light weight version of the Mini Fomax offers similar expansion and foam output to its bigger brother.

(21948)



MF140 Mobile Foam Cart, LX50 Foam Branch, IND50 Foam Inductor & 2 Hoses BI Couplings

Rugged and professional, a unit designed for fast, one-man operation – ideal for the protection of oil storage and loading terminals, paint and solvent stores, boiler rooms, ships' engine rooms, helipads, oil rigs and similar high risk locations.

(17917)



Fomax 7 High Expansion Generator c/w Net & 30M Foam Ducting

Fomax 7 is powered by a water turbine. All that is required for operation is a supply of synthetic foam compound, such as Towalex MB or Plurex high expansion foams, and a pressurised water supply (4 bar minimum).

(22324)

3 total products.



Foam Carts



MF140 Mobile Foam Cart, LX50 Foam Branch, IND50 Foam Inductor & 2 Hoses BI Couplings

Rugged and professional, a unit designed for fast, one-man operation – ideal for the protection of oil storage and loading terminals, paint and solvent stores, boiler rooms, ships' engine rooms, helipads, oil rigs and similar high risk locations.

(17917)

1 total products.



Foam Generators



Mini Fomax c/w Net & 30M Foam Tube

Although smaller than conventional high expansion foam generators, the new light weight version of the Mini Fomax offers similar expansion and foam output to its bigger brother.

(21948)



Fomax 7 High Expansion Generator c/w Net & 30M Foam Ducting

Fomax 7 is powered by a water turbine. All that is required for operation is a supply of synthetic foam compound, such as Towalex MB or Plurex high expansion foams, and a pressurised water supply (4 bar minimum).

(22324)

2 total products.



Hose Reels



Powered Hose Reel Self Guiding

Quik Reel self-guiding reels have been produced to take the hard work out of rewinding long lengths of hose by providing a powerful and consistent retraction that greatly assists in hose retrieval.

(RFR-3)



Powered Hose Reel Remote Control

Quik Reel self-guiding remote control retractable hose reels offer the ultimate in features and performance.

(RFR-4)



Powered Hose Reel c/w Manual Winder

Quik Reel powered reels have been produced to take the hard work out of rewinding long and heavy lengths of hose by providing a powerful and consistent retraction that greatly assists in hose retrieval.

(RFRB-2-24V)



Hose Reel Cover PVC

Hose Reel Cover PVC

(2000-2001)



660 Series Spring Rewind Hose Reel

Designed to hold 15m of 1" (25mm) hose

(R6602019H)



19mm x 36 Metre Wall Mounted Fire Hose

(HF3626-540)



19mm x 36 Metre Fire Hose

Replacement Hose for Fire Hose Reel - 19mm x 30M

(19mmfh)

7 total products.



Vehicle Mount



Powered Hose Reel Self Guiding

Quik Reel self-guiding reels have been produced to take the hard work out of rewinding long lengths of hose by providing a powerful and consistent retraction that greatly assists in hose retrieval.

(RFR-3)



Powered Hose Reel Remote Control

Quik Reel self-guiding remote control retractable hose reels offer the ultimate in features and performance.

(RFR-4)



Powered Hose Reel c/w Manual Winder

Quik Reel powered reels have been produced to take the hard work out of rewinding long and heavy lengths of hose by providing a powerful and consistent retraction that greatly assists in hose retrieval.

(RFRB-2-24V)



660 Series Spring Rewind Hose Reel

Designed to hold 15m of 1" (25mm) hose

(R6602019H)

4 total products.



Wall Mount



19mm x 36 Metre Wall Mounted Fire Hose

(HF3626-540)



19mm x 36 Metre Fire Hose

Replacement Hose for Fire Hose Reel - 19mm x 30M

(19mmfh)

2 total products.



Hoses



Goodyear Horizon Hose 300PSI 25mm - per metre

An economical air and water hose, Horizon is for a wide range of industrial, construction and agricultural applications. Available in 200, 250, and 300 PSI working pressures.

(HORIZON-25MM)



Goodyear Horizon Hose 200PSI 19mm - per metre

An economical air and water hose, Horizon is for a wide range of industrial, construction and agricultural applications. Available in 200, 250, and 300 PSI working pressures.

(HORIZON-20MM)



Fire Hose Snaptide Duralight 64mm x 30M

Dura-Light LD — Is a premium quality, lightweight fire hose designed for fire attack applications and which fully meets the requirements of BS6391: 1983 for Type 3 hose.

(LD64)



Fire Hose Snaptide Duralight 45mm x 30M

Dura-Light LD — Is a premium quality, lightweight fire hose designed for fire attack applications and which fully meets the requirements of BS6391: 1983 for Type 3 hose.

(LD45)



Fire Hose Snaptide Duralight 38mm x 30M Yellow

Dura-Light LD — Is a premium quality, lightweight fire hose designed for fire attack applications and which fully meets the requirements of BS6391: 1983 for Type 3 hose.

(LD38Y)



Fire Hose Snaptide Duralight 38mm x 30M

Dura-Light LD — Is a premium quality, lightweight fire hose designed for fire attack applications and which fully meets the requirements of BS6391: 1983 for Type 3 hose.

(LD38)



Fire Hose Snaptide Duralight 25mm x 30M

Dura-Light LD — Is a premium quality, lightweight fire hose designed for fire attack applications and which fully meets the requirements of BS6391: 1983 for Type 3 hose.

(LD25)



Fire Hose Snaptide 5" HFX Hose 100ft

Fire Hose Snaptide 5" HFX Hose 100ft

(HFX50X100Y)



Fire Hose Snaptide Duralight 64mm x 30M Yellow

Fire Hose Snaptide Duralight 64mm x 30M Yellow

(LD64Y)



Fire Hose Fireline 38mm x 30M

Fire Hose Fireline 38mm x 30M

(38X30FIRELINE)



Fire Hose c/w Storz 64mm x 30M

Fire Hose c/w Storz 64mm x 30M

(FH64X30STZ65)



Fire Hose c/w Storz 50Ft Yellow

Fire Hose c/w Storz 50Ft Yellow

(HFX50X50Y)



Fire Hose c/w Storz 38mm x 30M

Fire Hose c/w Storz 38mm x 30M

(FH38X30STZ65)



Fire Hose c/w Storz 25mm x 30M

Fire Hose c/w Storz 25mm x 30M

(FH25X30STZ)



Fire Hose c/w Storz 25mm x 20M

Fire Hose c/w Storz 25mm x 20M

(FH25X20STZ)



Fire Hose c/w Storz 25mm x 10M

Fire Hose c/w Storz 25mm x 10M

(FH25X10STZ)



Fire Hose c/w BIC 64mm x 5M

Fire Hose c/w BIC 64mm x 5M

(FH64X5B)



Fire Hose c/w BIC 64mm x 30M Yellow

Fire Hose c/w BIC 64mm x 30M Yellow

(FH64X30BY)



Fire Hose c/w BIC 64mm x 30M

Fire Hose c/w BIC 64mm x 30M

(FH64X30B)



Fire Hose c/w BIC 64mm x 15M

Fire Hose c/w BIC 64mm x 15M

(FH64X15B)



Fire Hose c/w BIC 64mm x 10M Yellow

Fire Hose c/w BIC 64mm x 10M Yellow

(FH64X10YB)



Fire Hose c/w BIC 64mm x 10M

Fire Hose c/w BIC 64mm x 10M

(FH64X10B)



Fire Hose c/w BIC 45mm x 30M

Fire Hose c/w BIC 45mm x 30M

(FH45X30B)



Fire Hose c/w BIC 38mm x 3M Yellow

Fire Hose c/w BIC 38mm x 3M Yellow

(FH38X3YB)



Fire Hose c/w BIC 38mm x 30M Brass

Fire Hose c/w BIC 38mm x 30M Brass

(FH38X30BB)



Fire Hose c/w BIC 38mm x 30M

Fire Hose c/w BIC 38mm x 30M

(FH38X30B)



Fire Hose c/w BIC 38mm x 20M

Fire Hose c/w BIC 38mm x 20M

(FH38X20B)



Fire Hose c/w BIC 38mm x 15M

Fire Hose c/w BIC 38mm x 15M

(FH38X15B)



Fire Hose c/w BIC 38mm x 10M

Fire Hose c/w BIC 38mm x 10M

(FH38X10B)



Bandit Clamp 76.2mm x 12.7mm

DESCRIPTION

- High quality 201 stainless steel
- Vibration resistant
- Gap free internal design to prevent leaks especially on thinner hoses

(JS234)



Bandit Clamp 50.8mm x 9.53mm

Band-It 50.8mm x 9.53mm Band-It SS Pre-Formed Clamp

(JS245)



Bandit Clamp 34.9mm x 9.53mm

DESCRIPTION

- High quality 201 stainless steel
- Vibration resistant
- Gap free internal design to prevent leaks especially on thinner hoses

(JS202)



Bandit Clamp 19mm x 152mm Box 25

DESCRIPTION

- High quality 201 stainless steel
- Vibration resistant
- Gap free internal design to prevent leaks especially on thinner hoses

(JS216)



65mm PVC Suction Hose - per metre

General purpose PVC Suction hose, for the transfer of waste materials, water, slurries, some chemicals, granules, gravel and sand.

(02-000-063-020)



Hose Assembly & Testing



Bandit Clamp 76.2mm x 12.7mm

DESCRIPTION

- High quality 201 stainless steel
- Vibration resistant
- Gap free internal design to prevent leaks especially on thinner hoses

(JS234)



Bandit Clamp 50.8mm x 9.53mm

Band-It 50.8mm x 9.53mm Band-It SS Pre-Formed Clamp

(JS245)



Bandit Clamp 34.9mm x 9.53mm

DESCRIPTION

- High quality 201 stainless steel
- Vibration resistant
- Gap free internal design to prevent leaks especially on thinner hoses

(JS202)



Bandit Clamp 19mm x 152mm Box 25

DESCRIPTION

- High quality 201 stainless steel
- Vibration resistant
- Gap free internal design to prevent leaks especially on thinner hoses

(JS216)

4 total products.



Layflat Hoses



Fire Hose Snaptite Duralight 64mm x 30M

Dura-Light LD — Is a premium quality, lightweight fire hose designed for fire attack applications and which fully meets the requirements of BS6391: 1983 for Type 3 hose.

(LD64)



Fire Hose Snaptite Duralight 45mm x 30M

Dura-Light LD — Is a premium quality, lightweight fire hose designed for fire attack applications and which fully meets the requirements of BS6391: 1983 for Type 3 hose.

(LD45)



Fire Hose Snaptite Duralight 38mm x 30M Yellow

Dura-Light LD — Is a premium quality, lightweight fire hose designed for fire attack applications and which fully meets the requirements of BS6391: 1983 for Type 3 hose.

(LD38Y)



Fire Hose Snaptite Duralight 38mm x 30M

Dura-Light LD — Is a premium quality, lightweight fire hose designed for fire attack applications and which fully meets the requirements of BS6391: 1983 for Type 3 hose.

(LD38)



Fire Hose Snaptite Duralight 25mm x 30M

Dura-Light LD — Is a premium quality, lightweight fire hose designed for fire attack applications and which fully meets the requirements of BS6391: 1983 for Type 3 hose.

(LD25)



Fire Hose Snaptite 5" HFX Hose 100ft

Fire Hose Snaptite 5" HFX Hose 100ft

(HFX50X100Y)



Fire Hose Snaptite Duralight 64mm x 30M Yellow

Fire Hose Snaptite Duralight 64mm x 30M Yellow

(LD64Y)



Fire Hose Fireline 38mm x 30M

Fire Hose Fireline 38mm x 30M

(38X30FIRELINE)



Fire Hose c/w Storz 64mm x 30M

Fire Hose c/w Storz 64mm x 30M

(FH64X30STZ65)



Fire Hose c/w Storz 50Ft Yellow

Fire Hose c/w Storz 50Ft Yellow

(HFX50X50Y)



Fire Hose c/w Storz 38mm x 30M

Fire Hose c/w Storz 38mm x 30M

(FH38X30STZ65)



Fire Hose c/w Storz 25mm x 30M

Fire Hose c/w Storz 25mm x 30M

(FH25X30STZ)



Fire Hose c/w Storz 25mm x 20M

Fire Hose c/w Storz 25mm x 20M

(FH25X20STZ)



Fire Hose c/w Storz 25mm x 10M

Fire Hose c/w Storz 25mm x 10M

(FH25X10STZ)



Fire Hose c/w BIC 64mm x 5M

Fire Hose c/w BIC 64mm x 5M

(FH64X5B)



Fire Hose c/w BIC 64mm x 30M Yellow

Fire Hose c/w BIC 64mm x 30M Yellow

(FH64X30BY)



Fire Hose c/w BIC 64mm x 30M

Fire Hose c/w BIC 64mm x 30M

(FH64X30B)



Fire Hose c/w BIC 64mm x 15M

Fire Hose c/w BIC 64mm x 15M

(FH64X15B)



Fire Hose c/w BIC 64mm x 10M Yellow

Fire Hose c/w BIC 64mm x 10M Yellow

(FH64X10YB)



Fire Hose c/w BIC 64mm x 10M

Fire Hose c/w BIC 64mm x 10M

(FH64X10B)



Fire Hose c/w BIC 45mm x 30M

Fire Hose c/w BIC 45mm x 30M

(FH45X30B)



Fire Hose c/w BIC 38mm x 3M Yellow

Fire Hose c/w BIC 38mm x 3M Yellow

(FH38X3YB)



Fire Hose c/w BIC 38mm x 30M Brass

Fire Hose c/w BIC 38mm x 30M Brass

(FH38X30BB)



Fire Hose c/w BIC 38mm x 30M

Fire Hose c/w BIC 38mm x 30M

(FH38X30B)



Fire Hose c/w BIC 38mm x 20M

Fire Hose c/w BIC 38mm x 20M

(FH38X20B)



Fire Hose c/w BIC 38mm x 15M

Fire Hose c/w BIC 38mm x 15M

(FH38X15B)



Fire Hose c/w BIC 38mm x 10M

Fire Hose c/w BIC 38mm x 10M

(FH38X10B)

27 total products.



Rubber Hoses



**Goodyear Horizon Hose 300PSI 25mm
- per metre**
An economical air and water hose, Horizon is for a wide range of industrial, construction and agricultural applications. Available in 200, 250, and 300 PSI working pressures.
(HORIZON-25MM)



**Goodyear Horizon Hose 200PSI 19mm
- per metre**
An economical air and water hose, Horizon is for a wide range of industrial, construction and agricultural applications. Available in 200, 250, and 300 PSI working pressures.
(HORIZON-20MM)

2 total products.



Suction Hoses



65mm PVC Suction Hose - per metre

General purpose PVC Suction hose, for the transfer of waste materials, water, slurries, some chemicals, granules, gravel and sand.

(02-000-063-020)

1 total products.



Hydrants



Standpipe Washer Neoprene

Hydrant Base Neoprene

(FR1262)



Standpipe Single Outlet BIC Red

Standpipe Single Outlet BIC Red

(FS3024)



Hydrant Valve 65mm BIC x 65mm BSP Male

Landing Valve 64mm BIC Available in BSP, Roll Grooved and Flanged Connections.

(FS00232)



Hydrant Valve 65mm BIC R/G Multi Post

(FS00922)



Hydrant Bar And Key

Hydrant Bar And Key

(spooky)



Controlled Dividing Breech BIC Brass

(FS6041)



Akron Flow Test Kit

The Flow Test Kit Features:

- Durable Pyrolite Construction
- UL Classified
- Designed for easy operation providing highly accurate results
- 3 1/2" (89mm) liquid filled 0-160psi (0-1100kpa) gauge with large easy to read increments
- Large heavy duty carrying case (FK-230) Dimensions 18 3/8" (467 mm) W x 14 1/4" (362 mm) D x 8" (203 mm) H

(AFTK)



65mm BIC Washer

65mm BIC Coupling Washer

(HW65BIC)

8 total products.



Monitors



Stream Shaper Akron 485 2.5" NH

Inlet: 1.5" (38mm)
Outlet: 2.5" (65mm)
Length: 4" (100mm)
Weight: 3 lbs 12 oz (1.7kg)

(485)



Severe Duty Monitor Akron 3524 3" Flange x 2.5" NH 4800 Lpm

The Omega SD Severe Duty brass monitors utilize a unique ball bearing free joint design ideal for high usage applications.

(35240001)



Severe Duty Monitor Akron 3491 3" Flange x 2.5" NH 2900 Lpm

The Severe-Duty, multi-purpose monitor is designed to withstand continuous operation while mounted on heavy-duty equipment like off-road fire, construction, mining, or landfill vehicles.


(34911002)



Oscillating Monitor Blitzfire XXC-33 2000 Lpm

The Blitzfire Portable Monitor is manufactured from lightweight high strength aluminum alloy that has been hard coat anodized and powder coated for ultimate corrosion protection.

(TFTXXC33BIC)



Oscillating Monitor Ansul WOM-3

For use with water or foam, the WOM-3 (formerly WOM-1) is a master stream device for fixed locations.

(400000)



Oscillating Monitor Akron Ozzie 911 1325 Lpm

The Akron Ozzie 911 Oscillating Monitor has a powerful sweeping water stream through its water driven motor which moves the outlet back in a wave like motion.

(911)



Oscillating Foam Monitor Ansul FJM-80 WTO 3785 Lpm

The FJM-80 series of monitors is designed to deliver approximately 1000 gpm (3785 Lpm); however, actual flow rate is dependent on nozzle setting and inlet pressure.

(433806)



Nozzle Akron 4461 Rampage 2.5" NH 2800 Lpm

A fixed gallonage master stream nozzle with built-in stream shaper designed for flows up to 1250 gpm. Ideal for heavy-duty use on fixed monitors.

(44610001)



Nozzle Akron 4452 Aquastream 2.5" NH 1900 Lpm

A fixed gallonage master stream nozzle designed for heavy-duty use on fixed monitors.

(44520001)



Nozzle Akron 4447 Mercury 2.5" NH 1900 Lpm

The Mercury nozzles have excellent straight stream performance and a wide, dense, fully adjustable fog pattern.


(44470001)



Nozzle Akron 4445 Master Stream 2.5" NH 1900 Lpm

The Mercury nozzles have excellent straight stream performance and a wide, dense, fully adjustable fog pattern.


(44450001)



Monitor Ansul MM-1000-4 SS 3785 Lpm

The MM-1000 is designed to deliver approximately 1,000 GPM (3785 LPM), however, actual flow rate is dependent on nozzle choice.

(402826)



Monitor Ansul MM-1000-3 3785 Lpm

The MM-1000 is designed to deliver approximately 1,000 GPM (3785 LPM), however, actual flow rate is dependent on nozzle choice.

(400276)



Monitor Akron Omega 3528 3" Flange x 2.5" NH 4800 Lpm

The Omega XP brass monitor offers maximum travel for optimal coverage in a compact, economical package for industrial and marine environments.

(35284001)



Monitor Akron Mercury 3443 1900 Lpm

This 500 gpm portable monitor is a lightweight, compact size, quick attack monitor. Featuring a 2 1/2" inlet with a full time swivel and a 2 1/2" outlet.

(3443)



Hydraulic Motor Suit Severe Duty Monitor

The Severe-Duty, multi-purpose monitor is designed to withstand continuous operation while mounted on heavy-duty equipment like off-road fire, construction, mining, or landfill vehicles.

(34920201)



Foam Nozzle Self Educting TFT ZMF32A 2000 Lpm

The Task Force Tips' MASTER FOAM nozzle is a simple and rugged self-educting foam nozzle with superior stream quality and reach.

(ZMF32A)



Foam Nozzle Self Educting TFT ZMF23A 2800 Lpm

The Task Force Tips' MASTER FOAM nozzle is a simple and rugged self-educting foam nozzle with superior stream quality and reach.

(ZMF23A)



Foam Nozzle Ansul 427463 1325 Lpm

The ANSUL® Master Foam Nozzle is an accurate and durable self-educting foam nozzle with superior stream quality and reach.

(427463)



Foam Nozzle Akrofoam 4470 2.5" NH c/w Pick Up Tube 1900 Lpm

The AkroFoam foam nozzles are self-educting master stream nozzles designed for educting foam at flow rates up to 4800 lpm.

(44700005)



Electric Monitors



Severe Duty Monitor Akron 3491 3" Flange x 2.5" NH 2900 Lpm

The Severe-Duty, multi-purpose monitor is designed to withstand continuous operation while mounted on heavy-duty equipment like off-road fire, construction, mining, or landfill vehicles.

(34911002)

1 total products.




Manual Monitors




Severe Duty Monitor Akron 3524 3" Flange x 2.5" NH 4800 Lpm

The Omega SD Severe Duty brass monitors utilize a unique ball bearing free joint design ideal for high usage applications.
(35240001)



Monitor Ansul MM-1000-4 SS 3785 Lpm

The MM-1000 is designed to deliver approximately 1,000 GPM (3785 LPM), however, actual flow rate is dependant on nozzle choice.
(402826)



Monitor Ansul MM-1000-3 3785 Lpm

The MM-1000 is designed to deliver approximately 1,000 GPM (3785 LPM), however, actual flow rate is dependant on nozzle choice.
(400276)



Monitor Akron Omega 3528 3" Flange x 2.5" NH 4800 Lpm

The Omega XP brass monitor offers maximum travel for optimal coverage in a compact, economical package for industrial and marine environments.
(35284001)



Monitor Akron Mercury 3443 1900 Lpm

This 500 gpm portable monitor is a lightweight, compact size, quick attack monitor. Featuring a 2 1/2" inlet with a full time swivel and a 2 1/2" outlet.
(3443)



Monitor Nozzles



Stream Shaper Akron 485 2.5" NH

Inlet: 1.5" (38mm)
Outlet: 2.5" (65mm)
Length: 4" (100mm)
Weight: 3 lbs 12 oz (1.7kg)

(485)



Nozzle Akron 4461 Rampage 2.5" NH 2800 Lpm

A fixed gallonage master stream nozzle with built-in stream shaper designed for flows up to 1250 gpm. Ideal for heavy-duty use on fixed monitors.

(44610001)



Nozzle Akron 4452 Aquastream 2.5" NH 1900 Lpm

A fixed gallonage master stream nozzle designed for heavy-duty use on fixed monitors.

(44520001)



Nozzle Akron 4447 Mercury 2.5" NH 1900 Lpm

The Mercury nozzles have excellent straight stream performance and a wide, dense, fully adjustable fog pattern.

(44470001)



Nozzle Akron 4445 Master Stream 2.5" NH 1900 Lpm

The Mercury nozzles have excellent straight stream performance and a wide, dense, fully adjustable fog pattern.

(44450001)



Foam Nozzle Self Educting TFT ZMF32A 2000 Lpm

The Task Force Tips' MASTER FOAM nozzle is a simple and rugged self-educing foam nozzle with superior stream quality and reach.

(ZMF32A)



Foam Nozzle Self Educting TFT ZMF23A 2800 Lpm

The Task Force Tips' MASTER FOAM nozzle is a simple and rugged self-educing foam nozzle with superior stream quality and reach.

(ZMF23A)



Foam Nozzle Ansul 427463 1325 Lpm

The ANSUL® Master Foam Nozzle is an accurate and durable self-educing foam nozzle with superior stream quality and reach.

(427463)



Foam Nozzle Akrofoam 4470 2.5" NH c/w Pick Up Tube 1900 Lpm

The AkroFoam foam nozzles are self-educing master stream nozzles designed for educing foam at flow rates up to 4800 lpm.

(44700005)

9 total products.



Monitor Spare Parts



Hydraulic Motor Suit Severe Duty Monitor

The Severe-Duty, multi-purpose monitor is designed to withstand continuous operation while mounted on heavy-duty equipment like off-road fire, construction, mining, or landfill vehicles.

(34920201)

1 total products.




Self Oscillating Monitors



**Oscillating Monitor Blitzfire XXC-33
2000 Lpm**

The Blitzfire Portable Monitor is manufactured from lightweight high strength aluminum alloy that has been hard coat anodized and powder coated for ultimate corrosion protection.

(TFTXXC33BIC)



Oscillating Monitor Ansul Wom-3

For use with water or foam, the WOM-3 (formerly WOM-1) is a master stream device for fixed locations.

(400000)



**Oscillating Monitor Akron Ozzie 911
1325 Lpm**

The Akron Ozzie 911 Oscillating Monitor has a powerful sweeping water stream through its water driven motor which moves the outlet back in a wave like motion.

(911)



**Oscillating Foam Monitor Ansul FJM-80
WTO 3785 Lpm**

The FJM-80 series of monitors is designed to deliver approximately 1000 gpm (3785 Lpm); however, actual flow rate is dependent on nozzle setting and inlet pressure.

(433806)

4 total products.



Nozzles



Tip Protek 366 1.5"

Tip Protek 366 1.5"

(150-366-TIP)



Service Kit Akron Turbojet 1720

Nozzle service kits are designed to repair nozzles using replacement parts. Kits come with a variety of parts, all in different sizes

(9180)



Repair Kit Viper 1560 Nozzle

Repair Kit Viper 1560 Nozzle

(RK1560)



Nozzle Tips VB1560 Viper Pistol Grip 1" with 25mm Blackout Twist

Nozzle Tips VB1560 Viper Pistol Grip 1" with 25mm Blackout Twist

(VB1560SAFD25)



Nozzle Tips SG9520 Viper Pistol Grip 1.5"

Nozzle Tips SG9520 Viper Pistol Grip 1.5"

(SG9520)



Nozzle Tips SG3012 Viper Pistol Grip 1.5"

Nozzle Tips SG3012 Viper Pistol Grip 1.5"

(sg3012)



Nozzle Tips SG1560 Viper Pistol Grip 1"

Nozzle Tips SG1560 Viper Pistol Grip 1"

(SG1560)



Nozzle Tips 1560 Blue Devil Pistol Grip 1"

Nozzle Tips 1560 Blue Devil Pistol Grip 1"

(BD1560)



Nozzle Protek 367 Pistol Grip 1.5" BSP

Nozzle Protek 367 Pistol Grip 1.5" BSP

(150-367AP)



Nozzle Protek 366 Pistol Grip BIC

Nozzle Protek 366 Pistol Grip BIC

(150-366BI)



Nozzle Protek 366 Pistol Grip 1.5" BSP

Nozzle Protek 366 Pistol Grip 1.5" BSP

(150-366AP)



Nozzle Protek 361 Pistol Grip 1" NH

Nozzle Protek 361 Pistol Grip 1" NH

(150-361NH)



Nozzle Protek 361 Pistol Grip 1" BSP

Nozzle Protek 361 Pistol Grip 1" BSP

(150-361AP)



Nozzle Protek 360 Pistol Grip 1" NH

Nozzle Protek 360 Pistol Grip 1" NH

(150-360NH)



Nozzle Protek 360 Pistol Grip 1" BSP

Nozzle Protek 360 Pistol Grip 1" BSP

(150-360AP)



Nozzle Akron ProVenger Pistol Grip 1.5" BSP

The 1 1/2" ProVenger FG is the fixed gallonage style for the ProVenger Series Nozzles.

(16160010)



Nozzle Akron 1720 Turbojet Pistol Grip 1.5" NH

The Turbojet is a constant gallonage nozzle (flow remains the same in all patterns) with multiple flow settings for operator flow control.

(1720)



Nozzle Akron 1702 Turbojet Pistol Grip 1" NH

The Akron® adjustable gallonage TurboJet® nozzle is unmatched in today's fire service for its flexibility and flow control.

(1702)



Nozzle Akron 1520 SaberJet Pistol Grip 1.5" NH

Akron Brass SaberJet 1520 Nozzle features a 38mm Swivel Inlet with pistol grip and Dual Shutoff (DSO).

(1520)



Foam Tube Akron 0770 Suit 25mm Turbojet

The Akron Brass Quick Attack Foam Tubes are designed to easily and quickly clamp on to various Akron® foam nozzles.

(0790)



Foam Tube 212 Suit Protek 236

Attaches to Protek nozzle bumpers of Style #366, #372, #366B and #372B.

(150-212)



Foam Nozzle Viper 3012 Pistol Grip 230 Lpm

60 GPM Low Expansion Foam Nozzle, 10:1 Expansion. Viper Foam Equipment is constructed of E-lite aluminum that is Hard anodized for durability. Viper Foam Eductors and foam nozzles work on the Venturi Principle to mix foam concentrate and air into the water to make finished foam

(PVB3012)



Foam Inductor Macron Z4 BSP 400 Lpm

Product Features
- Proportioning ratio from 0 to 6%
- Constant proportioning rate
- Works with back pressure up to 2 bar
- Available in 200 and 400 l/min construction

(101825039)



Foam Inductor Macron Z2 BSP 200 Lpm

Product Features
- Proportioning ratio from 0 to 6%
- Constant proportioning rate
- Works with back pressure up to 2 bar
- Available in 200 and 400 l/min construction

(101825013)



Foam Eductor Akron Pyrolite In-Line 95 Gpm

Akron Municipal Eductors feature a large, easy to read, and removable metering dial with settings between 0% and 6%.

(3095)



Foam Branch Medium Expansion Macron MX50 200 Lpm

Capable of producing large quantities of foam in situations requiring rapid foam cover with low water usage, they are fully compatible with Macron's Variable Inline Foam Inductors and are available with an optional on/off ball valve on all models.

(5168)



Foam Branch Medium Expansion Macron MX100 400 Lpm

Capable of producing large quantities of foam in situations requiring rapid foam cover with low water usage, they are fully compatible with Macron's Variable Inline Foam Inductors and are available with an optional on/off ball valve on all models.

(5164)



Foam Branch Low Expansion Macron LX50 200 Lpm

Designed to produce long coherent throws of low expansion foam using all types of foam concentrate, they are fully compatible with Macron's Variable Inline Foam Inductors and are available with on/off ball valve as standard on all models.

(19278+11232)



Foam Branch Low Expansion Macron LX100 400 Lpm

Designed to produce long coherent throws of low expansion foam using all types of foam concentrate, they are fully compatible with Macron's Variable Inline Foam Inductors and are available with on/off ball valve as standard on all models.

(19279+11232)



Ball Valve Viper VB1560 1"

1" Swivel F. X 1" M. Ball Shutoff W/ 1" Waterway and Pistol Grip

(VB1560)



Ball Valve Valve μBore 1.5"

- High Quality Aluminium
- Hard Anodised - 45μ
- Stainless Steel Ball
- Double Seat Valve
- Self-Lubricating Seats
- Double Drag Shaft
- 1-1/2" BSP Swivel
- 1-1/2" BSP Outlet

(1218252)



Ball Valves



Ball Valve Viper VB1560 1"

1" Swivel F. X 1" M. Ball Shutoff W/ 1" Waterway and Pistol Grip

(VB1560)



Ball Valve Valve µBore 1.5"

- High Quality Aluminium
- Hard Anodised - 45µ
- Stainless Steel Ball
- Double Seat Valve
- Self-Lubricating Seats
- Double Drag Shaft
- 1-1/2" BSP Swivel
- 1-1/2" BSP Outlet

(I218252)

2 total products.



Eductors & Tubes



Foam Tube Akron 0770 Suit 25mm Turbojet

The Akron Brass Quick Attack Foam Tubes are designed to easily and quickly clamp on to various Akron® foam nozzles.

(0790)



Foam Tube 212 Suit Protek 236

Attaches to Protek nozzle bumpers of Style #366, #372, #366B and #372B.

(150-212)



Foam Nozzle Viper 3012 Pistol Grip 230 Lpm

60 GPM Low Expansion Foam Nozzle, 10:1 Expansion. Viper Foam Equipment is constructed of E-lite aluminum that is Hard anodized for durability. Viper Foam Eductors and foam nozzles work on the Venturi Principle to mix foam concentrate and air into the water to make finished foam.

(PVB3012)



Foam Inductor Macron Z4 BSP 400 Lpm

Product Features
- Proportioning ratio from 0 to 6%
- Constant proportioning rate
- Works with back pressure up to 2 bar
- Available in 200 and 400 l/min construction

(101825039)



Foam Inductor Macron Z2 BSP 200 Lpm

Product Features
- Proportioning ratio from 0 to 6%
- Constant proportioning rate
- Works with back pressure up to 2 bar
- Available in 200 and 400 l/min construction

(101825013)



Foam Eductor Akron Pyrolite In-Line 95 Gpm

Akron Municipal Eductors feature a large, easy to read, and removable metering dial with settings between 0% and 6%.

(3095)



Foam Branch Medium Expansion Macron MX50 200 Lpm

Capable of producing large quantities of foam in situations requiring rapid foam cover with low water usage, they are fully compatible with Macron's Variable Inline Foam Inductors and are available with an optional on/off ball valve on all models.

(5168)



Foam Branch Medium Expansion Macron MX100 400 Lpm

Capable of producing large quantities of foam in situations requiring rapid foam cover with low water usage, they are fully compatible with Macron's Variable Inline Foam Inductors and are available with an optional on/off ball valve on all models.

(5164)



Foam Branch Low Expansion Macron LX50 200 Lpm

Designed to produce long coherent throws of low expansion foam using all types of foam concentrate, they are fully compatible with Macron's Variable Inline Foam Inductors and are available with on/off ball valve as standard on all models.

(19278+11232)



Foam Branch Low Expansion Macron LX100 400 Lpm

Designed to produce long coherent throws of low expansion foam using all types of foam concentrate, they are fully compatible with Macron's Variable Inline Foam Inductors and are available with on/off ball valve as standard on all models.

(19279+11232)



Foam Branches



Foam Tube Akron 0770 Suit 25mm Turbojet

The Akron Brass Quick Attack Foam Tubes are designed to easily and quickly clamp on to various Akron® foam nozzles.

(0790)



Foam Tube 212 Suit Protek 236

Attaches to Protek nozzle bumpers of Style #366, #372, #366B and #372B.

(150-212)



Foam Nozzle Viper 3012 Pistol Grip 230 Lpm

60 GPM Low Expansion Foam Nozzle, 10:1 Expansion. Viper Foam Equipment is constructed of E-lite aluminum that is Hard anodized for durability. Viper Foam Eductors and foam nozzles work on the Venturi Principle to mix foam concentrate and air into the water to make finished foam.

(PVB3012)



Foam Inductor Macron Z4 BSP 400 Lpm

Product Features
- Proportioning ratio from 0 to 6%
- Constant proportioning rate
- Works with back pressure up to 2 bar
- Available in 200 and 400 l/min construction

(101825039)



Foam Inductor Macron Z2 BSP 200 Lpm

Product Features
- Proportioning ratio from 0 to 6%
- Constant proportioning rate
- Works with back pressure up to 2 bar
- Available in 200 and 400 l/min construction

(101825013)



Foam Eductor Akron Pyrolite In-Line 95 Gpm

Akron Municipal Eductors feature a large, easy to read, and removable metering dial with settings between 0% and 6%.

(3095)



Foam Branch Medium Expansion Macron MX50 200 Lpm

Capable of producing large quantities of foam in situations requiring rapid foam cover with low water usage, they are fully compatible with Macron's Variable Inline Foam Inductors and are available with an optional on/off ball valve on all models.

(5168)



Foam Branch Medium Expansion Macron MX100 400 Lpm

Capable of producing large quantities of foam in situations requiring rapid foam cover with low water usage, they are fully compatible with Macron's Variable Inline Foam Inductors and are available with an optional on/off ball valve on all models.

(5164)



Foam Branch Low Expansion Macron LX50 200 Lpm

Designed to produce long coherent throws of low expansion foam using all types of foam concentrate, they are fully compatible with Macron's Variable Inline Foam Inductors and are available with on/off ball valve as standard on all models.

(19278+11232)



Foam Branch Low Expansion Macron LX100 400 Lpm

Designed to produce long coherent throws of low expansion foam using all types of foam concentrate, they are fully compatible with Macron's Variable Inline Foam Inductors and are available with on/off ball valve as standard on all models.

(19279+11232)

10 total products.



Nozzle Spare Parts



Service Kit Akron Turbojet 1720

Nozzle service kits are designed to repair nozzles using replacement parts. Kits come with a variety of parts, all in different sizes

(9180)



Repair Kit Viper 1560 Nozzle

Repair Kit Viper 1560 Nozzle

(RK1560)

2 total products.



Nozzle Tips



Tip Protek 366 1.5"

Tip Protek 366 1.5"

(150-366-TIP)

1 total products.



Pistol Grip Nozzles



Nozzle Tips VB1560 Viper Pistol Grip 1" with 25mm Blackout Twist

Nozzle Tips VB1560 Viper Pistol Grip 1" with 25mm Blackout Twist

(VB1560SAFD25)



Nozzle Tips SG9520 Viper Pistol Grip 1.5"

Nozzle Tips SG9520 Viper Pistol Grip 1.5"

(SG9520)



Nozzle Tips SG3012 Viper Pistol Grip 1.5"

Nozzle Tips SG3012 Viper Pistol Grip 1.5"

(sg3012)



Nozzle Tips SG1560 Viper Pistol Grip 1"

Nozzle Tips SG1560 Viper Pistol Grip 1"

(SG1560)



Nozzle Tips 1560 Blue Devil Pistol Grip 1"

Nozzle Tips 1560 Blue Devil Pistol Grip 1"

(BD1560)



Nozzle Protek 367 Pistol Grip 1.5" BSP

Nozzle Protek 367 Pistol Grip 1.5" BSP

(150-367AP)



Nozzle Protek 366 Pistol Grip BIC

Nozzle Protek 366 Pistol Grip BIC

(150-366BI)



Nozzle Protek 366 Pistol Grip 1.5" BSP

Nozzle Protek 366 Pistol Grip 1.5" BSP

(150-366AP)



Nozzle Protek 361 Pistol Grip 1" NH

Nozzle Protek 361 Pistol Grip 1" NH

(150-361NH)



Nozzle Protek 361 Pistol Grip 1" BSP

Nozzle Protek 361 Pistol Grip 1" BSP

(150-361AP)



Nozzle Protek 360 Pistol Grip 1" NH

Nozzle Protek 360 Pistol Grip 1" NH

(150-360NH)



Nozzle Protek 360 Pistol Grip 1" BSP

Nozzle Protek 360 Pistol Grip 1" BSP

(150-360AP)



Nozzle Akron ProVenger Pistol Grip 1.5" BSP

The 1 1/2" ProVenger FG is the fixed gallonage style for the ProVenger Series Nozzles.

(16160010)



Nozzle Akron 1720 Turbojet Pistol Grip 1.5" NH

The Turbojet is a constant gallonage nozzle (flow remains the same in all patterns) with multiple flow settings for operator flow control.

(1720)



Nozzle Akron 1702 Turbojet Pistol Grip 1" NH

The Akron® adjustable gallonage TurboJet® nozzle is unmatched in today's fire service for its flexibility and flow control.

(1702)

□

Nozzle Akron 1520 SaberJet Pistol Grip 1.5" NH

Akron Brass SaberJet 1520 Nozzle features a 38mm Swivel Inlet with pistol grip and Dual Shutoff (DSO).

(1520)

16 total products.



Firefighting PPE



YHS P2 Face Mask - Charcoal Filter 10 Pack
YHS DM30 P2CV Active Carbon Valved Respirator
(DM30)



YHS Half Mask HMA1P2 Respirator
YHS Half Mask HMA1P2 Respirator Kit
(HMPKIT)



Vulcan Replacement Zips Suit MVN100
Magnum Zip MVZ 100 for boot MVN 100
(MVZ100)



Vulcan CT CP WPI Structural Fire Boot Composite Toe
Our heroes we consider to be uniformed athletes. Those who respond first to action and demand their footwear to perform in the toughest conditions. The Magnum Vulcan Collection is faster, lighter and delivers the burden of weight, the fatigue during long shifts and aiding mobility to the wearer.
(MVN100)



TA560 Unilite Safety Helmet
UniSafe Type 1 ABS Plastic Safety Helmet
(TA560)



Skellerup FWFSF8 Extreme Fire/Hazmat
The Type 3 structural rubber fire-fighting boot offers unrivaled comfort, protection and assurance.
(FWFSF8)



Scott Promask Twin FF Respirator Small
Single full face size small respirator provides comfort and protection against a wide variety of respiratory hazards.
(2030105)



Scott Promask Twin FF Respirator Med/Large
Single full face size small respirator provides comfort and protection against a wide variety of respiratory hazards.
(2029344)



Scott Profile 2 Readypak Small
Scott Safety Profile² Medium Half Face ReadyPak w/ Pro² Particulate P2 Filters
(032172ANZ)



Scott Profile 2 Readypak Medium
Scott Safety Profile² Medium Half Face ReadyPak w/ Pro² Particulate P2 Filters
(032175ANZ)



Scott Profile 2 Readypak Large
Scott Safety Profile² Medium Half Face ReadyPak w/ Pro² Particulate P2 Filters
(032178ANZ)



Scott Pro Filter A2P2/P3 Pair
Scott Safety Pro² Filter A2P2/P3⁺ - Scott Safety Pro² combination filter for organic gases & vapours, solid & liquid particles. Particle, gas and combined cartridges from the Scott Safety Pro² range use a bayonet locking mechanism and feature unique protective covers with recessed inlet grills
(44081)



Riggamate Cow Grain Glove 12 Pack
ProChoice Riggamate Premium Cow Grain Leather Glove
(CGL41N)




Reflective Volunteer Station Name
Reflective Volunteer Station Name
(STICKER-VOLSTN)




Reflective Volunteer Station Arch Pair
Reflective Volunteer Station Arch Pair
(STICKER-VOLARCH)



Reflective Surname Helmet Sticker
Reflective Surname Helmet Sticker
(STICKER-SURNAME)




Reflective Striping Kit 5 Piece Red
Reflective Striping Kit 5 Piece Red
(A118975)



Reflective Sticker Kit 5 Piece Yellow
Reflective Sticker Kit 5 Piece Yellow
(A118969)



Reflective Lieutenant Rank Marker Blue Pair
Reflective Lieutenant Rank Marker Blue Pair
(STICKER-F10-LTNT)



Reflective Leading FF Rank Marker Pair
Reflective Leading FF Rank Marker Pair
(RANK-F10-LEADING)



Reflective DPAW Helmet Logo Class 2

Reflective DPAW Helmet Logo Class 2

(STICKER-DPAW)



Reflective DFES Helmet Sticker

Reflective DFES Helmet Sticker

(STICKER-DFES)



Reflective Apparatus Rank Marker Green 4 Set

Reflective Apparatus Rank Marker Green 4 Set

(STICKER-VOLAPPS)



Reflective Apparatus Officer Rank Marker Green Pair

Reflective Apparatus Officer Rank Marker Green Pair

(STICKER-F10-APPS)



Refelective Ltnt Rank Marker Blue 4 Set

Reflective Ltnt Rank Marker Blue 4 Set

(STICKER-VOLLTNT)



Red Rack™ Wall Mounted

Get organised with the wall mounted modules from Ready Rack. They are fast and easy to install with handy directions included with every module.

(RAKRRWM)



R5S Visor and Hinge Kit

Visor Hinge Kit complete with screws

(B2066105+S)



R5S Visor and Hinge Kit

R5S Visor and Hinge Kit

(SESCVHK)



R5S Replacement Harness

Pacific R5S Helmet Replacement Harness

(B2022508S)



R5S Merino Sweatband Rear

R5S Merino Sweatband Rear

(B2138603S)



R5S Merino Sweatband Front

R5S Merino Sweatband Front

(B2138602S)



R5 Rescue Helmet Orange

Pacific Helmets' R5 Series is a light duty Rescue/Industrial helmet that features a lightweight Kevlar® reinforced outer shell for protection and durability.

(HR5S-OR-SES)



R5 Rescue Helmet

Pacific Helmets' R5 Series is a light duty Rescue/Industrial helmet that features a lightweight Kevlar® reinforced outer shell for protection and durability.

(HR5S)



Pants Wildlands

The Wildland Trousers featured reinforced knee areas and an elastic waist with draw cord and metal zip.

(00E179ZD)



Padded Helmet Carry Bag-Medium Black

Padded Helmet Carry Bag - Medium

(BAG5813)



Oliver Lace - Fire Boot

Laces Oliver L-FP160

(LACE-FP)



Oliver Insol-N Innersole

Oliver INSOL-N Nanolite Footbed

(INSOL-N)



Oliver 66496 Structural Fire Boot

239mm Lace Up Structural Firefighters Boot

Oliver Footwear's firefighting and emergency services boots are designed to be the safety footwear choice of the relevant agencies and their frontline personnel.

(66496)



Oliver 66495 Structural Fire Boot

239mm Lace Up Structural Firefighters Boot

Oliver Footwear's firefighting and emergency services boots are designed to be the safety footwear choice of the relevant agencies and their frontline personnel.

(66495)



Oliver 66460 Wildland Fire Boot Composite Toe

180mm Wildland Firefighters Boot

Oliver Footwear's firefighting and emergency services boots are designed to be the safety footwear choice of the relevant agencies and their frontline personnel.

(66460)

**Oliver 66-395 Zip**

Oliver Zip 395 Boot Zip Kit Insert
(ZIP395)

**Oliver 66-360 Zip**

Oliver Zip 360 Boot Zip Kit Insert
(ZIP360)

**Oliver 55345 Lace Up Boot Steel Toe**

150mm Black Lace Up Boot
Our new work boot may be lightweight, but it packs a punch with heavyweight protection.
(55345)

**Oliver 45645C Lace Up Boot Composite Toe**

Black Elastic Sided Boot
(45645C)

**Oliver 34652 Lace Up Derby Shoe Steel Toe**

Black Lace Up Derby Shoe
The WB34 series update has raised the bar in durable, lightweight work boot design. Our new hiker style, zip side ankle boot is made from water resistant leather and features the latest in technology and innovation
(34652)

**Oliver 34620 Elastic Sided Boot Steel Toe**

Black Elastic Sided Boot
(34620)

**Nomex Flash Hood Structural**

Nomex Flash Hood Structural
(ULFRNOH2B2E)

**Nomex Duty Trousers**

ADA Nomex Sentinel Duty Trousers Cargo
(04E184GR)

**Magnum Vulcan Lite Wildland Boot Composite Toe**

Our heroes we consider to be uniformed athletes. Those who respond first to action and demand their footwear to perform in the toughest conditions. The Magnum Vulcan Collection is faster, lighter and delivers the burden of weight, the fatigue during long shifts and aiding mobility to the wearer.
(MVL100)

**Magnum Strike Force 8.0 CT SZ Boot Composite Toe**

M-P.A.C.T Power moulded PU insole delivers superior long-term cushioning, high-level breathability and moisture management.
(MSF900)

**Magnum Ortholite Innersole**

The Ortholite mission is simple: to provide high quality and comfortable shoe insoles to support the unique structure of the human foot. Through advanced proprietary technology, our polyurethane and recycled rubber-based formula holds the distinction of being the only open cell foam insole combining long-lasting cushioning, breathability and durability.
(MFO110)

**Magnum Laces One Size Fits All**

Magnum Laces One Size Fits All
(MLE100-1)

**Magnum Fireshield WPI Wildland Fire Boot Composite Toe**

The Magnum range of fire boots is unlike any other; designed to perform in the toughest of environments encountered by firefighters yet feel more like wearing a training shoe.
(MFE900)

**Magnum Fire Boot Zip Kit Black**

Turn your Magnum boots into quick entry, quick exit vehicles with this 8-hole, lace-in service zipper.
(MZR200)

**Magnum Active Duty Matt Dress Shoe**

High quality dress shoe with athletic performance, using the very best materials.
(MAE100)

**Magnum Active Duty Gloss Dress Shoe**


High quality dress shoe with athletic performance, using the very best materials.
(MAE150)

**Helmert Attached Earmuffs Zone 2**

ZONE 2 NG (Orange) is the perfect hearing protector for a wide variety of applications. Suitable for work environments with a medium to high noise level such as construction, forestry, engineering, fabrication and mining.
(RBZ2CA)

**Frontline Splash Goggles Clear**

The 109 Frontline Splash and Heat Resistant Safety Goggles are certified for high temperature and fire fighting work. The soft frame construction is ideal to use in elevated temperature areas. The goggles can be worn on top of spectacles. The 109 Frontline Goggles can also be used as an everyday medium impact industrial safety goggle.
(109SRCFA)

**First Responder Coverall**

Our coveralls combine the latest fabric technology with garment designs that are functional and dedicated to meeting the challenges of rescue services throughout Australia.
(00F159)

**Firewall Level 3 Fire Glove**

Firewall Level 3 Fire Glove
(MGFW3)



Firewalker Unlined Level 1 Glove

Firewalker WCU Unlined Level 1 Glove

(MGFWWCU)



Firestrike Goggle Clear Two Piece

The Firestrike goggle is attached in such a manner to the helmet that they allow the strap to be pulled from a natural angle and not from above the rear brim of the helmet as is traditionally the case.

(GESSGCD)



Firestrike Goggle Clear One Piece

The Firestrike goggle is attached in such a manner to the helmet that they allow the strap to be pulled from a natural angle and not from above the rear brim of the helmet as is traditionally the case.

(MESSGCS)



Firepro Wildfire Level 1 Glove

A light durable glove affording the wearer superior protection from wildfire hazards, designed specifically for Australian conditions.

(FW#1)



Firepro 2 Structural Fire Glove

The firepro 2 possesses excellent heat and cut resistance while still retaining maximum feel and dexterity. The innovation of the Australian glove industry's first ever cut and sewn laminated fire glove liner/insert provides waterproof, breathable performance, an excellent integration of technology and manufacturing expertise.

(GFP2)



F5S Orange SES Neck Flap

F5S Orange SES Neck Flap

(B2044030S)



F3D MkII Structural Helmet

The next generation structural fire fighting helmet is the latest in Pacific Structural Fire Fighting Helmet technology.

(HF3DNK2WA)



F15 Structural Firefighting Helmet

The F15 incorporates the latest innovative designs such as the dual pivot face shield. Using an elliptic dual pivot system, the F15's new full coverage internal face shield can be fully deployed when in use with a breathing apparatus to provide you with an extra layer of safety. The F15 also comes with the One Touch Eye Protector (OTEP)[™] for easy, push-activated eye protection at times when full face coverage is not required.


(HF15 OTEP GEN2 WH)



F11 Dragonfly Structural Firefighting Helmet

The F11 offers a fresh take on structural fire helmet design. The F11 has been designed to maximise protection and practicality for the diverse range of duties modern Emergency Service personnel are called on to perform. Certified to AS/NZS4067:2012, NFPA 1971:2018 & NFPA 1951:2013, and EN443:2008 the F11 is a compact helmet ideal not only for structural firefighting but also for road crash rescue and confined space work. The compact design of the F11 makes it a truly multipurpose structural firefighting helmet.


(HF11 EP GEN2 WH)



F10/F7AL/F3DNK Ribbon Mesh Cradle

F10/F7AL/F3DNK Ribbon Mesh Cradle

(B2022476F)



F10 Reflective Silver Rank Stripe Pair

F10 Reflective Silver Rank Stripe Pair

(RANK-F10-STRIPE)



F10 Reflective 1st Class Rank Marker Pair

F10 Reflective 1st Class Rank Marker Pair

(RANK-F10-1STFF)



F10 Mk3 Structural Fire Helmet

The next generation structural fire fighting helmet is the latest in Pacific Structural Fire Fighting Helmet technology.

(HF10MK3WAL)



F10 Mk3 Metal Rear D Hanger

F10 Mk3 Metal Rear D Hanger

(B2066022F)



F10 Mk3 Internal Visor

F10 Mk3 Internal Visor

(A111850F)



F10 Mk3 G2 Velcro Loop 50x75mm

F10 Mk3 G2 Velcro Loop 50x75mm

(B2160051)



F10 Mk3 G2 Velcro Loop 20x150mm for Neck Protector

F10 Mk3 G2 Velcro Loop 20x150mm for Neck Protector

(B2160005)



F10 Mk3 G2 Rear Leather Pad

F10 Mk3 G2 Rear Leather Pad


(B2138601)



F10 Mk3 G2 Rear Hanger Nylon

F10 Mk3 G2 Rear Hanger Nylon

(B2044829)



F10 Mk3 G2 Rear Hanger Nylon

F10 Mk3 G2 Rear Hanger Nylon

(B2066015)



F10 Mk3 G2 PU Cap
F10 Mk3 G2 PU Cap
(B2022342)



F10 Mk3 G2 Liner, Mesh Ribbon Cradle and Headband
F10 Mk3 G2 Liner, Mesh Ribbon Cradle and Headband
(B2023014FR)



F10 Mk3 G2 Internal Bubble Face Shield
F10 Mk3 G2 Internal Bubble Face Shield
(A111850A)



F10 Mk3 G2 Front Leather Padding and Mesh
F10 Mk3 G2 Front Leather Padding and Mesh
(B2138522)



F10 Mk3 G2 Face Shield Hinge Kit with Easi On-Off Bases
F10 Mk3 G2 Face Shield Hinge Kit with Easi On-Off Bases
(B2117575)



F10 Mk3 G2 Complete Headband
F10 Mk3 G2 Complete Headband
(B2022588FR)



F10 Mk3 G2 6-point Ribbon Suspension Cradle
F10 Mk3 G2 6-point Ribbon Suspension Cradle
(B2022485)



F10 Mk3 G2 3-point Chinstrap
F10 Mk3 G2 3-point Chinstrap
(B2033629)



F10 Mk3 G1 Liner, Mesh Ribbon Cradle and Headband
F10 Mk3 G1 Liner, Mesh Ribbon Cradle and Headband
(B2022301)



F10 Mk3 G1 Face Shield Hinge Kit
F10 Mk3 G1 Face Shield Hinge Kit
(B2117566)



F10 Mk3 G1 Complete Harness
F10 Harness, Suit F10 Mk3 GEN 1 Helmet
(B2022566F)




F10 Mk3 G1 3 Point Nomex Chin Strap
Replacement Spare Part - Chin Strap, Suit F10 Mk3 Gen 1 Helmet
(B2033053)




F10 Mk3 Button Hole Extended 200mm Neck Protector
Extended Length Neck Flap, No Velcro. Suit F10 Mk3 Gen 1 Helmet
(B2044814F)



F10 Easi On/Off Base & Holder
F10 Easi On/Off Base & Holder
(B2066056)



F10 Down Size Kit
F10 Down Size Kit
(B2138630)



F10 Chinstrap Screw Set
F10 Chinstrap Screw Set
(B2126502)



Easi On Torch Holder
Easi On Torch Holder
(B2066114FIRE)



Duramaxx Fire Goggle
DuraMaxx™ fire goggles are for use in high ambient heat environments – especially fire fighting. Featuring a closed ventilation system, large field of vision and adjustable headband for comfort and optimum safety.
(1017740)



DFES SES Helmet Logo
DFES SES Helmet Logo
(STICKER-SES)



Coat Wildlands
The Wildland Jacket features a contoured stand up collar designed for maximum thermal protection, as well as large bellows pockets with Hook and Loop closure and drain holes.
(00C174ZA)



Clip On Visor Hinge Kit
Clip On Visor Hinge Kit
(B2117556)



BR9 Wide Multipurpose Helmet
Popular Lightweight bushfire helmet. Narrow side brim and multiple crown ridges for extra strength air flow.
(BR9W/BCVMFS)



BR9 Torch Holder Mount
BR9 Torch Holder Mount
(B2066064)



BR9 Single Layer Neck Flap
BR9 Single Layer Neck Flap
(B2044165)



BR9 Ribbon Set

BR9 Ribbon Set

(B2022492)



BR9 Reflective Station Officer Rank Marker Pair

BR9 Reflective Station Officer Rank Marker Pair

(RANK-BR9-STNOFF)



BR9 Reflective Silver Rank Stripe Pair

BR9 Reflective Silver Rank Stripe Pair

(RANK-BR9-STRIPE)



BR9 Reflective Senior FF Rank Marker Pair

BR9 Reflective Senior FF Rank Marker Pair

(RANK-BR9-SENIOR)



BR9 Reflective Senior 15+FF Rank Marker Pair

BR9 Reflective Senior 15+FF Rank Marker Pair

(RANK-BR9-SNR15)



BR9 Reflective Leading FF Rank Marker

BR9 Reflective Leading FF Rank Marker

(RANK-BR9-LEADING)



BR9 Reflective 1st Class FF Rank Marker Pair

BR9 Reflective 1st Class FF Rank Marker Pair

(RANK-BR9-1STFF)



BR9 Proban Neck Flap

BR9 Proban Neck Flap

(SB4101F)



BR9 Mesh Harness/Cradle

BR9 Mesh Harness/Cradle

(B2022505)



BR9 Mesh Chainsaw Visor Clip On Off

BR9 Mesh Chainsaw Visor Clip On Off

(B2055679)



BR9 Harness Assembly

(B2022506)



BR9 Clip On Visor

Clip-On visor for BR9 Clip-On series

(B2055689+F)



BR9 Cap MultiPurpose Helmet

Popular Lightweight bushfire helmet. Narrow side brim and multiple crown ridges for extra strength air flow.

(HBR9SCCVWA)



BR9 3 Point Chin Strap

BR9 3 Point Chin Strap

(B2033140F)



BR7P Bushfire Helmet

Lightweight thermo plastic bush fire helmet.

(HBR7P)



BR5 MkII Wildland Helmet

The next generation structural fire fighting helmet is the latest in Pacific Structural Fire Fighting Helmet technology.


(HBR5CV MKII)



BFB Logo Helmet Sticker

BFB Logo Helmet Sticker

(STICKER-BFB)



Advance Structural Overtrouser

The firefighting outer shell fabric is rugged, functional and highly breathable. It is the ideal garment for use in the harsh West Australian environment.

(00E2250E)



Advance Structural Fire Coat

The firefighting outer shell fabric is rugged, functional and highly breathable. It is the ideal garment for use in the harsh West Australian environment.

(00C2030E)



Apparel



Red Rack™ Wall Mounted

Get organised with the wall mounted modules from Ready Rack. They are fast and easy to install with handy directions included with every module.

(RAKRRWM)



Pants Wildlands

The Wildland Trousers featured reinforced knee areas and an elastic waist with draw cord and metal zip.

(00E179ZD)



Nomex Flash Hood Structural

Nomex Flash Hood Structural


(ULFRNOH2B2E)



Nomex Duty Trousers

ADA Nomex Sentinel Duty Trousers Cargo

(04E184GR)



First Responder Coverall

Our coveralls combine the latest fabric technology with garment designs that are functional and dedicated to meeting the challenges of rescue services throughout Australia.

(00F159)



Coat Wildlands

The Wildland Jacket features a contoured stand up collar designed for maximum thermal protection, as well as large bellows pockets with Hook and Loop closure and drain holes.

(00C174ZA)



Advance Structural Overtrouser

The firefighting outer shell fabric is rugged, functional and highly breathable. It is the ideal garment for use in the harsh West Australian environment.

(00E2250E)



Advance Structural Fire Coat

The firefighting outer shell fabric is rugged, functional and highly breathable. It is the ideal garment for use in the harsh West Australian environment.

(00C2030E)

8 total products.



Coveralls



First Responder Coverall

Our coveralls combine the latest fabric technology with garment designs that are functional and dedicated to meeting the challenges of rescue services throughout Australia.

(00F159)

1 total products.



Duty Trousers



Nomex Duty Trousers

ADA Nomex Sentinel Duty Trousers Cargo

(04E184GR)

1 total products.



Hoods



Nomex Flash Hood Structural

Nomex Flash Hood Structural

(ULFRNOH2B2E)

1 total products.



Structural Coats



Advance Structural Fire Coat

The firefighting outer shell fabric is rugged, functional and highly breathable. It is the ideal garment for use in the harsh West Australian environment.

(00C2030E)

1 total products.



Structural Overtrousers



Advance Structural Overtrouser

The firefighting outer shell fabric is rugged, functional and highly breathable. It is the ideal garment for use in the harsh West Australian environment.

(00E2250E)

1 total products.



Wildlands Coats



MAGNUM WOMENS STRIKE FORCE 8.0, SIDE ZIP, COMPOSITE TOE

A pioneering boot, the Strike Force is the first to use Exogel, a revolutionary new material that provides ultimate protection from impact and is exclusive to Magnum. Combined with a RECOIL midsole that absorbs shock and a Michelin outsole, the Strike Force offers ultimate grip, durability and protection for your feet.

(MSF860)



MAGNUM WOMENS STRIKE FORCE 6.0, SIDE ZIP, COMPOSITE TOE

A pioneering boot, the Strike Force is the first to use Exogel, a revolutionary new material that provides ultimate protection from impact and is exclusive to Magnum. Combined with a RECOIL midsole that absorbs shock and a Michelin outsole, the Strike Force offers ultimate grip, durability and protection for your feet.

(MSF670)



MAGNUM WOMENS ACTIVE DUTY SHOE, MATT BLACK

High quality dress shoe with athletic performance, using the very best materials.

(MADC500)



Coat Wildlands

The Wildland Jacket features a contoured stand up collar designed for maximum thermal protection, as well as large bellows pockets with Hook and Loop closure and drain holes.

(00C174ZA)

4 total products.



Wildlands Trousers



Pants Wildlands

The Wildland Trousers featured reinforced knee areas and an elastic waist with draw cord and metal zip.

(00E179ZD)

1 total products.



Footwear



Vulcan Replacement Zips Suit MVN100

Magnum Zip MVZ 100 for boot MVN 100
(MVZ100)



Vulcan CT CP WPI Structural Fire Boot Composite Toe

Our heroes we consider to be uniformed athletes. Those who respond first to action and demand their footwear to perform in the toughest conditions. The Magnum Vulcan Collection is faster, lighter and delivers the burden of weight, the fatigue during long shifts and aiding mobility to the wearer.
(MVN100)



Skellerup FWFSF8 Extreme Fire/Hazmat

The Type 3 structural rubber fire-fighting boot offers unrivaled comfort, protection and assurance.
(FWFSF8)



Oliver Lace - Fire Boot

Laces Oliver L-FP160
(LACE-FP)



Oliver Insol-N Innersole

Oliver INSOL-N Nanolite Footbed
(INSOL-N)



Oliver 66496 Structural Fire Boot

239mm Lace Up Structural Firefighters Boot
Oliver Footwear's firefighting and emergency services boots are designed to be the safety footwear choice of the relevant agencies and their frontline personnel.
(66496)



Oliver 66495 Structural Fire Boot

239mm Lace Up Structural Firefighters Boot
Oliver Footwear's firefighting and emergency services boots are designed to be the safety footwear choice of the relevant agencies and their frontline personnel.
(66495)



Oliver 66460 Wildland Fire Boot Composite Toe

180mm Wildland Firefighters Boot
Oliver Footwear's firefighting and emergency services boots are designed to be the safety footwear choice of the relevant agencies and their frontline personnel.
(66460)



Oliver 66-395 Zip

Oliver Zip 395 Boot Zip Kit Insert
(ZIP395)



Oliver 66-360 Zip

Oliver Zip 360 Boot Zip Kit Insert
(ZIP360)



Oliver 55345 Lace Up Boot Steel Toe

150mm Black Lace Up Boot
Our new work boot may be lightweight, but it packs a punch with heavyweight protection.
(55345)



Oliver 45645C Lace Up Boot Composite Toe

Black Elastic Sided Boot
(45645C)



Oliver 34652 Lace Up Derby Shoe Steel Toe

Black Lace Up Derby Shoe
The WB34 series update has raised the bar in durable, lightweight work boot design. Our new hiker style, zip side ankle boot is made from water resistant leather and features the latest in technology and innovation
(34652)



Oliver 34620 Elastic Sided Boot Steel Toe

Black Elastic Sided Boot
(34620)



Magnum Vulcan Lite Wildland Boot Composite Toe

Our heroes we consider to be uniformed athletes. Those who respond first to action and demand their footwear to perform in the toughest conditions. The Magnum Vulcan Collection is faster, lighter and delivers the burden of weight, the fatigue during long shifts and aiding mobility to the wearer.
(MVL100)



Magnum Strike Force 8.0 CT SZ Boot Composite Toe

M-P.A.C.T Power moulded PU insole delivers superior long-term cushioning, high-level breathability and moisture management.
(MSF900)



MAGNUM RIO ADVENTURE

Stay Clean, Stay Light

Created by Hi-Tec, i-Shield is an invisible protective layer that repels water and dirt with ease.

STAY CLEAN

i-Shield's inherent stain resistance protects against oil and stains, keeping your footwear cleaner for longer.

STAY LIGHT

i-Shield repels water and significantly reduces water uptake, keeping your footwear light and comfortable.

-

(MRA100)



Magnum Ortholite Innersole

The Ortholite mission is simple: to provide high quality and comfortable shoe insoles to support the unique structure of the human foot. Through advanced proprietary technology, our polyurethane and recycled rubber-based formula holds the distinction of being the only open cell foam insole combining long-lasting cushioning, breathability and durability.

(MFO110)



Magnum Laces One Size Fits All

Magnum Laces One Size Fits All

(MLE100-1)



Magnum Fireshield WPI Wildland Fire Boot Composite Toe

The Magnum range of fire boots is unlike any other; designed to perform in the toughest of environments encountered by firefighters yet feel more like wearing a training shoe.

(MFE900)



Magnum Fire Boot Zip Kit Black

Turn your Magnum boots into quick entry, quick exit vehicles with this 8-hole, lace-in service zipper.

(MZR200)



Magnum Active Duty Matt Dress Shoe

High quality dress shoe with athletic performance, using the very best materials.

(MAE100)



Magnum Active Duty Gloss Dress Shoe

High quality dress shoe with athletic performance, using the very best materials.

(MAE150)



HAZMAT Boots



Skellerup FWFSF8 Extreme Fire/Hazmat

The Type 3 structural rubber fire-fighting boot offers unrivaled comfort, protection and assurance.

(FWFSF8)

1 total products.



Innersoles



Oliver Insol-N Innersole

Oliver INSOL-N Nanolite Footbed

(INSOL-N)



Magnum Ortholite Innersole

The Ortholite mission is simple: to provide high quality and comfortable shoe insoles to support the unique structure of the human foot. Through advanced proprietary technology, our polyurethane and recycled rubber-based formula holds the distinction of being the only open cell foam insole combining long-lasting cushioning, breathability and durability.

(MFO110)

2 total products.



Laces



Oliver Lace - Fire Boot

Laces Oliver L-FP160
(LACE-FP)



Magnum Laces One Size Fits All

Magnum Laces One Size Fits All
(MLE100-1)

2 total products.



Shoes



**Oliver 34652 Lace Up Derby Shoe
Steel Toe**

Black Lace Up Derby Shoe
The WB34 series update has raised the bar in durable, lightweight work boot design. Our new hiker style, zip side ankle boot is made from water resistant leather and features the latest in technology and innovation
(34652)



Magnum Active Duty Matt Dress Shoe

High quality dress shoe with athletic performance, using the very best materials.
(MAE100)



Magnum Active Duty Gloss Dress Shoe

High quality dress shoe with athletic performance, using the very best materials.
(MAE150)

3 total products.



Station Boots



Oliver 55345 Lace Up Boot Steel Toe
150mm Black Lace Up Boot
Our new work boot may be lightweight, but it packs a punch with heavyweight protection.
(55345)



Oliver 45645C Lace Up Boot Composite Toe
Black Elastic Sided Boot
(45645C)



Oliver 34620 Elastic Sided Boot Steel Toe
Black Elastic Sided Boot
(34620)



Magnum Strike Force 8.0 CT SZ Boot Composite Toe
M-P.A.C.T Power moulded PU insole delivers superior long-term cushioning, high-level breathability and moisture management.
(MSF900)

4 total products.



Structural Boots



Vulcan CT CP WPI Structural Fire Boot Composite Toe

Our heroes we consider to be uniformed athletes. Those who respond first to action and demand their footwear to perform in the toughest conditions. The Magnum Vulcan Collection is faster , lighter and delivers the burden of weight, the fatigue during long shifts and aiding mobility to the wearer.

(MVN100)



Oliver 66496 Structural Fire Boot

239mm Lace Up Structural Firefighters Boot
Oliver Footwear's firefighting and emergency services boots are designed to be the safety footwear choice of the relevant agencies and their frontline personnel.

(66496)



Oliver 66495 Structural Fire Boot

239mm Lace Up Structural Firefighters Boot
Oliver Footwear's firefighting and emergency services boots are designed to be the safety footwear choice of the relevant agencies and their frontline personnel.

(66495)

3 total products.



Wildland Boots



Oliver 66460 Wildland Fire Boot Composite Toe

180mm Wildland Firefighters Boot

Oliver Footwear's firefighting and emergency services boots are designed to be the safety footwear choice of the relevant agencies and their frontline personnel.

(66460)



MAGNUM VULCAN WOMENS STRUCTURAL FIREFIGHTERS BOOT WITH FRONT ZIP

Our heroes we consider to be uniformed athletes. Those who respond first to action and demand their footwear to perform in the toughest conditions. The Magnum Vulcan Collection is faster, lighter and delivers the burden of weight, the fatigue during long shifts and aiding mobility to the wearer

(MVN200)



Magnum Vulcan Lite Wildland Boot Composite Toe

Our heroes we consider to be uniformed athletes. Those who respond first to action and demand their footwear to perform in the toughest conditions. The Magnum Vulcan Collection is faster, lighter and delivers the burden of weight, the fatigue during long shifts and aiding mobility to the wearer.

(MVL100)



MAGNUM STRIKE FORCE 6.0, SIDE ZIP, COMPOSITE TOE

A pioneering boot, the Strike Force is the first to use Exogel, a revolutionary new material that provides ultimate protection from impact and is exclusive to Magnum. Combined with a RECOIL midsole that absorbs shock and a Michelin outsole, the Strike Force offers ultimate grip, durability and protection for your feet.

(MSF660)



MAGNUM RIO ADVENTURE

Stay Clean, Stay Light

Created by Hi-Tec, i-Shield is an invisible protective layer that repels water and dirt with ease.

STAY CLEAN

i-Shield's inherent stain resistance protects against oil and stains, keeping your footwear cleaner for longer.

STAY LIGHT

i-Shield repels water and significantly reduces water uptake, keeping your footwear light and comfortable.

(MRA100)



Magnum Fireshield WPI Wildland Fire Boot Composite Toe

The Magnum range of fire boots is unlike any other; designed to perform in the toughest of environments encountered by firefighters yet feel more like wearing a training shoe.

(MFE900)



MAGNUM ACTIVE DUTY PULL ON - UNISEX

High quality dress boot with athletic performance, using the very best materials.

(MADP100)

7 total products.



Zips



**Vulcan Replacement Zips Suit
MVN100**
Magnum Zip MVZ 100 for boot MVN 100
(MVZ100)



Oliver 66-395 Zip
Oliver Zip 395 Boot Zip Kit Insert
(ZIP395)



Oliver 66-360 Zip
Oliver Zip 360 Boot Zip Kit Insert
(ZIP360)



Magnum Fire Boot Zip Kit Black
Turn your Magnum boots into quick entry, quick exit vehicles
with this 8-hole, lace-in service zipper.
(MZR200)

4 total products.



General PPE



**YHS P2 Face Mask - Charcoal Filter
10 Pack**

YHS DM30 P2CV Active Carbon Valved Respirator
(DM30)



YHS Half Mask HMA1P2 Respirator

YHS Half Mask HMA1P2 Respirator Kit
(HMPKIT)



Riggamate Cow Grain Glove 12 Pack

ProChoice Riggamate Premium Cow Grain Leather Glove
(CGL41N)

3 total products.



Gloves



Riggamate Cow Grain Glove 12 Pack

ProChoice Riggamate Premium Cow Grain Leather Glove

(CGL41N)

1 total products.



Masks



**YHS P2 Face Mask - Charcoal Filter
10 Pack**

YHS DM30 P2CV Active Carbon Valved Respirator
(DM30)



YHS Half Mask HMA1P2 Respirator

YHS Half Mask HMA1P2 Respirator Kit
(HMPKIT)

2 total products.



Gloves



Firewall Level 3 Fire Glove
Firewall Level 3 Fire Glove
(MGFW3)



Firewalker Unlined Level 1 Glove
Firewalker WCU Unlined Level 1 Glove
(MGFWWCU)



Firepro Wildfire Level 1 Glove
A light durable glove affording the wearer superior protection from wildfire hazards, designed specifically for Australian conditions.
(FW#1)



Firepro 2 Structural Fire Glove
The firepro 2 possesses excellent heat and cut resistance while still retaining maximum feel and dexterity. The innovation of the Australian glove industry's first ever cut and sewn laminated fire glove liner/insert provides waterproof, breathable performance, an excellent integration of technology and manufacturing expertise.
(GFP2)

4 total products.



Level 1



Firewalker Unlined Level 1 Glove
Firewalker WCU Unlined Level 1 Glove
(MGFWWCU)



Firepro Wildfire Level 1 Glove
A light durable glove affording the wearer superior protection from wildfire hazards, designed specifically for Australian conditions.
(FW#1)

2 total products.



FW#1



Firepro Wildfire Level 1 Glove

A light durable glove affording the wearer superior protection from wildfire hazards, designed specifically for Australian conditions.

(FW#1)

1 total products.



Level 2



Firepro 2 Structural Fire Glove

The firepro 2 possesses excellent heat and cut resistance while still retaining maximum feel and dexterity. The innovation of the Australian glove industry's first ever cut and sewn laminated fire glove liner/insert provides waterproof, breathable performance, an excellent integration of technology and manufacturing expertise.

(GFP2)

1 total products.



Level 3



Firewall Level 3 Fire Glove

Firewall Level 3 Fire Glove

(MGFW3)

1 total products.



Helmets



TA560 Unilite Safety Helmet
UniSafe Type 1 ABS Plastic Safety Helmet
(TA560)




Reflective Volunteer Station Name
Reflective Volunteer Station Name
(STICKER-VOLSTN)



Reflective Volunteer Station Arch Pair
Reflective Volunteer Station Arch Pair
(STICKER-VOLARCH)



Reflective Surname Helmet Sticker
Reflective Surname Helmet Sticker
(STICKER-SURNAME)




Reflective Stripping Kit 5 Piece Red
Reflective Stripping Kit 5 Piece Red
(A118975)



Reflective Sticker Kit 5 Piece Yellow
Reflective Sticker Kit 5 Piece Yellow
(A118969)



Reflective Lieutenant Rank Marker Blue Pair
Reflective Lieutenant Rank Marker Blue Pair
(STICKER-F10-LTNT)




Reflective Leading FF Rank Marker Pair
Reflective Leading FF Rank Marker Pair
(RANK-F10-LEADING)




Reflective DPAW Helmet Logo Class 2
Reflective DPAW Helmet Logo Class 2
(STICKER-DPAW)



Reflective DFES Helmet Sticker
Reflective DFES Helmet Sticker
(STICKER-DFES)



Reflective Apparatus Rank Marker Green 4 Set
Reflective Apparatus Rank Marker Green 4 Set
(STICKER-VOLAPPS)



Reflective Apparatus Officer Rank Marker Green Pair
Reflective Apparatus Officer Rank Marker Green Pair
(STICKER-F10-APPS)



Reflective Ltnt Rank Marker Blue 4 Set
Reflective Ltnt Rank Marker Blue 4 Set
(STICKER-VOLLTNT)



R5S Visor and Hinge Kit
Visor Hinge Kit complete with screws
(B2066105+S)



R5S Visor and Hinge Kit
R5S Visor and Hinge Kit
(SESCVHK)



R5S Replacement Harness
Pacific R5S Helmet Replacement Harness
(B2022508S)



R5S Merino Sweatband Rear
R5S Merino Sweatband Rear
(B2138603S)



R5S Merino Sweatband Front
R5S Merino Sweatband Front
(B2138602S)



R5 Rescue Helmet Orange
Pacific Helmets' R5 Series is a light duty Rescue/Industrial helmet that features a lightweight Kevlar® reinforced outer shell for protection and durability.
(HR5S-OR-SES)



R5 Rescue Helmet
Pacific Helmets' R5 Series is a light duty Rescue/Industrial helmet that features a lightweight Kevlar® reinforced outer shell for protection and durability.
(HR5S)



Padded Helmet Carry Bag-Medium Black

Padded Helmet Carry Bag - Medium
(BAG5813)



Helmet Attached Earmuffs Zone 2

ZONE 2 NG (Orange) is the perfect hearing protector for a wide variety of applications. Suitable for work environments with a medium to high noise level such as construction, forestry, engineering, fabrication and mining.
(RBZ2CA)



F5S Orange SES Neck Flap

F5S Orange SES Neck Flap
(B2044030S)



F3D MkII Structural Helmet

The next generation structural fire fighting helmet is the latest in Pacific Structural Fire Fighting Helmet technology.
(HF3DNK2WA)



F15 Structural Firefighting Helmet

The F15 incorporates the latest innovative designs such as the dual pivot face shield. Using an elliptic dual pivot system, the F15's new full coverage internal face shield can be fully deployed when in use with a breathing apparatus to provide you with an extra layer of safety. The F15 also comes with the One Touch Eye Protector (OTEP)™ for easy, push-activated eye protection at times when full face coverage is not required.


(HF15 OTEP GEN2 WH)



F11 Dragonfly Structural Firefighting Helmet

The F11 offers a fresh take on structural fire helmet design. The F11 has been designed to maximise protection and practicality for the diverse range of duties modern Emergency Service personnel are called on to perform. Certified to AS/NZS4067:2012, NFPA 1971:2018 & NFPA 1951:2013, and EN443:2008 the F11 is a compact helmet ideal not only for structural firefighting but also for road crash rescue and confined space work. The compact design of the F11 makes it a truly multipurpose structural firefighting helmet.

(HF11 EP GEN2 WH)



F10/F7AL/F3DNK Ribbon Mesh Cradle

F10/F7AL/F3DNK Ribbon Mesh Cradle
(B2022476F)



F10 Reflective Silver Rank Stripe Pair

F10 Reflective Silver Rank Stripe Pair
(RANK-F10-STRIPE)



F10 Reflective 1st Class Rank Marker Pair

F10 Reflective 1st Class Rank Marker Pair
(RANK-F10-1STFF)



F10 Mk3 Structural Fire Helmet

The next generation structural fire fighting helmet is the latest in Pacific Structural Fire Fighting Helmet technology.
(HF10MK3WAL)



F10 Mk3 Metal Rear D Hanger

F10 Mk3 Metal Rear D Hanger
(B2066022F)



F10 Mk3 Internal Visor

F10 Mk3 Internal Visor
(A111850F)



F10 Mk3 G2 Velcro Loop 50x75mm

F10 Mk3 G2 Velcro Loop 50x75mm
(B2160051)




F10 Mk3 G2 Velcro Loop 20x150mm for Neck Protector

F10 Mk3 G2 Velcro Loop 20x150mm for Neck Protector
(B2160005)




F10 Mk3 G2 Rear Leather Pad

F10 Mk3 G2 Rear Leather Pad
(B2138601)



F10 Mk3 G2 Rear Hanger Nylon

F10 Mk3 G2 Rear Hanger Nylon
(B2044829)



F10 Mk3 G2 Rear Hanger Nylon

F10 Mk3 G2 Rear Hanger Nylon
(B2066015)



F10 Mk3 G2 PU Cap

F10 Mk3 G2 PU Cap
(B2022342)



F10 Mk3 G2 Liner, Mesh Ribbon Cradle and Headband

F10 Mk3 G2 Liner, Mesh Ribbon Cradle and Headband
(B2023014FR)



F10 Mk3 G2 Internal Bubble Face Shield

F10 Mk3 G2 Internal Bubble Face Shield
(A111850A)



F10 Mk3 G2 Front Leather Padding and Mesh

F10 Mk3 G2 Front Leather Padding and Mesh

(B2138522)



F10 Mk3 G2 Face Shield Hinge Kit with Easi On-Off Bases

F10 Mk3 G2 Face Shield Hinge Kit with Easi On-Off Bases

(B2117575)



F10 Mk3 G2 Complete Headband

F10 Mk3 G2 Complete Headband

(B2022588FR)



F10 Mk3 G2 6-point Ribbon Suspension Cradle

F10 Mk3 G2 6-point Ribbon Suspension Cradle

(B2022485)



F10 Mk3 G2 3-point Chinstrap

F10 Mk3 G2 3-point Chinstrap


(B2033629)



F10 Mk3 G1 Liner, Mesh Ribbon Cradle and Headband

F10 Mk3 G1 Liner, Mesh Ribbon Cradle and Headband

(B2022301)



F10 Mk3 G1 Face Shield Hinge Kit

F10 Mk3 G1 Face Shield Hinge Kit

(B2117566)



F10 Mk3 G1 Complete Harness

F10 Harness, Suit F10 Mk3 GEN 1 Helmet

(B2022566F)



F10 Mk3 G1 3 Point Nomex Chin Strap

Replacement Spare Part - Chin Strap, Suit F10 Mk3 Gen 1 Helmet

(B2033053)



F10 Mk3 Button Hole Extended 200mm Neck Protector

Extended Length Neck Flap, No Velcro. Suit F10 Mk3 Gen 1 Helmet


(B2044814F)



F10 Easi On/Off Base & Holder

F10 Easi On/Off Base & Holder

(B2066056)



F10 Down Size Kit

F10 Down Size Kit

(B2138630)



F10 Chinstrap Screw Set

F10 Chinstrap Screw Set

(B2126502)



Easi On Torch Holder

Easi On Torch Holder

(B2066114FIRE)



DFES SES Helmet Logo

DFES SES Helmet Logo

(STICKER-SES)



Clip On Visor Hinge Kit

Clip On Visor Hinge Kit

(B2117556)



BR9 Wide Multipurpose Helmet

Popular Lightweight bushfire helmet. Narrow side brim and multiple crown ridges for extra strength air flow.

(BR9W/BCVMFS)



BR9 Torch Holder Mount

BR9 Torch Holder Mount

(B2066064)



BR9 Single Layer Neck Flap

BR9 Single Layer Neck Flap

(B2044165)



BR9 Ribbon Set

BR9 Ribbon Set


(B2022492)



BR9 Reflective Station Officer Rank Marker Pair

BR9 Reflective Station Officer Rank Marker Pair


(RANK-BR9-STNOFF)



BR9 Reflective Silver Rank Stripe Pair

BR9 Reflective Silver Rank Stripe Pair


(RANK-BR9-STRIFE)



BR9 Reflective Senior FF Rank Marker Pair

BR9 Reflective Senior FF Rank Marker Pair

(RANK-BR9-SENIOR)



BR9 Reflective Senior 15+FF Rank Marker Pair

BR9 Reflective Senior 15+FF Rank Marker Pair

(RANK-BR9-SNR15)



BR9 Reflective Leading FF Rank Marker

BR9 Reflective Leading FF Rank Marker
(RANK-BR9-LEADING)



BR9 Reflective 1st Class FF Rank Marker Pair

BR9 Reflective 1st Class FF Rank Marker Pair
(RANK-BR9-1STFF)



BR9 Proban Neck Flap

BR9 Proban Neck Flap
(SB4101F)



BR9 Mesh Harness/Cradle

BR9 Mesh Harness/Cradle
(B2022505)



BR9 Mesh Chainsaw Visor Clip On Off

BR9 Mesh Chainsaw Visor Clip On Off
(B2055679)



BR9 Harness Assembly

(B2022506)



BR9 Clip On Visor

Clip-On visor for BR9 Clip-On series
(B2055689+F)



BR9 Cap MultiPurpose Helmet

Popular Lightweight bushfire helmet. Narrow side brim and multiple crown ridges for extra strength air flow.
(HBR9SCCVWA)



BR9 3 Point Chin Strap

BR9 3 Point Chin Strap
(B2033140F)



BR7P Bushfire Helmet

Lightweight thermo plastic bush fire helmet.
(HBR7P)



BR5 MkII Wildland Helmet

The next generation structural fire fighting helmet is the latest in Pacific Structural Fire Fighting Helmet technology.
(HBR5CV MKII)



BFB Logo Helmet Sticker

BFB Logo Helmet Sticker
(STICKER-BFB)

76 total products.



Multipurpose



TA560 Unilite Safety Helmet

UniSafe Type 1 ABS Plastic Safety Helmet
(TA560)



R5 Rescue Helmet Orange

Pacific Helmets' R5 Series is a light duty Rescue/Industrial helmet that features a lightweight Kevlar® reinforced outer shell for protection and durability.
(HR5S-OR-SES)



R5 Rescue Helmet

Pacific Helmets' R5 Series is a light duty Rescue/Industrial helmet that features a lightweight Kevlar® reinforced outer shell for protection and durability.
(HR5S)



BR9 Wide Multipurpose Helmet

Popular Lightweight bushfire helmet. Narrow side brim and multiple crown ridges for extra strength air flow.
(BR9W/BCVMFS)



BR9 Cap MultiPurpose Helmet

Popular Lightweight bushfire helmet. Narrow side brim and multiple crown ridges for extra strength air flow.
(HBR9SCCVWA)



BR7P Bushfire Helmet

Lightweight thermo plastic bush fire helmet.
(HBR7P)



BR5 MkII Wildland Helmet

The next generation structural fire fighting helmet is the latest in Pacific Structural Fire Fighting Helmet technology.
(HBR5CV MKII)

7 total products.



Spare Parts

**R5S Visor and Hinge Kit**

Visor Hinge Kit complete with screws

(B2066105+S)

**R5S Visor and Hinge Kit**

R5S Visor and Hinge Kit

(SESCVHK)

**R5S Replacement Harness**

Pacific R5S Helmet Replacement Harness

(B2022508S)

**R5S Merino Sweatband Rear**

R5S Merino Sweatband Rear

(B2138603S)

**R5S Merino Sweatband Front**

R5S Merino Sweatband Front

(B2138602S)

**Padded Helmet Carry Bag-Medium Black**

Padded Helmet Carry Bag - Medium

(BAG5813)

**Helmet Attached Earmuffs Zone 2**

ZONE 2 NG (Orange) is the perfect hearing protector for a wide variety of applications. Suitable for work environments with a medium to high noise level such as construction, forestry, engineering, fabrication and mining.

(RBZ2CA)

**F5S Orange SES Neck Flap**

F5S Orange SES Neck Flap

(B2044030S)

**F10/F7AL/F3DNK Ribbon Mesh Cradle**

F10/F7AL/F3DNK Ribbon Mesh Cradle

(B2022476F)

**F10 Mk3 Metal Rear D Hanger**


F10 Mk3 Metal Rear D Hanger

(B2066022F)

**F10 Mk3 Internal Visor**

F10 Mk3 Internal Visor

(A111850F)

**F10 Mk3 G2 Velcro Loop 50x75mm**

F10 Mk3 G2 Velcro Loop 50x75mm

(B2160051)

**F10 Mk3 G2 Velcro Loop 20x150mm for Neck Protector**


F10 Mk3 G2 Velcro Loop 20x150mm for Neck Protector

(B2160005)

**F10 Mk3 G2 Rear Leather Pad**


F10 Mk3 G2 Rear Leather Pad

(B2138601)

**F10 Mk3 G2 Rear Hanger Nylon**

F10 Mk3 G2 Rear Hanger Nylon

(B2044829)

**F10 Mk3 G2 Rear Hanger Nylon**

F10 Mk3 G2 Rear Hanger Nylon

(B2066015)

**F10 Mk3 G2 PU Cap**

F10 Mk3 G2 PU Cap

(B2022342)

**F10 Mk3 G2 Liner, Mesh Ribbon Cradle and Headband**

F10 Mk3 G2 Liner, Mesh Ribbon Cradle and Headband

(B2023014FR)

**F10 Mk3 G2 Internal Bubble Face Shield**

F10 Mk3 G2 Internal Bubble Face Shield

(A111850A)

**F10 Mk3 G2 Front Leather Padding and Mesh**

F10 Mk3 G2 Front Leather Padding and Mesh

(B2138522)

**F10 Mk3 G2 Face Shield Hinge Kit with Easi On-Off Bases**

F10 Mk3 G2 Face Shield Hinge Kit with Easi On-Off Bases

(B2117575)

**F10 Mk3 G2 Complete Headband**

F10 Mk3 G2 Complete Headband

(B2022588FR)

**F10 Mk3 G2 6-point Ribbon Suspension Cradle**

F10 Mk3 G2 6-point Ribbon Suspension Cradle

(B2022485)

**F10 Mk3 G2 3-point Chinstrap**

F10 Mk3 G2 3-point Chinstrap

(B2033629)



F10 Mk3 G1 Liner, Mesh Ribbon Cradle and Headband

F10 Mk3 G1 Liner, Mesh Ribbon Cradle and Headband
(B2022301)



F10 Mk3 G1 Face Shield Hinge Kit

F10 Mk3 G1 Face Shield Hinge Kit
(B2117566)



F10 Mk3 G1 Complete Harness

F10 Harness, Suit F10 MK3 GEN 1 Helmet
(B2022566F)



F10 Mk3 G1 3 Point Nomex Chin Strap

Replacement Spare Part - Chin Strap, Suit F10 MK3 Gen 1 Helmet
(B2033053)




F10 Mk3 Button Hole Extended 200mm Neck Protector

Extended Length Neck Flap, No Velcro, Suit F10 MK3 Gen 1 Helmet
(B2044814F)



F10 Easi On/Off Base & Holder

F10 Easi On/Off Base & Holder
(B2066056)



F10 Down Size Kit

F10 Down Size Kit
(B2138630)



F10 Chinstrap Screw Set

F10 Chinstrap Screw Set
(B2126502)



Easi On Torch Holder

Easi On Torch Holder
(B2066114FIRE)



Clip On Visor Hinge Kit

Clip On Visor Hinge Kit
(B2117556)



BR9 Torch Holder Mount

BR9 Torch Holder Mount
(B2066064)



BR9 Single Layer Neck Flap

BR9 Single Layer Neck Flap
(B2044165)



BR9 Ribbon Set

BR9 Ribbon Set
(B2022492)



BR9 Proban Neck Flap

BR9 Proban Neck Flap
(SB4101F)



BR9 Mesh Harness/Cradle

BR9 Mesh Harness/Cradle
(B2022505)



BR9 Mesh Chainsaw Visor Clip On Off

BR9 Mesh Chainsaw Visor Clip On Off
(B2055679)



BR9 Harness Assembly

(B2022506)



BR9 Clip On Visor

Clip-On visor for BR9 Clip-On series
(B2055689+F)



BR9 3 Point Chin Strap

BR9 3 Point Chin Strap
(B2033140F)



Stickers



Reflective Volunteer Station Name
Reflective Volunteer Station Name
(STICKER-VOLSTN)



Reflective Volunteer Station Arch Pair
Reflective Volunteer Station Arch Pair
(STICKER-VOLARCH)




Reflective Surname Helmet Sticker
Reflective Surname Helmet Sticker
(STICKER-SURNAME)




Reflective Striping Kit 5 Piece Red
Reflective Striping Kit 5 Piece Red
(A118975)




Reflective Sticker Kit 5 Piece Yellow
Reflective Sticker Kit 5 Piece Yellow
(A118969)



Reflective Lieutenant Rank Marker Blue Pair
Reflective Lieutenant Rank Marker Blue Pair
(STICKER-F10-LTNT)




Reflective Leading FF Rank Marker Pair
Reflective Leading FF Rank Marker Pair
(RANK-F10-LEADING)




Reflective DPAW Helmet Logo Class 2
Reflective DPAW Helmet Logo Class 2
(STICKER-DPAW)




Reflective DFES Helmet Sticker
Reflective DFES Helmet Sticker
(STICKER-DFES)




Reflective Apparatus Rank Marker Green 4 Set
Reflective Apparatus Rank Marker Green 4 Set
(STICKER-VOLAPPS)



Reflective Apparatus Officer Rank Marker Green Pair
Reflective Apparatus Officer Rank Marker Green Pair
(STICKER-F10-APPS)



Reflective Ltnt Rank Marker Blue 4 Set
Reflective Ltnt Rank Marker Blue 4 Set
(STICKER-VOLLTNT)




F10 Reflective Silver Rank Stripe Pair
F10 Reflective Silver Rank Stripe Pair
(RANK-F10-STRIPE)




F10 Reflective 1st Class Rank Marker Pair
F10 Reflective 1st Class Rank Marker Pair
(RANK-F10-1STFF)



DFES SES Helmet Logo
DFES SES Helmet Logo
(STICKER-SES)




BR9 Reflective Station Officer Rank Marker Pair
BR9 Reflective Station Officer Rank Marker Pair
(RANK-BR9-STNOFF)




BR9 Reflective Silver Rank Stripe Pair
BR9 Reflective Silver Rank Stripe Pair
(RANK-BR9-STRIPE)



BR9 Reflective Senior FF Rank Marker Pair
BR9 Reflective Senior FF Rank Marker Pair
(RANK-BR9-SENIOR)



BR9 Reflective Senior 15+FF Rank Marker Pair
BR9 Reflective Senior 15+FF Rank Marker Pair
(RANK-BR9-SNR15)



BR9 Reflective Leading FF Rank Marker
BR9 Reflective Leading FF Rank Marker
(RANK-BR9-LEADING)



BR9 Reflective 1st Class FF Rank Marker Pair
BR9 Reflective 1st Class FF Rank Marker Pair
(RANK-BR9-1STFF)



BFB Logo Helmet Sticker
BFB Logo Helmet Sticker
(STICKER-BFB)



22 total products.



Structural



F3D MkII Structural Helmet

The next generation structural fire fighting helmet is the latest in Pacific Structural Fire Fighting Helmet technology.

(HF3DNK2WA)



F15 Structural Firefighting Helmet

The F15 incorporates the latest innovative designs such as the dual pivot face shield. Using an elliptic dual pivot system, the F15's new full coverage internal face shield can be fully deployed when in use with a breathing apparatus to provide you with an extra layer of safety. The F15 also comes with the One Touch Eye Protector (OTEP)™ for easy, push-activated eye protection at times when full face coverage is not required.

(HF15 OTEP GEN2 WH)



F11 Dragonfly Structural Firefighting Helmet

The F11 offers a fresh take on structural fire helmet design. The F11 has been designed to maximise protection and practicality for the diverse range of duties modern Emergency Service personnel are called on to perform. Certified to AS/NZS4067:2012, NFPA 1971:2018 & NFPA 1951:2013, and EN443:2008 the F11 is a compact helmet ideal not only for structural firefighting but also for road crash rescue and confined space work. The compact design of the F11 makes it a truly multipurpose structural firefighting helmet.

(HF11 EP GEN2 WH)



F10 Mk3 Structural Fire Helmet

The next generation structural fire fighting helmet is the latest in Pacific Structural Fire Fighting Helmet technology.

(HF10MK3WAL)

4 total products.



Masks



Scott Promask Twin FF Respirator Small

Single full face size small respirator provides comfort and protection against a wide variety of respiratory hazards.

(2030105)



Scott Promask Twin FF Respirator Med/Large

Single full face size small respirator provides comfort and protection against a wide variety of respiratory hazards.

(2029344)



Scott Profile 2 Readypak Small

Scott Safety Profile² Medium Half Face ReadyPak w/ Pro² Particulate P2 Filters

(032172ANZ)



Scott Profile 2 Readypak Medium

Scott Safety Profile² Medium Half Face ReadyPak w/ Pro² Particulate P2 Filters

(032175ANZ)



Scott Profile 2 Readypak Large

Scott Safety Profile² Medium Half Face ReadyPak w/ Pro² Particulate P2 Filters

(032178ANZ)



Scott Pro Filter A2P2/P3 Pair

Scott Safety Pro² Filter A2P2/P3* - Scott Safety Pro² combination filter for organic gases & vapours, solid & liquid particles. Particle, gas and combined cartridges from the Scott Safety Pro² range use a bayonet locking mechanism and feature unique protective covers with recessed inlet grills

(44081)

6 total products.



Full Face



Scott Promask Twin FF Respirator Small

Single full face size small respirator provides comfort and protection against a wide variety of respiratory hazards.

(2030105)



Scott Promask Twin FF Respirator Med/Large

Single full face size small respirator provides comfort and protection against a wide variety of respiratory hazards.

(2029344)



Scott Pro Filter A2P2/P3 Pair

Scott Safety Pro² Filter A2P2/P3* - Scott Safety Pro² combination filter for organic gases & vapours, solid & liquid particles. Particle, gas and combined cartridges from the Scott Safety Pro² range use a bayonet locking mechanism and feature unique protective covers with recessed inlet grills

(44081)

3 total products.



Half Face



Scott Profile 2 Readypak Small

Scott Safety Profile² Medium Half Face ReadyPak w/ Pro²
Particulate P2 Filters
(032172ANZ)



Scott Profile 2 Readypak Medium

Scott Safety Profile² Medium Half Face ReadyPak w/ Pro²
Particulate P2 Filters
(032175ANZ)



Scott Profile 2 Readypak Large

Scott Safety Profile² Medium Half Face ReadyPak w/ Pro²
Particulate P2 Filters
(032178ANZ)

3 total products.



Protective Eye Wear



Frontline Splash Goggle Clear

The 109 Frontline Splash and Heat Resistant Safety Goggles are certified for high temperature and fire fighting work. The soft frame construction is ideal to use in elevated temperature areas. The goggles can be worn on top of spectacles. The 109 Frontline Goggles can also be used as an everyday medium impact industrial safety goggle.

(109SRCFA)



Firestrike Goggle Clear Two Piece

The Firestrike goggle is attached in such a manner to the helmet that they allow the strap to be pulled from a natural angle and not from above the rear brim of the helmet as is traditionally the case.

(GESSGCD)



Firestrike Goggle Clear One Piece

The Firestrike goggle is attached in such a manner to the helmet that they allow the strap to be pulled from a natural angle and not from above the rear brim of the helmet as is traditionally the case.

(MESSGCS)



Duramaxx Fire Goggle

DuraMaxx™ fire goggles are for use in high ambient heat environments – especially fire fighting. Featuring a closed ventilation system, large field of vision and adjustable headband for comfort and optimum safety.

(1017740)

4 total products.



Goggles



Frontline Splash Goggle Clear

The 109 Frontline Splash and Heat Resistant Safety Goggles are certified for high temperature and fire fighting work. The soft frame construction is ideal to use in elevated temperature areas. The goggles can be worn on top of spectacles. The 109 Frontline Goggles can also be used as an everyday medium impact industrial safety goggle.

(109SRCFA)



Firestrike Goggle Clear Two Piece

The Firestrike goggle is attached in such a manner to the helmet that they allow the strap to be pulled from a natural angle and not from above the rear brim of the helmet as is traditionally the case.

(GESSGCD)



Firestrike Goggle Clear One Piece

The Firestrike goggle is attached in such a manner to the helmet that they allow the strap to be pulled from a natural angle and not from above the rear brim of the helmet as is traditionally the case.

(MESSGCS)



Duramaxx Fire Goggle

DuraMaxx™ fire goggles are for use in high ambient heat environments – especially fire fighting. Featuring a closed ventilation system, large field of vision and adjustable headband for comfort and optimum safety.

(1017740)

4 total products.



Firefighting



Frontline Splash Goggle Clear

The 109 Frontline Splash and Heat Resistant Safety Goggles are certified for high temperature and fire fighting work. The soft frame construction is ideal to use in elevated temperature areas. The goggles can be worn on top of spectacles. The 109 Frontline Goggles can also be used as an everyday medium impact industrial safety goggle.

(109SRCFA)



Firestrike Goggle Clear Two Piece

The Firestrike goggle is attached in such a manner to the helmet that they allow the strap to be pulled from a natural angle and not from above the rear brim of the helmet as is traditionally the case.

(GESSGCD)



Firestrike Goggle Clear One Piece

The Firestrike goggle is attached in such a manner to the helmet that they allow the strap to be pulled from a natural angle and not from above the rear brim of the helmet as is traditionally the case.

(MESSGCS)



Duramaxx Fire Goggle

DuraMaxx™ fire goggles are for use in high ambient heat environments – especially fire fighting. Featuring a closed ventilation system, large field of vision and adjustable headband for comfort and optimum safety.

(1017740)

4 total products.



Firefighting Tools



UK3AA eLED Herculite Torch Rear Button

UKE3AA LED Herculite Torch - Tail Switch On/Off Button
(UKT10034)



Tactical Carry Bag 510x310x310mm

Tactical Carry Bag 510x310x310mm
(10806-DFES)



Splash Suit Holdall 300x350x150mm

Splash Suit Holdall 300x350x150mm
(30800-DFES)



Rega Knapsack Vehicle Bracket

This Rega Firefighter knapsack steel vehicle bracket is designed to hold your 16 litre Rega Firefighter knapsack securely when in transit. The bracket features multiple supports, an adjustable retaining strap and quick release catch.
(HDVBRK)



Rega Knapsack 16L Back Pack

This very high quality Rega fire fighting knapsack is an ideal alternative to an air/water fire extinguisher. It is designed to extinguish small low intensity fires such as spot fires in a bush fire situation.

The knapsack has a large water capacity, variable jet/fan nozzle, bi directional pump action and excellent range. It can deliver 1.2lt per minute and is designed to be a comfortable fit utilising two adjustable shoulder straps.

(BPFF)



Pulaski Axe Fibreglass Yellow Handle

The Pulaski is a combination axe and grub hole ideal for chopping, digging fire lines in hard and soft soils. Ground and tempered cutting edges. Axe head attached to a fiberglass handle which dramatically outlasts wood in firefighting applications by resisting breakage, heat, moisture, and cleaning materials.

(FHUPUL-5)



Pelican Little Ed 4AA Right Angle Light

The 3610 is a right angle flashlight that uses our latest "Deep Mount" LED technology, delivering impressive lumens and lux performance.

(3610Y)



Pelican 9500 RALS Shelter Lighting Kit

The 9500 Shelter Lighting System provides shelters with safe, secure and silent interior lighting. The 9500 contains three LED light heads equipped with both white and red LEDs allowing for maximum visibility or if needed, preservation of night vision.

(9500B)



Pelican 9490 RALS 1 Head Mobile Unit Light Black

Remote Area Lighting Systems from Pelican are the complete lighting solution for first responders, industrial and aerospace applications. With multiple heads and Bluetooth activation (select models), RALS can light up an accident scene or a soccer field.

(9490)



Pelican 9460 RALS 4 Head Mobile Unit Light Black

(9470M)



Pelican 9460 RALS 2 Head Mobile Unit Light Yellow

"M" for mobility, the 9460M is built with a set of XL wheels providing easy transport over rough terrain. The all new and extremely powerful 9460M Remote Area Lighting System (RALS) provides convenient and ecologically responsible alternatives to wasteful generator powered lights. Engineered with the Intelligent Control System which calculates and displays current battery life.

(9460M)



Pelican 9460 RALS 2 Head Mobile Unit Light Black

"M" for mobility, the 9460M is built with a set of XL wheels providing easy transport over rough terrain. The all new and extremely powerful 9460M Remote Area Lighting System (RALS) provides convenient and ecologically responsible alternatives to wasteful generator powered lights. Engineered with the Intelligent Control System which calculates and displays current battery life.

(9460)



Pelican 9440 RALS 1 Head Tripod Light Yellow

The 9440 now offers Bluetooth® remote activation with variable light control, three pre-set power levels, battery level indication and comes equipped with a lithium ion rechargeable battery. The 9440 moves fast to light up ravines, confined spaces, riverbanks, anywhere generator lights can't go.

(9440Y)



Pelican 9440 RALS 1 Head Tripod Light Black

The 9440 now offers Bluetooth® remote activation with variable light control, three pre-set power levels, battery level indication and comes equipped with a lithium ion rechargeable battery. The 9440 moves fast to light up ravines, confined spaces, riverbanks, anywhere generator lights can't go.

(9440)



Pelican 9430SL Spot Light Black

The 9430 Remote Area Lighting System and changed the way we light our work. The new Spot Beam model saves lives and defeats enemy threats.

(9430SLB)



Pelican 9430 Spot Light Yellow

Remote Area Lighting Systems from Pelican are the complete lighting solution for first responders, industrial and aerospace applications. With multiple heads and Bluetooth activation (select models), RALS can light up an accident scene or a soccer field.

(9430Y)



Pelican 3715 Firemans Right Angle Light

Pelican leads the way yet again with its new right angle light. Featuring downcast LEDs for illuminating your path, the new 3715 LED light also features 233 lumens (high) and 113 lumens (low), and a flashing mode

(3715IYPL)



LT First Aid Satchel

LT First Aid Satchel (Holds 2 First Aid Kits)

(30804-DFES)



Lithium Tool Bag 340x150x440mm Blue

Lithium Tool Bag 340x150x440mm Blue

(30803-DFES)



Kestrel 5500FW Fire Weather Pro with Link

This Kestrel meter does it all. The Kestrel 5500 provides the same trusted accuracy, reliability, and usability as the original Kestrel 4500. Measure every environmental condition plus wind direction, crosswind and headwind/tailwind. Drop-proof, dust-proof, waterproof and able to withstand extreme environments without damage, your Kestrel weather meter travels with you anywhere you dare to go. The Kestrel 5 series also includes a built-in dual color backlight, extra-strong polycarbonate lens and AA battery operation, along with optional LINK iOS and Android wireless connectivity and app support.

(0855FWLVORA)



Kestrel 5500FW Fire Weather Pro

This Kestrel meter does it all. The Kestrel 5500 provides the same trusted accuracy, reliability, and usability as the original Kestrel 4500. Measure every environmental condition plus wind direction, crosswind and headwind/tailwind. Drop-proof, dust-proof, waterproof and able to withstand extreme environments without damage, your Kestrel weather meter travels with you anywhere you dare to go. A range of carry pouch options makes it even easier to take your Kestrel meter with you.

(0855FWOR)



Kestrel 3000 Pocket Weather Meter

Targeted toward and practically required for wildland firefighters in both fighting fires and controlled burn situations. This Kestrel 3000 model was a principle factor that changed firefighting equipment standards from the previous standard, the belt weather kit. It cut the weight of dated weather packs, confusion, and time, to this minimalist approach that was revolutionary in firefighting, where users lives literally depend on the accurate weather data their Kestrel 3000 provides.

(0830-AUS)



Kestrel 2000 Pocket Weather Meter

The Kestrel 2000 Pocket Weather Meter is the most basic temperature and wind meter in the Kestrel collection, combining a user-friendly interface with highly accurate atmospheric data readings. Targeted toward outdoor enthusiasts, this meter has our patented external sensor, it can read the temperature of air, water or snow.

(0820-AUS)



Kestrel 1000 Wind Meter

The Kestrel 1000 is our most basic meter. If all you need is wind measurements, this our least expensive meter. Every meter we sell has the wind features of the Kestrel 1000. The hard slide-on case makes it durable to throw in your gear bag with no worries.

(730650010004)



Jerry Can Identification Tag - Unleaded

AFAC Plastic ID Fuel Tags

(1040)



Jerry Can Identification Tag - Drip Torch

AFAC Plastic ID Fuel Tags

(1044)



Jerry Can Identification Tag - Diesel

AFAC Plastic ID Fuel Tags

(1041)



Jerry Can Identification Tag - Chain & Bar Oil

AFAC Plastic ID Fuel Tags

(1045)



Jerry Can Identification Tag - 2 Stroke

AFAC Plastic ID Fuel Tags

(1042)



Jerry Can Identification Tag - Oil

AFAC Plastic ID Fuel Tags

(1046)



Red Deto-Stop Meta

Jerry Can Deto-Stop 5 L Metal Red

Jerry Can DETO-STOP® Jerry Can DETO-STOP® works in three ways:

1. The high thermal capacity alloy acts as a heat sink
2. The mesh design separates the flame into smaller burners
3. The mesh acts as a physical barrier to the travelling flame front.

(1094)



Red Deto-Stop Meta

Jerry Can Deto-Stop 20 L Metal Red

Jerry Can DETO-STOP® works in three ways:

1. The high thermal capacity alloy acts as a heat sink
2. The mesh design separates the flame into smaller burners
3. The mesh acts as a physical barrier to the travelling flame front.

(972)



Green Deto-Stop Meta

Jerry Can Deto-Stop 20 L Metal Green

Jerry Can DETO-STOP® works in three ways:

1. The high thermal capacity alloy acts as a heat sink
2. The mesh design separates the flame into smaller burners
3. The mesh acts as a physical barrier to the travelling flame front.

(0965)



Red Deto-Stop Meta

Jerry Can Deto-Stop 10 L Metal Red

Jerry Can DETO-STOP® works in three ways:

1. The high thermal capacity alloy acts as a heat sink
2. The mesh design separates the flame into smaller burners
3. The mesh acts as a physical barrier to the travelling flame front.

(0973)



Green Deto-Stop Meta

Jerry Can Deto-Stop 10 L Metal Green

Jerry Can DETO-STOP® works in three ways:

1. The high thermal capacity alloy acts as a heat sink
2. The mesh design separates the flame into smaller burners
3. The mesh acts as a physical barrier to the travelling flame front.

(0966)



Jerry Can 5 L Metal AFAC Shambrook Green

AFAC Approved Metal Jerry Can - 5 LITRE

(PRO1174)



Jerry Can 5 L Metal AFAC Red
AFAC Approved Metal Jerry Can - 5 LITRE
(PRO1095)



Jerry Can 5 L Metal AFAC Powder Blue
AFAC Approved Metal Jerry Can - 5 LITRE
(PRO177)



Jerry Can 5 L Metal AFAC Pipeline Grey
AFAC Approved Metal Jerry Can - 5 LITRE
(PRO1179)



Jerry Can 5 L Metal AFAC Olive Yellow
AFAC Approved Metal Jerry Can - 5 LITRE
(PRO1172)



Jerry Can 20 L Metal Green
AFAC Approved Metal Jerry Can - 20 Litre
(PRO965)



Jerry Can 20 L Metal AFAC Shambrook Green
AFAC Approved Metal Jerry Can - 20 Litre
(PRO1153)



Jerry Can 20 L Metal AFAC Red
AFAC Approved Metal Jerry Can - 20 Litre
(PRO1097)



Jerry Can 20 L Metal AFAC Olive Yellow
AFAC Approved Metal Jerry Can - 20 Litre
(PRO1151)



Jerry Can 10 L Metal AFAC Red
AFAC Approved Metal Jerry Can - 10 Litre
(PRO1096)



Jerry Can 10 L Metal AFAC Pipeline Grey
AFAC Approved Metal Jerry Can - 10 Litre
(PRO1168)



Incident Management Team Bag 420x250x320mm Black
Incident Management Team Bag 420x250x320mm Black
(00Z200)



Glostick 150mm Yellow 12 Hour 10 Pack
(612HY10B)



Glostick 150mm White 8 Hour 10 Pack
(608HW10B)



Glostick 150mm Red 12 Hour 10 Pack
(612HR10B)



Glostick 150mm Orange 12 Hour 10 Pack
(612HO10B)



Glostick 150mm Green 12 Hour 10 Pack
(612HG10B)



Glostick 150mm Blue 10 Hour 10 Pack
(608HB10B)



Genfo 18L Collapsible Knapsack
GENFO Collapsible Knapsack The Genfo Bushfire Fighting Knapsack is designed to assist the user in combating an approaching fire or to control burnoff. The double action pump results in water being sprayed during the inward and outward stroke creating greater efficiency. Manufactured from reinforced canvas and synthetic yarns and designed with a double reinforced bottom, inner breakwater division and flexible thermo welded water tank.
(GENFO)



Gear Stowage Bag 800x350x380mm Blue
Gear Stowage Bag 800x350x380mm Blue
(RX05F112BL)



Gear Stowage Bag 500x400x300mm Black
Gear Stowage Bag 500x400x300mm Black
(RX05F106BK)



Flagging Tape 25mmx75M Yellow 10 Pack
UV Stabilised, long lasting flagging tape
(TF3225-10)



Flagging Tape 25mmx75M White 10 Pack
UV Stabilised, long lasting flagging tape
(TF3223-10)



Flagging Tape 25mmx75M Red 10 Pack
UV Stabilised, long lasting flagging tape
(TF3224-10)



Flagging Tape 25mmx75M Pink 10 Pack
UV Stabilised, long lasting flagging tape
(TF3221-10)



Flagging Tape 25mmx75M Orange 10 Pack

UV Stabilised, long lasting flagging tape
(TF3226-10)



Flagging Tape 25mmx75M Green 10 Pack

UV Stabilised, long lasting flagging tape
(TF3228-10)



Flagging Tape 25mmx75M Fluorolime 10 Pack

UV Stabilised, long lasting flagging tape
(TF3227-10)



Flagging Tape 25mmx75M Blue 10 Pack

UV Stabilised, long lasting flagging tape
(TF3220-10)



Fire Fighting Rakehoe

The Rakehoe is a durable practical tool for bush fire fighting and mop up operations. Designed to rake up combustible debris, chopping fire breaks and scraping back burning bark from trees also suitable for spreading and levelling concrete
(FS7044)



Fire Control Torch

The Fixed Wand Fire Control Torch is an excellent tool for burning out and fire line ignition.
(FCT)



Fire Beater

The Fire Beater is designed to knock down, smother, and extinguish a small grasslands or wildlands fire.
(FS7026)



Equipment Bag Suction Line 580x280mm Cylinder Canvas

Equipment Bag Suction Line 580x280mm Cylinder Canvas
(10805-DFES)



Equipment Bag Rescue Blocks 360x200x360mm Yellow

Equipment Bag Rescue Blocks 360x200x360mm Yellow
(30801-DFES)



Equipment Bag Personnel Goggles 460x290mm Calico

Equipment Bag Personnel Goggles 460x290mm Calico
(10804-DFES)



Equipment Bag Long Line 520x370mm Red

Equipment Bag Long Line 520x370mm Red
(VBSROPBAG50)



Equipment Bag Goggles 310x210mm Calico

Equipment Bag Goggles 310x210mm Calico
(10800-DFES)



Equipment Bag Gloves & Pliers 220x330mm Canvas

Equipment Bag Gloves & Pliers 220x330mm Canvas
(10803-DFES)



Equipment Bag Ear Muffs 540x310mm Cylinder Green

Equipment Bag Ear Muffs 540x310mm Cylinder Green
(10801-DFES)



Equipment Bag Ear Muffs 320x300mm Canvas

Equipment Bag Ear Muffs 320x300mm Canvas
(10802-DFES)



Eflare Two Beacon Bag

Carry Bag for 2 to 3 beacons
(EFSBAG)



Eflare Magnetic Clip

This metal clip attaches any Eflare Beacon to all smooth metal surfaces.
(EFMAGCLIP)



Eflare Magnetic Base

Magnetic Base Mount
(EFMAGBASE)



Eflare Four Beacon Bag

Carry Bag for 4 to 6 beacons
(EFMBAG)



Eflare Flat Rubber Base

General purpose mount for all Eflare Beacons
(MEFBASE)



Eflare EMS Pack Red/Blue

The AT730 is Eflare's emergency services flashing beacon as it successfully combines two colours in a powerful flash.
(EFEMS+RB)



Eflare Cone Mount Clip

Eflare Cone Mount Clip
(EF500CM)



Eflare 730 Red/Blue 8 LED

The Eflare AT730 emergency services flashing beacon is now available from Powdersafe, and it successfully combines two colours in a powerful flash.
(EFAT730R/B)



Ceiling Hook & Handle 2400mm

A traditional pike pole fitted to a NUPLAGLAS pole constructed of millions of fibreglass strands pultruded over a Honeycomb core offers strength, safety, durability and it easy to manoeuvre.
(NCHNSWFB)



**Carryall Box Hydrant Paint
240x119x183mm Aluminium**

Carryall Box Hydrant Paint 240x119x183mm Aluminium
(KTMBPCFRS)



**Carry Bag Recovery Straps
500x250x200mm Blue**

Carry Bag Recovery Straps 500x250x200mm Blue
(30802-DFES)



**Box, Carryall, Hydrant, Equipment
455x265x258mm**

455mmx265mmx258mm
(CARRYALL/STEEL)



2kg Axe Cyclone 603457

It's polished 2kg one-piece, drop forged high carbon steel blade is tempered, hand sharpened with a full radius cutting edge.

(AXE)

88 total products.



Eflares



Eflare Two Beacon Bag

Carry Bag for 2 to 3 beacons
(EFSBAG)



Eflare Magnetic Clip

This metal clip attaches any Eflare Beacon to all smooth metal surfaces.
(EFMAGCLIP)



Eflare Magnetic Base

Magnetic Base Mount
(EFMAGBASE)



Eflare Four Beacon Bag

Carry Bag for 4 to 6 beacons
(EFMBAG)



Eflare Flat Rubber Base

General purpose mount for all Eflare Beacons
(MEFBASE)



Eflare EMS Pack Red/Blue

The AT730 is Eflare's emergency services flashing beacon as it successfully combines two colours in a powerful flash.
(EFEMS+RB)



Eflare Cone Mount Clip

Eflare Cone Mount Clip
(EF500CM)



Eflare 730 Red/Blue 8 LED

The Eflare AT730 emergency services flashing beacon is now available from Powdersafe, and it successfully combines two colours in a powerful flash.
(EFAT730R/B)

8 total products.



Hand Tools



Pulaski Axe Fibreglass Yellow Handle

The Pulaski is a combination axe and grub hole ideal for chopping, digging fire lines in hard and soft soils. Ground and tempered cutting edges. Axe head attached to a fiberglass handle which dramatically outlasts wood in firefighting applications by resisting breakage, heat, moisture, and cleaning materials.

(FHUPUL-5)



Glostick 150mm Yellow 12 Hour 10 Pack

(612HY10B)



Glostick 150mm White 8 Hour 10 Pack

(608HW10B)



Glostick 150mm Red 12 Hour 10 Pack

(612HR10B)



Glostick 150mm Orange 12 Hour 10 Pack

(612HO10B)



Glostick 150mm Green 12 Hour 10 Pack

(612HG10B)



Glostick 150mm Blue 10 Hour 10 Pack

(608HB10B)



Flagging Tape 25mmx75M Yellow 10 Pack

UV Stabilised, long lasting flagging tape
(TF3225-10)



Flagging Tape 25mmx75M White 10 Pack

UV Stabilised, long lasting flagging tape
(TF3223-10)



Flagging Tape 25mmx75M Red 10 Pack

UV Stabilised, long lasting flagging tape
(TF3224-10)




Flagging Tape 25mmx75M Pink 10 Pack

UV Stabilised, long lasting flagging tape
(TF3221-10)



Flagging Tape 25mmx75M Orange 10 Pack

UV Stabilised, long lasting flagging tape
(TF3226-10)



Flagging Tape 25mmx75M Green 10 Pack

UV Stabilised, long lasting flagging tape
(TF3228-10)



Flagging Tape 25mmx75M Fluorolime 10 Pack

UV Stabilised, long lasting flagging tape
(TF3227-10)



Flagging Tape 25mmx75M Blue 10 Pack

UV Stabilised, long lasting flagging tape
(TF3220-10)



Fire Fighting Rakehoe

The Rakehoe is a durable practical tool for bush fire fighting and mop up operations. Designed to rake up combustible debris, chopping fire breaks and scraping back burning bark from trees also suitable for spreading and levelling concrete
(FS7044)



Fire Control Torch

The Fixed Wand Fire Control Torch is an excellent tool for burning out and fire line ignition.
(FCT)



Fire Beater

The Fire Beater is designed to knock down, smother, and extinguish a small grasslands or wildlands fire.
(FS7026)



Ceiling Hook & Handle 2400mm

A traditional pike pole fitted to a NUPLAGLAS pole constructed of millions of fibreglass strands pultruded over a Honeycomb core offers strength, safety, durability and it easy to manoeuvre.
(NCHNSWFB)



2kg Axe Cyclone 603457

It's polished 2kg one-piece, drop forged high carbon steel blade is tempered, hand sharpened with a full radius cutting edge.
(AXE)



Fire Control Torch



Fire Control Torch

The Fixed Wand Fire Control Torch is an excellent tool for burning out and fire line ignition.

(FCT)

1 total products.



Flagging Tape



Flagging Tape 25mmx75M Yellow 10 Pack

UV Stabilised, long lasting flagging tape
(TF3225-10)



Flagging Tape 25mmx75M White 10 Pack

UV Stabilised, long lasting flagging tape
(TF3223-10)



Flagging Tape 25mmx75M Red 10 Pack

UV Stabilised, long lasting flagging tape
(TF3224-10)



Flagging Tape 25mmx75M Pink 10 Pack

UV Stabilised, long lasting flagging tape
(TF3221-10)



Flagging Tape 25mmx75M Orange 10 Pack

UV Stabilised, long lasting flagging tape
(TF3226-10)



Flagging Tape 25mmx75M Green 10 Pack

UV Stabilised, long lasting flagging tape
(TF3228-10)



Flagging Tape 25mmx75M Flurolime 10 Pack

UV Stabilised, long lasting flagging tape
(TF3227-10)



Flagging Tape 25mmx75M Blue 10 Pack

UV Stabilised, long lasting flagging tape
(TF3220-10)

8 total products.



Glosticks



Glostick 150mm Yellow 12 Hour 10 Pack

(612HY10B)



Glostick 150mm White 8 Hour 10 Pack

(608HW10B)



Glostick 150mm Red 12 Hour 10 Pack

(612HR10B)



Glostick 150mm Orange 12 Hour 10 Pack

(612HO10B)



Glostick 150mm Green 12 Hour 10 Pack

(612HG10B)



Glostick 150mm Blue 10 Hour 10 Pack

(608HB10B)

6 total products.



Tools



Pulaski Axe Fibreglass Yellow Handle

The Pulaski is a combination axe and grub hole ideal for chopping, digging fire lines in hard and soft soils. Ground and tempered cutting edges. Axe head attached to a fiberglass handle which dramatically outlasts wood in firefighting applications by resisting breakage, heat, moisture, and cleaning materials.

(FHUPUL-5)



Fire Fighting Rakehoe

The Rakehoe is a durable practical tool for bush fire fighting and mop up operations. Designed to rake up combustible debris, chopping fire breaks and scraping back burning bark from trees also suitable for spreading and levelling concrete

(FS7044)



Fire Beater

The Fire Beater is designed to knock down, smother, and extinguish a small grasslands or wildlands fire.

(FS7026)



Ceiling Hook & Handle 2400mm

A traditional pike pole fitted to a NUPLAGLAS pole constructed of millions of fibreglass strands pultruded over a Honeycomb core offers strength, safety, durability and it easy to manoeuvre.

(NCHNSWFB)



2kg Axe Cyclone 603457

It's polished 2kg one-piece, drop forged high carbon steel blade is tempered, hand sharpened with a full radius cutting edge.

(AXE)

5 total products.



Jerry Cans



Jerry Can Identification Tag - Unleaded
AFAC Plastic ID Fuel Tags
(1040)



Jerry Can Identification Tag - Drip Torch
AFAC Plastic ID Fuel Tags
(1044)



Jerry Can Identification Tag - Diesel
AFAC Plastic ID Fuel Tags
(1041)



Jerry Can Identification Tag - Chain & Bar Oil
AFAC Plastic ID Fuel Tags
(1045)



Jerry Can Identification Tag - 2 Stroke
AFAC Plastic ID Fuel Tags
(1042)



Jerry Can Identification Tag - Oil
AFAC Plastic ID Fuel Tags
(1046)



Red Deto-Stop Meta
Jerry Can Deto-Stop 5 L Metal Red
Jerry Can DETO-STOP® Jerry Can DETO-STOP® works in three ways:
1. The high thermal capacity alloy acts as a heat sink
2. The mesh design separates the flame into smaller burners
3. The mesh acts as a physical barrier to the travelling flame front.
(1094)



Red Deto-Stop Meta
Jerry Can Deto-Stop 20 L Metal Red
Jerry Can DETO-STOP® works in three ways:
1. The high thermal capacity alloy acts as a heat sink
2. The mesh design separates the flame into smaller burners
3. The mesh acts as a physical barrier to the travelling flame front.
(972)



Green Deto-Stop Meta
Jerry Can Deto-Stop 20 L Metal Green
Jerry Can DETO-STOP® works in three ways:
1. The high thermal capacity alloy acts as a heat sink
2. The mesh design separates the flame into smaller burners
3. The mesh acts as a physical barrier to the travelling flame front.
(0965)



Red Deto-Stop Meta
Jerry Can Deto-Stop 10 L Metal Red
Jerry Can DETO-STOP® works in three ways:
1. The high thermal capacity alloy acts as a heat sink
2. The mesh design separates the flame into smaller burners
3. The mesh acts as a physical barrier to the travelling flame front.
(0973)



Green Deto-Stop Meta
Jerry Can Deto-Stop 10 L Metal Green
Jerry Can DETO-STOP® works in three ways:
1. The high thermal capacity alloy acts as a heat sink
2. The mesh design separates the flame into smaller burners
3. The mesh acts as a physical barrier to the travelling flame front.
(0966)



Jerry Can 5 L Metal AFAC Shambrook Green
AFAC Approved Metal Jerry Can - 5 LITRE
(PRO1174)



Jerry Can 5 L Metal AFAC Red
AFAC Approved Metal Jerry Can - 5 LITRE
(PRO1095)



Jerry Can 5 L Metal AFAC Powder Blue
AFAC Approved Metal Jerry Can - 5 LITRE
(PRO177)



Jerry Can 5 L Metal AFAC Pipeline Grey
AFAC Approved Metal Jerry Can - 5 LITRE
(PRO1179)



Jerry Can 5 L Metal AFAC Olive Yellow
AFAC Approved Metal Jerry Can - 5 LITRE
(PRO1172)



Jerry Can 20 L Metal Green
AFAC Approved Metal Jerry Can - 20 Litre
(PRO965)



Jerry Can 20 L Metal AFAC Shambrook Green
AFAC Approved Metal Jerry Can - 20 Litre
(PRO1153)



Jerry Can 20 L Metal AFAC Red
AFAC Approved Metal Jerry Can - 20 Litre
(PRO1097)



Jerry Can 20 L Metal AFAC Olive Yellow
AFAC Approved Metal Jerry Can - 20 Litre
(PRO1151)



Jerry Can 10 L Metal AFAC Red

AFAC Approved Metal Jerry Can - 10 Litre

(PRO1096)



Jerry Can 10 L Metal AFAC Pipeline Grey

AFAC Approved Metal Jerry Can - 10 Litre

(PRO1168)

22 total products.



Knapsacks



Rega Knapsack Vechile Bracket

This Rega Firefighter knapsack steel vehicle bracket is designed to hold your 16 litre Rega Firefighter knapsack securely when in transit. The bracket features multiple supports, an adjustable retaining strap and quick release catch.

(HDVBRK)



Rega Knapsack 16L Back Pack

This very high quality Rega fire fighting knapsack is an ideal alternative to an air/water fire extinguisher. It is designed to extinguish small low intensity fires such as spot fires in a bush fire situation.

The knapsack has a large water capacity, variable jet/fan nozzle, bi directional pump action and excellent range. It can deliver 1.2lt per minute and is designed to be a comfortable fit utilising two adjustable shoulder straps.

(BPFF)



Genfo 18L Collapsible Knapsack

GENFO Collapsible Knapsack The Genfo Bushfire Fighting Knapsack is designed to assist the user in combating an approaching fire or to control burnoff. The double action pump results in water being sprayed during the inward and outward stroke creating greater efficiency. Manufactured from reinforced canvas and synthetic yarns and designed with a double reinforced bottom, inner breakwater division and flexible thermo welded water tank.

(GENFO)

3 total products.



Stowage



Tactical Carry Bag 510x310x310mm
Tactical Carry Bag 510x310x310mm
(10806-DFES)



Splash Suit Holdall 300x350x150mm
Splash Suit Holdall 300x350x150mm
(30800-DFES)



LT First Aid Satchel
LT First Aid Satchel (Holds 2 First Aid Kits)
(30804-DFES)



Lithium Tool Bag 340x150x440mm Blue
Lithium Tool Bag 340x150x440mm Blue
(30803-DFES)



Incident Management Team Bag 420x250x320mm Black
Incident Management Team Bag 420x250x320mm Black
(00Z200)



Gear Stowage Bag 800x350x380mm Blue
Gear Stowage Bag 800x350x380mm Blue
(RX05F112BL)



Gear Stowage Bag 500x400x300mm Black
Gear Stowage Bag 500x400x300mm Black
(RX05F106BK)



Equipment Bag Suction Line 580x280mm Cylinder Canvas
Equipment Bag Suction Line 580x280mm Cylinder Canvas
(10805-DFES)



Equipment Bag Rescue Blocks 360x200x360mm Yellow
Equipment Bag Rescue Blocks 360x200x360mm Yellow
(30801-DFES)



Equipment Bag Personnel Goggles 460x290mm Calico
Equipment Bag Personnel Goggles 460x290mm Calico
(10804-DFES)



Equipment Bag Long Line 520x370mm Red
Equipment Bag Long Line 520x370mm Red
(VBSROPBAG50)



Equipment Bag Goggles 310x210mm Calico
Equipment Bag Goggles 310x210mm Calico
(10800-DFES)



Equipment Bag Gloves & Pliers 220x330mm Canvas
Equipment Bag Gloves & Pliers 220x330mm Canvas
(10803-DFES)



Equipment Bag Ear Muffs 540x310mm Cylinder Green
Equipment Bag Ear Muffs 540x310mm Cylinder Green
(10801-DFES)



Equipment Bag Ear Muffs 320x300mm Canvas
Equipment Bag Ear Muffs 320x300mm Canvas
(10802-DFES)



Carryall Box Hydrant Paint 240x119x183mm Aluminium
Carryall Box Hydrant Paint 240x119x183mm Aluminium
(KTMBPCFRS)



Carry Bag Recovery Straps 500x250x200mm Blue
Carry Bag Recovery Straps 500x250x200mm Blue
(30802-DFES)



Box, Carryall, Hydrant, Equipment 455x265x258mm
455mmx265mmx258mm
(CARRYALL/STEEL)



Torches & Lighting



UK3AA eLED Herculite Torch Rear Button

UKE3AA LED Herculite Torch - Tail Switch On/Off Button
(UKT10034)



Pelican Little Ed 4AA Right Angle Light

The 3610 is a right angle flashlight that uses our latest "Deep Mount" LED technology, delivering impressive lumens and lux performance.

(3610Y)



Pelican 9500 RALS Shelter Lighting Kit

The 9500 Shelter Lighting System provides shelters with safe, secure and silent interior lighting. The 9500 contains three LED light heads equipped with both white and red LEDs allowing for maximum visibility or if needed, preservation of night vision.

(9500B)



Pelican 9490 RALS 1 Head Mobile Unit Light Black

Remote Area Lighting Systems from Pelican are the complete lighting solution for first responders, industrial and aerospace applications. With multiple heads and Bluetooth activation (select models), RALS can light up an accident scene or a soccer field.

(9490)



Pelican 9460 RALS 4 Head Mobile Unit Light Black

(9470M)



Pelican 9460 RALS 2 Head Mobile Unit Light Yellow

"M" for mobility, the 9460M is built with a set of XL wheels providing easy transport over rough terrain. The all new and extremely powerful 9460M Remote Area Lighting System (RALS) provides convenient and ecologically responsible alternatives to wasteful generator powered lights. Engineered with the Intelligent Control System which calculates and displays current battery life.

(9460M)



Pelican 9460 RALS 2 Head Mobile Unit Light Black

"M" for mobility, the 9460M is built with a set of XL wheels providing easy transport over rough terrain. The all new and extremely powerful 9460M Remote Area Lighting System (RALS) provides convenient and ecologically responsible alternatives to wasteful generator powered lights. Engineered with the Intelligent Control System which calculates and displays current battery life.

(9460)



Pelican 9440 RALS 1 Head Tripod Light Yellow

The 9440 now offers Bluetooth® remote activation with variable light control, three pre-set power levels, battery level indication and comes equipped with a lithium ion rechargeable battery. The 9440 moves fast to light up ravines, confined spaces, riverbanks, anyplace generator lights can't go.

(9440Y)



Pelican 9440 RALS 1 Head Tripod Light Black

The 9440 now offers Bluetooth® remote activation with variable light control, three pre-set power levels, battery level indication and comes equipped with a lithium ion rechargeable battery. The 9440 moves fast to light up ravines, confined spaces, riverbanks, anyplace generator lights can't go.

(9440)



Pelican 9430SL Spot Light Black

The 9430 Remote Area Lighting System and changed the way we light our work. The new Spot Beam model saves lives and defeats enemy threats.

(9430SLB)



Pelican 9430 Spot Light Yellow

Remote Area Lighting Systems from Pelican are the complete lighting solution for first responders, industrial and aerospace applications. With multiple heads and Bluetooth activation (select models), RALS can light up an accident scene or a soccer field.

(9430Y)



Pelican 3715 Firemans Right Angle Light

Pelican leads the way yet again with its new right angle light. Featuring downcast LEDs for illuminating your path, the new 3715 LED light also features 233 lumens (high) and 113 lumens (low), and a flashing mode

(3715YPL)

12 total products.



Remote Area Lighting



Pelican Little Ed 4AA Right Angle Light

The 3610 is a right angle flashlight that uses our latest "Deep Mount" LED technology, delivering impressive lumens and lux performance.

(3610Y)



Pelican 9500 RALS Shelter Lighting Kit

The 9500 Shelter Lighting System provides shelters with safe, secure and silent interior lighting. The 9500 contains three LED light heads equipped with both white and red LEDs allowing for maximum visibility or if needed, preservation of night vision.

(9500B)



Pelican 9490 RALS 1 Head Mobile Unit Light Black

Remote Area Lighting Systems from Pelican are the complete lighting solution for first responders, industrial and aerospace applications. With multiple heads and Bluetooth activation (select models), RALS can light up an accident scene or a soccer field.

(9490)



Pelican 9470M RALS 4 Head Mobile Unit Light Black

(9470M)



Pelican 9460M RALS 2 Head Mobile Unit Light Yellow

"M" for mobility, the 9460M is built with a set of XL wheels providing easy transport over rough terrain. The all new and extremely powerful 9460M Remote Area Lighting System (RALS) provides convenient and ecologically responsible alternatives to wasteful generator powered lights. Engineered with the Intelligent Control System which calculates and displays current battery life.

(9460M)



Pelican 9460 RALS 2 Head Mobile Unit Light Black

"M" for mobility, the 9460M is built with a set of XL wheels providing easy transport over rough terrain. The all new and extremely powerful 9460M Remote Area Lighting System (RALS) provides convenient and ecologically responsible alternatives to wasteful generator powered lights. Engineered with the Intelligent Control System which calculates and displays current battery life.

(9460)



Pelican 9440Y RALS 1 Head Tripod Light Yellow

The 9440 now offers Bluetooth® remote activation with variable light control, three pre-set power levels, battery level indication and comes equipped with a lithium ion rechargeable battery. The 9440 moves fast to light up ravines, confined spaces, riverbanks, anyplace generator lights can't go.

(9440Y)



Pelican 9440 RALS 1 Head Tripod Light Black

The 9440 now offers Bluetooth® remote activation with variable light control, three pre-set power levels, battery level indication and comes equipped with a lithium ion rechargeable battery. The 9440 moves fast to light up ravines, confined spaces, riverbanks, anyplace generator lights can't go.

(9440)



Pelican 9430SL Spot Light Black

The 9430 Remote Area Lighting System has changed the way we light our work. The new Spot Beam model saves lives and defeats enemy threats.

(9430SLB)



Pelican 9430 Spot Light Yellow

Remote Area Lighting Systems from Pelican are the complete lighting solution for first responders, industrial and aerospace applications. With multiple heads and Bluetooth activation (select models), RALS can light up an accident scene or a soccer field.

(9430Y)



Pelican 3715 Firemans Right Angle Light

Pelican leads the way yet again with its new right angle light. Featuring downcast LEDs for illuminating your path, the new 3715 LED light also features 233 lumens (high) and 113 lumens (low), and a flashing mode

(3715YPL)

11 total products.



Torches



UK3AA eLED Herculite Torch Rear Button

UKE3AA LED Herculite Torch - Tail Switch On/Off Button
(UKT10034)

1 total products.



Weather Meters



Kestrel 5500FW Fire Weather Pro with Link

This Kestrel meter does it all. The Kestrel 5500 provides the same trusted accuracy, reliability, and usability as the original Kestrel 4500. Measure every environmental condition plus wind direction, crosswind and headwind/tailwind. Drop-proof, dust-proof, waterproof and able to withstand extreme environments without damage, your Kestrel weather meter travels with you anywhere you dare to go. The Kestrel 5 series also includes a built-in dual color backlight, extra-strong polycarbonate lens and AA battery operation, along with optional LINK iOS and Android wireless connectivity and app support.

(0855FWLVORA)



Kestrel 5500FW Fire Weather Pro

This Kestrel meter does it all. The Kestrel 5500 provides the same trusted accuracy, reliability, and usability as the original Kestrel 4500. Measure every environmental condition plus wind direction, crosswind and headwind/tailwind. Drop-proof, dust-proof, waterproof and able to withstand extreme environments without damage, your Kestrel weather meter travels with you anywhere you dare to go. A range of carry pouch options makes it even easier to take your Kestrel meter with you.

(0855FWOR)



Kestrel 3000 Pocket Weather Meter

Targeted toward and practically required for wildland firefighters in both fighting fires and controlled burn situations. This Kestrel 3000 model was a principle factor that changed firefighting equipment standards from the previous standard, the belt weather kit. It cut the weight of dated weather packs, confusion, and time, to this minimalist approach that was revolutionary in firefighting, where users lives literally depend on the accurate weather data their Kestrel 3000 provides.

(0830-AUS)



Kestrel 2000 Pocket Weather Meter

The Kestrel 2000 Pocket Weather Meter is the most basic temperature and wind meter in the Kestrel collection, combining a user-friendly interface with highly accurate atmospheric data readings. Targeted toward outdoor enthusiasts, this meter has our patented external sensor, it can read the temperature of air, water or snow.

(0820-AUS)



Kestrel 1000 Wind Meter

The Kestrel 1000 is our most basic meter. If all you need is wind measurements, this our least expensive meter. Every meter we sell has the wind features of the Kestrel 1000. The hard slide-on case makes it durable to throw in your gear bag with no worries.

(730650010004)

5 total products.



nothing



Wall Mounting Bracket



Storz Hydrant Spanner 38mm



Storz Hydrant Spanner 38-65mm



Static Hydrant Pressure Tester - BIC



Pull Pin



Plastic PV Cap



Padlock P100 - Red



LINEN ESSENTIALS GEAR BAG





Internal Hydrant Washer



Hydrant Hand Wheel - Red



Hydrant and Hose Reel Tester

□
Hydrant and Fire Hose Reel Flow
Tester



Cribbing Block Bag
Cribbing block bag Blue



Brass Hydrant Spanner



19MM Brass Twist Nozzle



003 Key Only





Rio Adventure



MAGNUM RIO ADVENTURE

Stay Clean, Stay Light

Created by Hi-Tec, i-Shield is an invisible protective layer that repels water and dirt with ease.

STAY CLEAN

i-Shield's inherent stain resistance protects against oil and stains, keeping your footwear cleaner for longer.

STAY LIGHT

i-Shield repels water and significantly reduces water uptake, keeping your footwear light and comfortable.

-
(MRA100)

1 total products.



Shieldme



Shieldme Medical Face Shields
(MFS001)



Shieldme Face Shield
(FS002)



Shieldme Automatic Hand Disinfecting
Dispenser
(Shieldme-5L Dis)

3 total products.